



PRICE LIST 2026



Description	cod number	Price EURO
Carafe glass 1l Supreme Splash 		21,00 EUR
Bottle Supreme Splash white 600ml, ceramic insert 		30,00 EUR
Bottle Supreme Splash black 600 ml, ceramic insert 		30,00 EUR



WATER TESTERS

SUPREME

	Description:	Article item:	Price:
	Tester TDS Supreme	TEST_TDS_SUPREME	12 USD
	Tester ORP Supreme	TEST_ORP_SUPREME	53 USD
	Tester PH Supreme	TEST_PH_SUPREME	18,20 USD
	Calibration set for pH	CROZBUFSUP	1,10 USD
	Drops hardness tester	CSUPREME-T-WH	7,60 EUR
	Supreme IRON tester	CSUPREME-1016	48 EUR
	Supreme Manganies tester	CSUPREME-1039	70 EUR



Description:	Article item:	Price:
Detector TDS with two ties	CTDS81	44 EUR

SODA - CLEVER ERCANO COUNTERTOP

Clever Ercano SODA countertop	799762	978 EUR
Membrane 100 GPD	CLV-RO-100GPD	140 EUR
Cartridge for Ercano clever	CLV-CS	35 EUR



Sparkling water
Possibility of producing sparkling water*.

Dual circuit discharge nozzle
The first faucet is designed for cold and sparkling water, the second – for warm and hot water.

Volume adjustment
Possibility of dosing volume: 150, 250, 350 ml or continuous pouring of water.

Water heating function
Precise temperature selection from 25 °C to 95 °C.

Water cooling function
Chilled water ranging from 5 °C to 10 °C.

Bactericidal system
UV lamps built into each of the two outlets and two at the filter tank enable continuous water disinfection.

Metal drip tray
equipped with a container for overflowing water.

CLEVER
ercano

Domestic RO systems

DIRECT FLOW 1200 GPD SUPREME CLEVER

Supreme Clever 1200 GPD	FILTRRO-CLEV-1200	470 EUR
Membrane 1200 GPD	MEM-1200	160 EUR
Cartridge for Clever 1200 GPD	WKL-PPC	35 EUR

best water solutions
supreme
simply better

Outer cover
Cover protecting the front control panel, cartridges and membrane from dirt or possible damage.

"TWIST IN" cartridges
The "TWIST IN" system enables quick replacement of cartridges and membranes, without the need for specialist tools and without the risk of spilling water.

PP+CB cartridge
Removes mechanical impurities such as sand, rust and suspensions. Reduces the concentration of chlorine and its derivatives and organic compounds.

RO membrane
Removes up to 98% of all contaminants from water, no smaller than 0.0001 microns, including heavy metals and some bacteria and viruses.

Control panel
Displays information on the quality of the produced water (TDS), controls the wear status of the cartridges and the osmotic membrane.

LEDs
They indicate the current operating mode of the system. They inform about the need to perform service.

Tankless design
The device supplies water on demand, without the need for storage, which saves space.

Faucet
An elegant faucet with separate channels that delivers filtered water. (The faucet is included with the system).

1200 GPD
CLEVER
Reverse Osmosis

DIRECT FLOW 600 GPD RUWA SYSTEM

RUWA 600 GPD 1 PIECE	910996	490 EUR
RUWA 600 GPD 5 OR MORE PIECES	910996	450 EUR



RO DIRECT FLOW 600

1 RO 2 RP

✓

RO RUWA
WATER PRODUCED: 1 litre
REJECTED WATER: 0,5 litres

CONVENTIONAL EQUIPMENT
WATER PRODUCED: 1 litre
REJECTED WATER: 3 litres

**1.8 LPM
600 GPD
HIGH FLOW**

315 mm

410 mm

132 mm

RUWA

**VERSATILE,
COMPACT**



FIXED
Water quality is good

BLINK
Flushing automatic equipment flushing


FIXED
Filters out of stock. Urgent change

BLINK
Filters on the verge of running out

SUPREME STANDARD SYSTEMS				
RO Systems	Model:	Description:	Articel item:	Price :

	SUPREME-RO5	SUPREME RO5 stages	FI/RO5-SUP-V3	137 EUR
	SUPREME-RO6	SUPREME RO6 stages	FI/RO6-SUP-V3	147 EUR
	SUPREME-RO7	SUPREME RO7 stages	FI/RO7-SUP-V3	164 EUR
	SUPREME-RO8	SUPREME RO8 stages with S-L-FIR-BIO200	FI/RO8-SUP-V5	192 EUR

VONTRON®



SUPREME PREMIUM SYSTEMS

RO Systems	Model:	Description:	Articel item:	Price :
	SUPREME-RO5	SUPREME RO 5 stages PREMIUM	PREMIUM-RO5	184 EUR
	SUPREME-RO6	SUPREME RO6 stages PREMIUM	PREMIUM-RO6	194 EUR
	SUPREME-RO7	SUPREME RO7 stages PREMIUM	PREMIUM-RO7	206 EUR
	SUPREME-RO8	SUPREME RO8 stages PREMIUM	PREMIUM-RO8	262 EUR
		melt blown bacteriostatic cartridges 5 and 20 mic block carbon CTO Supreme 100 GPD membrane QC mineralizing and coconut carbon T33 cartridges bioceramic cartridge biocera supreme ORP↓ pH ↑		
	SUPREME-RO8 B	SUPREME RO8 B stages PREMIUM with S-L-FIR BIO 250	PREMIUM-RO8_B-ES2	229 EUR



POLAQUA GROUP
Sycowska 45
60-003 Poznan

www.polaquagroup.com
order@polaquagroup.com

mobile:+48 697-998-736

NO NAME RO SYSTEMS

	Description:	Articel item:	Price :
	RO5 with 75 GD Vontron membrane	FIRO538-V2-KPL	126 EUR
	RO6 with 75 GD Vontron membrane	FI/RO638-V2-KPL	131 EUR
	RO7 with 75 GD Vontron membrane	FI/RO738-V4-KPL	146 EUR
	RO5 with buster pump - 75 GD Vontron membrane	FI/RO5-P-38	211 EUR
	RO6 with buster pump - 75 GD Vontron membrane	FI/RO6.POMP-V2	220 EUR



Description:	Articel item:	Price :
RO MERLIN 700 GPD SYSTEM	U3DE904-2	862 EUR

Industrial RO systems

Capacity:	Model:	Description	Membranes	Price:
100L/h	EKO- OSMO 2K	ROC PANEL	1 x 2540	on request
100L/h	EKO- OSMO 2K DeLux+	LOGO PANEL	1 x 2540	on request
200L/h	EKO- OSMO 4K	ROC PANEL	2 x 2540	on request
200L/h	EKO- OSMO 4K DeLux+	LOGO PANEL	2 x 2540	on request
300L/h	EKO- OSMO 7K	ROC PANEL	1 x 4040	on request
300L/h	EKO- OSMO 7K DeLux+	LOGO PANEL	1 x 4040	on request
600L/h	EKO- OSMO 14K	ROC PANEL	2 x 4040	on request
600L/h	EKO- OSMO 14K DeLux+	LOGO PANEL	2 x 4040	on request
900L/h	EKO- OSMO 18K DeLux+	LOGO PANEL	3 x 4040	on request
1200L/h	EKO- OSMO 24K DeLux	LOGO PANEL	4 x 4040	on request
1500L/h	EKO- OSMO 30K DeLux	LOGO PANEL	5 x 4040	on request
1800L/h	EKO- OSMO 36K DeLux	LOGO PANEL	6 x 4040	on request
2100L/h	EKO- OSMO 42K DeLux	LOGO PANEL	7 x 4040	on request
2400L/h	EKO- OSMO 48K DeLux	LOGO PANEL	8 x 4040	on request
3000L/h	EKO- OSMO 60K DeLux	LOGO PANEL	3 x 8040	on request
5000L/h	EKO- OSMO 120K DeLux	S7-1200 PANEL	6 x 8040	on request
8000L/h	EKO- OSMO 190K DeLux	S7-1200 PANEL	8 x 8040	on request
15000L/h	EKO- OSMO 360K DeLux	S7-1200 PANEL	14 x 8040	on request

Option: Additional payment for: Simatic S7 = +

Systems with a capacity as per requirements on request.

Our partners:

VONTRON®  John Guest

 LOVATO

best water solutions
 supreme
simply better

 Danfoss

 SIEMENS

 NU.ERT.
rotary vane pumps
Volumetric rotary vane pumps production

 BWG
COMPONENTS



Parts for reverse osmosis systems

TANKS			
Description:		Articel item:	Price:
	ZB32-PL - plastic tank 3,2 gal.	ZBIO/AT-P-12-Y	36 EUR
	ZB110-M - tank 11,0 gal.	ZBIMET10,7-B	150 EUR
	ZB220-M - tank 20,0 gal.	ZBIMET20-B	220 EUR
	ZB400-M - tank 40,0 gal.	ZBIMET40-B	on request
UV LAMPS			
Description:		Articel item:	Price:
	UV1G-M - UV system 6W, 1G stainless steel	U2/LUV/STAL1/4	68,00 EUR
	UV-Z1G-M - lamp for system UV1G-M	PROMTUV6WG5	33,20 EUR
RO PUMP			
Description:		Articel item:	Price:
	RO buster pump 50/75G		75,0 EUR

50/75G	100G	200G	300G	400G
24 V	24 V	24 V	24 V	24 V
1 A	1 A	2,5 A	3 A	4,6 A
1,6 lpm	1,8 lpm	2,8 lpm	5,0 lpm	6,5 lpm
2 m	2 m	2 m	2 m	2 m
300 cc	800 cc	1400 cc	1900 cc	3160 cc
82 +/- PSI	82 +/- PSI	82 +/- PSI	82 +/- PSI	82 +/- PSI
bypass 125 PSI	bypass 125 PSI	bypass 125 PSI	bypass 125 PSI	bypass 125 PSI

RO ACCESSORIES			
Description:		Articel item:	Price:
            	4 - WAY VALVE JG 1/4" X 1/4" X 1/4" X 1/4" TUBE NEW SYMBOL WB-CV0201W-Q	WB-CV0201W-Q	4,0 EUR
	Ball valve 1/4 tube x 1/4 FIP (NPT) WFTV14-1 NEW SYMBOL WB-CV1144-Q	WB-CV1144-Q	3,40 EUR
	Drain clamp 1/4 WFDV14 NEW SYMBOL WC-CU114B	WC-CU114B	1,88 EUR
	Flow restrycractor FR-300 CC/MIN - quick connector NEW SYMBOL WB-FR5030-Q	WB-FR5030-Q	3,30 EUR
	Flow restrycractor FR-420 CC/MIN - quick connector NEW SYMBOL WB-FR5042-Q	WB-FR5042-Q	3,30 EUR
	Flow restrycractor FR-550 CC/MIN - quick connector NEW SYMBOL WB-FR5055-Q	WB-FR5055-Q	3,30 EUR
	Flow restrycractor FR-800 CC/MIN - quick connector NEW SYMBOL	OGR800	3,30 EUR
	Membrane housing WROMH NEW SYMBOL WH-P7224W	WH-P7224W	4,80 EUR
	Membrane housing 3"	YT-3-3814W	request
	Brass, nickel plated ball valve, 1/4"M x 1/4" tube hose connection. SEWBV1414	ZAWMIE	2,20 EUR
	PVC valve 1/4x1/4 QC BV250W-JG NEW SYMBOL WB-CV1344-Q	WB-CV1344-Q	2,90 EUR
	Connector 1/4 MIP (NPT) x 1/4 MIP (NPT) WFC1414 / KF1415 NEW SYMBOL WA-HN0404-1	WA-HN0404-1	0,54 EUR
	handle - single 2" KF101 NEW SYMBOL WC-CL2000W	WC-CL2000W	0,64 EUR
	handle - single 2 1/2"	WC-CL2500W	0,64 EUR
	handle - single 3" (3,5")	UCH_C300W	1,46 EUR



handle - double 2" x 2" DC-2000W NEW SYMBOL WC-CLD2000W	WC-CLD2000W	0,70 EUR
handle - double 2" x 2 1/2" DC-2500W NEW SYMBOL WC-CLD2500W	WC-CLD2500W	0,80 EUR
Handle – double 2,5" x 2,5" DC-3000W NEW SYMBOL WC-CLD3000W	WC-CLD3000W	0,74 EUR
Locking clip 1/4 NEW SYMBOL WA-LC0004BU-1	WA-LC0004BU-1	0,06 EUR
FT02 - connection 3/4" FIP x 3/4" MIP	PRZWOD3/4FT02.	3,80 EUR
FT07 - connection 3/4" FIP x 3/4" MIP x 1/4" FIP	PRZWOD3/4	3,32 EUR
FT03 - connection 3/8" FIP x 3/8" MIP x 1/4" FIP	PRZWOD3/8"	3,12 EUR
Tube 1/4 roll 300m WHITE NEW SYMBOL WE-2004W-PL5	WE-2004W-PL5	0,24 EUR
Tube 1/4 roll 300m RED NEW SYMBOL WE-2004R	WE-2004R	0,24 EUR
Tube 1/4 roll 300m BLUE NEW SYMBOL WE-2004B	WE-2004B	0,24 EUR
Tube 1/4 roll 300m YELLOW NEW SYMBOL WE-2004Y	WE-2004Y	0,24 EUR
Tube 1/4 roll 300m BLACK NEW SYMBOL WE-2004BK	WE-2004BK	0,24 EUR
Tube 3/8 roll 150M WHITE NEW SYMBOL WE-2006W-PL5	WE-2006W-PL5	1,60 EUR
Tube 3/8 roll 150M BLACK NEW SYMBOL WE-2006BK	WE-2006BK	1,60 EUR

ELBOWS			
Description:		Articel item:	Price:
	Elbow with check valve 1/4 tube x 1/8 MIP WB-CV3042W-Q	WB-CV3042W-Q	2,40 EUR
	Elbow 1/4 TUBE x 1/4 tube WFUE14 NEW SYMBOL WA-UE0404	WA-UE0404	0,68 EUR
	Elbow 1/4 MIP (NPT) x 1/4 tube WFME14 NEW SYMBOL WA-ME0404	WA-ME0404	0,48 EUR
	Elbow 1/8 MIP (NPT) x 1/4 tube WFME18 NEW SYMBOL WA-ME0402	WA-ME0402	0,48 EUR
	Elbow Stem 1/4" in to 1/4" tube WFSE14 NEW SYMBOL WA-SE0404	WA-SE0404	0,48 EUR
	Elbow 3/8 tube x 3/8 tube	C1AV155	5,84 EUR
TEES			
Description:		Articel item:	Price:
	Tee 1/4 tube x 1/4 tube x 1/4 tube WFT14 NEW SYMBOL WA-UT0404	WA-UT0404	0,90 EUR
	Tee 1/4 tube x 1/4 MIP x 1/4 tube A4MBT4-W	WA-MBT0404	1,20 EUR
	Stem Tee 1/4" x 1/4" tube x 1/4" tube	WA-SRT0404	0,94 EUR
	Steam tee 1/4" TUBE x 1/4" STEAM x 1/4" TUBE A4TR4 NEW SYMBOL WA-SBT0404	WA-SBT0404	1,20 EUR
	Stem Run Tee, 1/4" TUBE x 1/4" TUBE x 1/4" Stem WFSRT14 NEW SYMBOL WA-SRT0404	WA-SRT0404	0,96 EUR
	Tee 1/4" tube x 1/4" tube x 1/4" plug in WFTR14/A4TR4 NEW SYMBOL WA-SRT0404	TROJ_WFTR14	0,96 EUR
	Union Tee, 3/8" TUBE x 3/8" TUBE x 3/8" TUBE NEW SYMBOL WA-UT0606	WA-UT0606	2,00 EUR
CONNECTORS			
Description:		Articel item:	Price:
	Connector 1/4 tube x 1/4 MIP (NPT) WPMC14 NEW SYMBOL WA-MC0404	WA-MC0404	0,48 EUR
	Adapter fitting for faucet 1/4" tube x 7/16" thread A4FA716.	ZłAA4FA716.	1,80 EUR
	Union connector 1/4" TUBE x 1/4" TUBE A4UC4 NEW SYMBOL WA-UC0404	WA-UC0404	0,76 EUR
	Connector 1/4 tube x 1/8 MIP (NPT) WPMC18 NEW SYMBOL WA-MC0402	WA-MC0402	0,48 EUR
	Threaded 2 x 1/4" bulkhead quick connector with nut A4BU4 NEW SYMBOL WA-BU0404	WA-BU0404	1,40 EUR

POLAQUA GROUP
Sycowska 45
60-003 Poznan

www.polaquagroup.com
order@polaquagroup.com

mobile:+48 697-998-736



Male Connector, 1/4" TUBE x 3/8" NPT NEW SYMBOL WA-MC0406	WA-MC0406	0,48 EUR
Union Connector, 3/8" TUBE x 3/8" TUBE NEW SYMBOL WA-UC0606	WA-UC0606	1,40 EUR
Stem Adapter, 1/4" Stem x 1/4" NPT NEW SYMBOL WA-SA0404	WA-SA0404	0,48 EUR

Other elbows, tees, connectors available on request

CARTRIDGES

Melt blown cartridges:	Model:	Description:	Article item:	Price:
	S-PP1-5	5" x 2 1/2" - 1 µm. Polypropylene melt blown cartridge	WKL5PRA1M-SUP	0,70 EUR
	S-PP5-5	5" x 2 1/2" - 5 µm. Polypropylene melt blown cartridge	WKL5PRA5M-SUP	0,70 EUR
	S-PP20-5	5" x 2 1/2" - 20 µm. Polypropylene melt blown cartridge	WKL5PRA20M-SUP	0,70 EUR
	S-PP1	9 7/8" x 2 1/2" - 1 µm. Polypropylene melt blown cartridge	WKL10PRA1M-SUP-ES	1,10 EUR
	S-PP5	9 7/8" x 2 1/2" - 5 µm. Polypropylene melt blown cartridge	WKL10PRA5M-SUP-ES	1,10 EUR
	S-PP10	9 7/8" x 2 1/2" - 10 µm. Polypropylene melt blown cartridge	WKL10PRA10M-SUP-ES	1,10 EUR
	S-PP20	9 7/8" x 2 1/2" - 20 µm. Polypropylene melt blown cartridge	WKL10PRA20M-SUP-ES	1,10 EUR
	S-PP50	9 7/8" x 2 1/2" - 50 µm. Polypropylene melt blown cartridge	WKL10PRA50M-SUP-ES	1,10 EUR
	S-PP1-20	20" x 2 1/2" Polypropylene melt blown cartridge - 1 µm.	WKL20PRA1M-SUP-ES	2,20 EUR
	S-PP5-20	20" x 2 1/2" Polypropylene melt blown cartridge - 5 µm.	WKL20PRA5M-SUP-ES	2,20 EUR
	S-PP20-20	20" x 2 1/2" Polypropylene melt blown cartridge - 20 µm.	WKL20PRA20M-SUP-ES	2,20 EUR
	S-PP50-20	20" x 2 1/2" Polypropylene melt blown cartridge -50 µm.	WKL20PRA50M-SUP-ES	2,20 EUR
	S-PP5-30	30" x 2 1/2" Polypropylene melt blown cartridge - 5 µm.	WKL30PRA5M-SUP-ES	4,00 EUR
	S-PP20-30	30" x 2 1/2" Polypropylene melt blown cartridge - 20 µm.	WKL30PRA20M-SUP-ES	4,00 EUR
	S-PP1-40	40" x 2 1/2" Polypropylene melt blown cartridge - 1 µm.	WKL40PRA1M-SUP	7,00 EUR
	S-PP5-40	40" x 2 1/2" Polypropylene melt blown cartridge - - 5 µm.	WKL30PRA5M-SUP-ES	7,00 EUR
	S-PP20-40	40" x 2 1/2" Polypropylene melt blown cartridge - 20 µm.	WKL40PRA20M-SUP	7,00 EUR
	S-PP1MBB10	9 7/8" x 4 1/2" Polypropylene melt blown cartridge - 1 µm, model Big Blue®.	WKL10BBPRA1M-SUP-ES	4,30 EUR
	S-PP5MBB10	9 7/8" x 4 1/2" Polypropylene melt blown cartridge - 5 µm, model Big Blue®.	WKL10BBPRA5M-SUP-ES	4,30 EUR
	S-PP20MBB10	9 7/8" x 4 1/2" Polypropylene melt blown cartridge- 20 µm, model Big Blue®.	WKL10BBPRA20M-SUP-ES	4,30 EUR
	S-PP50MBB10	9 7/8" x 4 1/2" Polypropylene melt blown cartridge - 50 µm, model Big Blue®.	WKL10BBPRA50M-SUP-ES	4,30 EUR
	S-PP1MBB20	20" x 4 1/2" Polypropylene melt blown cartridge- 1 µm, model Big Blue®.	WKL20BBPRA1M-SUP-ES	8,80 EUR
	S-PP5MBB20	20" x 4 1/2" Polypropylene melt blown cartridge - 5 µm, model Big Blue®.	WKL20BBPRA5M-SUP-ES	8,80 EUR

S-PP20MBB20	20" x 4 1/2" Polypropylene melt blown cartridge - 20 µm, model Big Blue®.	WKL20BBPRA20M-SUP-ES	8,80 EUR
S-PP50MBB20	20" x 4 1/2" Polypropylene melt blown cartridge - 50 µm, model Big Blue®.	WKL20BBPRA50M-SUP-ES	8,80 EUR
S-PP20MBB30	30" x 4 1/2" Polypropylene melt blown cartridge - 20 µm, model Big Blue®.	WKL30BBPRA20M-SUP	13,10 EUR
S-PP50MBB30	30" x 4 1/2" Polypropylene melt blown cartridge - 50 µm, model Big Blue®.	WKL30BBPRA50M-SUP	13,10 EUR

Melt blown bacteriostatic cartridge	Model:	Description:	Article item:	Price:
	S-PP5-BC	9 7/8" x 2 1/2" - 5 µm. Bacteriostatic S-PP20-BC melt blown cartridge	WKL10PRA5MBC-SUP-ES	2,40 EUR
	S-PP20-BC	9 7/8" x 2 1/2" - 20 µm. Bacteriostatic S-PP20-BC melt blown cartridge	WKL10PRA20MBC-SUP-ES	2,40 EUR
PP string wound cartridge	Model:	Description:	Article item:	Price:
	S-PS1	9 7/8" x 2 1/2" - 1 µm. 160g/60 mm	WKL10SZN1M-SUP-ES	1,88 EUR
	S-PS5	9 7/8" x 2 1/2" - 5 µm. 160g/60 mm	WKL10SZN5M-SUP-ES	1,88 EUR
	S-PS10	9 7/8" x 2 1/2" - 10 µm. 160g/60 mm	WKL10SZN10M-SUP-ES	1,88 EUR
	S-PS20	9 7/8" x 2 1/2" - 20 µm. 160g/60 mm	WKL10SZN20M-SUP-ES	1,88 EUR
	S-PS50	9 7/8" x 2 1/2" - 50 µm. 160g/60 mm	WKL10SZN50M-SUP-ES	1,88 EUR
	S-PS1-20S	20" x 2 1/2" - 1 µm.	WKL20SZN1M-SUP-S	3,76 EUR
	S-PS5-20S	20" x 2 1/2" - 5 µm.	WKL20SZN5M-SUP-S	3,76 EUR
	S-PS10-20S	20" x 2 1/2" - 10 µm.	WKL20SZN10M-SUP-S	3,76 EUR
	S-PS20-20S	20" x 2 1/2" - 20 µm.	WKL20SZN20M-SUP-S	3,76 EUR
	S-PS50-20S	20" x 2 1/2" - 50 µm.	WKL20SZN50M-SUP-S	3,76 EUR
	S-PS1MBB10	9 7/8" x 4 1/2" - 1 µm, type Big Blue®.	WKL10BBSZN1M-SUP-ES	8,30 EUR
	S-PS5MBB10	9 7/8" x 4 1/2" - 5 µm, type Big Blue®.	WKL10BBSZN5M-SUP-ES	8,30 EUR
	S-PS10MBB10	9 7/8" x 4 1/2" - 10 µm, type Big Blue®.	WKL10BBSZN10M-SUP-ES	8,30 EUR
	S-PS20MBB10	9 7/8" x 4 1/2" - 20 µm, type Big Blue®.	WKL10BBSZN20M-SUP-ES	8,30 EUR
	S-PS50MBB10	9 7/8" x 4 1/2" - 50 µm, type Big Blue®.	WKL10BBSZN50M-SUP-ES	8,30 EUR
	S-PS1MBB20	20" x 4 1/2" - 1 µm, type Big Blue®.	WKL20BBSZN1M-SUP-ES	17,50 EUR
	S-PS5MBB20	20" x 4 1/2" - 5 µm, type Big Blue®.	WKL20BBSZN5M-SUP-ES	17,50 EUR
	S-PS10MBB20	20" x 4 1/2" - 10 µm, type Big Blue®.	WKL20BBSZN10M-SUP-ES	17,50 EUR
	S-PS20MBB20	20" x 4 1/2" - 20 µm, type Big Blue®.	WKL20BBSZN20M-SUP-ES	17,50 EUR

	S-PS50MBB20	20" x 4 1/2" - 50 µm, type Big Blue®.	WKL20BBSZN50M-SUP-ES	17,50 EUR
PP string wound cartridge EKO	Model:	Description:	Article item:	Price:
	S-PS5-EKO	9 7/8" x 2 1/2" - 5 µm.120g/55 mm	WKL10SZN5M-EKO-1	1,28 EUR
	S-PS10-EKO	9 7/8" x 2 1/2" - 10 µm.120g/55 mm	WKL10SZN10M-EKO-1	1,28 EUR
	S-PS20-EKO	9 7/8" x 2 1/2" - 20 µm.120g/55 mm	WKL10SZN20M-EKO-1	1,28 EUR
	S-PS50-EKO	9 7/8" x 2 1/2" - 50 µm.120g/55 mm	WKL10SZN50M-EKO-1	1,28 EUR

Carbon block	Model:	Description:	Article item:	Price:
	S-BL	9 7/8" x 2 1/2" Carbon block cartridge	WKL10WEGL-SUP-CN	2,30 EUR
	S-BL20	CTO 20"	WKL20WEGL-SUP-CN	6,50 EUR
	S-BLBB10	CTO BB10	WKLBB10WEGBLSUP	10,50 EUR
	S-BLBB20	CTO BB20	WKLBB20WEGBLSUP	19,90 EUR

Coconut GAC carbon	Model:	Description:	Article item:	Price:
	S-GAC	9 7/8" x 2 1/2" GAC carbon coconut cartridge	WKL10GAC-SUP-ES	2,80 EUR
	S-GACBB10	9 7/8" x 4 1/2" GAC carbon coconut cartridge - typ Big Blue®.	WKL10BBGAC-SUP-ES	
	S-GACBB20	20" x 4 1/2" GAC carbon coconut cartridge- typ Big Blue®.	WKL20BBGAC-SUP-ES	

Carbon block	Model:	Description:	Article item:	Price:
	S-ST	9 7/8" x 2 1/2" Softening cartridge	WKL10ZM-SUP-1	5,20 EUR
	S-GKDF	9 7/8" x 2 1/2" with activated carbon KDF	WKL10WEGKDF-SUP-1	7,00 EUR

	S-IR	9 7/8" x 2 1/2" iron cartridge	WKL100DZ-SUP-1	5,50 EUR
---	------	--------------------------------	----------------	----------

IN-LINE	Model:	Description:	Article item:	Price:
	S-L-CARB	10" x 2" in-line carbon cartridge- 1/4" NPT.	WKLLINWEG-SUP-1TP	3,30 EUR
	S-L-MIN	10" x 2" in-line mineralizing cartridge - 1/4" NPT.	WKLLINMIN-SUP-1TP	3,30 EUR
	S-L-PP	10" x 2" in-line polypropylene cartridge - 1/4" NPT.	WKLLINPP-SUP-1	2,80 EUR

QUICK CONNECTION IN-LINE	Model:	Description:	Article item:	Price:
	S-L-CARB-QC	10" x 2" in-line COCONUT CARBON QUICK CON. - 1/4" QC	WKLLINWEG-SUP-QC	5,30 EUR
	S-L-MIN-QC	10" x 2" in-line MINERALIZING CARBON QUICK CON. - 1/4" QC	WKLLINMIN-SUP-QC	5,30 EUR

QUICK CONNECTION IN-LINE	Model:	Description:	Article item:	Price:
	S-L-CARB-QT	10" x 2" in-line COCONUT CARBON QUICK CON. - 1/4" QT/QT	WKLLINWEG-SUP-QT-P	4,20 EUR
	S-L-MIN-QT	10" x 2" in-line MINERALIZING CARBON QUICK CON. - 1/4" QT/QT	WKLLINMIN-SUP-QT-P	4,20 EUR

S-L-FIR	Model:	Description:	Article item:	Price:
	S-L-FIR	BIOCERAMIC CARTRIDGE S-L-FIR	WKLLINFIR-SUP-1	17,90 EUR



S-L-FIR-BIO	BIOCERA SUPREME	WKLLINFIR-BIO-SUP	78 EUR
-------------	-----------------	-------------------	--------

S-L-FIR BIO	Model:	Description:	Article item:	Price:
	S-L-FIR-BIO200	10" x 2" in line cartridge	WKLLINFIR-SUPBIO200	28 EUR
	S-L-FIR-BIO250	11" x 2 1/2" in line cartridge	WKLLINFIR-SUPBIO250	47 EUR

QC 1/4 x QC 14	Model:	Description:	Article item:	Price:
	S-HM	Ultrafiltration membrane 0,02mic	MEMHF-S-HM-SUP	15,20 EUR

Other cartridges

Nylon cartridges				
	Model:	Description:	Article item:	Price:
	5" 50 mic	Nylon washable cartridge	WKLSIA5-50	for request
	5" 100 mic	Nylon washable cartridge	WKLSIA5-100	for request
	10" 50 mic	Nylon washable cartridge	WKLSIAH10	3,60 EUR
	10" 100 mic	Nylon washable cartridge	WKLSIAH10-100	3,60 EUR

Pleated polyester -Sediment cartridges made of cellulose material				
	Model:	Description:	Article item:	Price:
	10" 5 mic	Sediment cartridge made of cellulose	WKL10HARCEL5MIC	4,95 EUR
	10" 10 mic	Sediment cartridge made of cellulose	WKL20HARFCCEL10.	4,95 EUR

	10" 20 mic	Sediment cartridge made of cellulose	WKL10HARCEL20MIC	4,95 EUR
	BB10 5 mic	Sediment cartridge made of cellulose	WKL10HARPP5	9,90 EUR
	BB10 20 mic	Sediment cartridge made of cellulose	WKL10HARPP20	9,90 EUR
	BB20 5 mic	Sediment cartridge made of cellulose	WKL20HARPP5	20,00 EUR
	BB20 20 mic	Sediment cartridge made of cellulose	WKL20HARPP20	20,00 EUR

Merlin - cartridges			
	In-line carbon	C3DE926	30,20 EUR
	Carbon	WKLMERLINWEG/2	15,50 EUR
	Carbon oryginal	C3DE923	51,40 EUR
	Membrane	C3DE920	220,00 EUR

Greenfilter - cartridges			
	Mineralizing in-line cartridge 10" x 2"	790200	request
	Sediment in-line cartridge 11" x 2 1/2" 1 mic	757100	request
	Sediment in-line cartridge 11" x 2 1/2" 5 mic	291300	request
	Carbon GAC in-line 11" x 2 1/2"	291500	request

Supreme Faucets

SUPREME FAUCETS			
Description:		Article item:	Price:
	SUPREME Chrom 3-way faucet (with Supreme logo)	WYLTRSK3301	138 EUR
	SUPREME Satin 3-way faucet (with Supreme logo)	WYLTRSK3301BN	153 EUR
	SUPREME double faucet (with Supreme logo)	WYLPODWSUPREME	27 EUR
	SUPREME single faucet (with Supreme logo)	WYLPOJSUPREME	15 EUR
	SUPREME 4 way faucet (with Supreme logo)	WYL4SK4309	206 EUR
	SUPREME 1 way faucet (with Supreme logo)	WYLPOJSUPREMECZ	23,8 EUR
	SUPREME 2 way faucet (with Supreme logo)	WYLPODWSUPREMECZ	30 EUR



Descriptpion:		Article item:	Price:
	single standard faucet	WYLCERPOJ	9,40 EUR
	double standard faucet	WYLCERPOD/1	13 EUR

Baterie Blue Faucets



Model	Description	Index	Price
	ALABAMA Antique Brass Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Antique brass finish, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 400 mm hoses	WYLBAT.AL.ANT.MOS	318,55 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR
	ALABAMA Brushed Gold (Matte) Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Brushed Gold finish (Matte), 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 400 mm hoses	WYLBAT.AL.ZL.SZCZ	345,06 EUR
	AMANDA Chrome Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 400 mm hoses	WYLBAT.AM.CHR	240,48 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	AMANDA 44 Metallic Black Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Metallic black finish, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 400 mm hoses	WYLBAT.AM.CZAR.MET	318,55 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR

Model	Description	Index	Price
	AMANDA Antique Brass Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Antique brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses	WYLBAT.AM.MOS.ANT	318,55 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR
	AMANDA Gold Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Gold finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.AM.ZLOT	318,55 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR

Model	Description	Index	Price
	APALA Chrome - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 600 mm hoses	WYLBAT.AP.CHR	506,02 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	APALA graphite (Gun Metal) - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Graphite (Gun Metal) finish, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 600 mm hoses	WYLBAT.AP.GRAF	613,01 EUR
	BW Alfa Graphite Dispenser (Gun Metal) Metal top, plastic bottom, Ø 35mm dispenser opening, Graphite (Gun Metal) finish	WYL.BAT.DOZ.ALFA.GRA A	128,19 EUR
	APALA Antique Brass - 3-Way with Pull-Out Spout This faucet features two independent circuits: - a hot and cold water mixer, - a filtered water connection. Finish: Antique brass, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 600 mm hoses	WYLBAT.AP.ANT.MOS	613,01 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.M OS	128,19 EUR
	APALA Gold - 3-Way with Pull-Out Spout This faucet features two independent circuits: - a hot and cold water mixer, - a filtered water connection. Gold finish, 2 aerators, 360° swivel spout, ceramic cartridges 3 flexible 600 mm hoses	WYLBAT.AP.ZLOT	613,01 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR

Model	Description	Index	Price
	APALA Steel-colored - 3-way, pull-out spout This faucet features two independent circuits: - a hot and cold water mixer, - a filtered water connection. Steel-colored finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 600 mm hoses.	WYLBAT.AP.STAL	613,01 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.ST A	128,19 EUR
	APALA Matte Black - 3-Way with Pull-Out Spout This faucet features two independent circuits: - a hot and cold water mixer, - a filtered water connection. Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 600 mm hoses.	WYLBAT.AP.CZ.MAT	613,01 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	APALA Copper - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Copper finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 600 mm hoses.	WYLBAT.AP.MIEDZ	640,00 EUR
	BW Alfa Copper Dispenser Metal top, plastic bottom, Dispenser opening Ø 35mm, Copper finish	WYL.BAT.DOZ.ALFA.MI E	141,69 EUR

Model	Description	Index	Price
	APALA Chrome - 4-way with pull-out spout Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, - mineralized water connection, Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water	WYLBAT.AP.CHROM.4D	666,51 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	APALA Graphite (Gun Metal) - 4-way with pull-out spout Faucet with three independent circuits: - hot and cold water mixer, - connection to filtered water, mineralized water connection, Graphite finish (gun metal), 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800,00 EUR
	BW Alfa Graphite Dispenser (Gun Metal) Metal top, plastic bottom, Ø 35mm dispenser opening, Graphite finish (Gun Metal)	WYL.BAT.DOZ.ALFA.GRA	128,19 EUR
	APALA Antique Brass - 4-Way with Pull- Out Spout Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection, Antique brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses (400 mm), 2 QC		800,00 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR
	APALA Steel-colored - 4-way with pull- out spout Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection, Steel-colored finish , 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800,00 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.STA	128,19 EUR

Model	Description	Index	Price
	APALA Matte Black - 4-Way with pull-out spout Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection , Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 400 mm hoses, 2 QC connections for filtered and mineralized water	WYLBAT.AP.CZ.MAT4D	800,00 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	APALA Copper - 4-Way with pull-out spout Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection , Copper finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 400 mm hoses, 2 QC connections for filtered and mineralized water		800,00 EUR
	BW Alfa Copper Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Copper finish	WYL.BAT.DOZ.ALFA.MI E	128,19 EUR

Model	Description	Index	Price
	CRYSTAL Chrome - 4-way Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection , Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 400 mm hoses, 2 QC connections for filtered and mineralized water	WYLBAT.CR.CHR	374,46 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	CRYSTAL Antique Brass - 4-Way Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection , Antique Brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water	WYLBAT.CR.MOS.ANT	479,04 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR
	CRYSTAL Matte Black - 4-Way Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection , Matte black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water	WYLBAT.CR.CZ.MAT	479,04 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	CRYSTAL Gold - 4-Way Faucet with three independent circuits: - hot and cold water mixer, - filtered water connection, mineralized water connection , Gold finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water	WYLBAT.CR.ZL	479,04 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR

Model	Description	Index	Price
	CYRUS Chrome - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.	WYLBAT.CYR.CHR	506,02 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	CYRUS Antique Brass - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Antique brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.	WYLBAT.MOS.ANT	613,01 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR
	CYRUS Matte Black - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.	WYLBAT.CZ.MAT	613,01 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	CYRUS Steel-colored - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Steel-colored finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.	WYLBAT.CYR.STAL	613,01 EUR

	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.ST A	128,19 EUR
---	--	--------------------------	------------

Model	Description	Index	Price
	CYRUS Graphite (Gun Metal) - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Graphite finish (Gun Metal), 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.	WYLBAT.GRAF	613,01 EUR
	BW Alfa Graphite (Gun Metal) Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Finish: Graphite (Gun Metal)	WYL.BAT.DOZ.ALFA.GR A	128,19 EUR
	CYRUS Gold - 3-way with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Gold finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.	WYLBAT.ZLOTO	613,01 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR
	CYRUS Copper - 3-way with pull-out spout Faucet with two independent circuits: New - hot and cold water mixer, - filtered water connection. Copper finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible 600 mm hoses.		666,99 EUR
	BW Alfa Copper Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Copper finish	WYL.BAT.DOZ.ALFA.MI E	141,69 EUR

Model	Description	Index	Price
	CYRUS Chrome- 4-Way with pull-out spout Faucet with three independent circuits: New - hot and cold water mixer, - filtered water connection, mineralized water connection , Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		2 986,00 zł
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	CYRUS Antique Brass- 4-Way with pull-out spout Faucet with three independent circuits: New - hot and cold water mixer, - filtered water connection, mineralized water connection , Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.M OS	128,19 EUR
	CYRUS Matte Black - 4-way with pull-out spout Faucet with three independent circuits: New - hot and cold water mixer, - filtered water connection, mineralized water connection , Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR

Model	Description	Index	Price
	CYRUS Steel-colored - 4-Way with pull-out spout Faucet with three independent circuits: New - hot and cold water mixer, - filtered water connection, mineralized water connection , Steel-colored finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.ST A	128,19 EUR
	CYRUS Graphite (Gun Metal) - 4-Way with pull-out spout Faucet with three independent circuits: New - hot and cold water mixer, - filtered water connection, mineralized water connection , Graphite (Gun Metal) finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800 EUR
	BW Alfa Graphite (Gun Metal) Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Graphite (Gun Metal) finish	WYL.BAT.DOZ.ALFA.GR A	128,19 EUR
	CYRUS Copper - 4-Way with pull-out spout Faucet with three independent circuits: New - hot and cold water mixer, - filtered water connection, mineralized water connection , Copper finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses 400 mm, 2 QC connections for filtered and mineralized water		800 EUR
	BW Alfa Copper Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Copper finish	WYL.BAT.DOZ.ALFA.MI E	128,19 EUR

Model	Description	Index	Price
	DELTA chrome - with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses (400 mm) + filtered water connection (rigid tube with QC for 1/4" hose)		506,02 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	DELTA Matte Black - with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Matte black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses (400 mm) + filtered water connection (rigid tube with QC for 1/4" hose)	WYLBAT.DEL.CZ.MAT	613,01 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	DELTA Steel-colored - with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Steel-colored finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2x 600 mm 3/8" flexible hoses plus 1x 300 mm 1/2" hose with QC filter connection		613,01 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.ST A	128,19 EUR

	DELTA Antique Brass - with pull-out spout Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Antique Brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses 400 mm + filtered water connection (rigid tube with QC for 1/4" hose)		613,01 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR

Model	Description	Index	Price
	EDEN Chrome Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses (400 mm) + filtered water connection (rigid tube with QC for 1/4" hose)	WYLBAT.ED.CZ.CHR	291,57 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	EDEN Matte Black Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses (400 mm) + filtered water connection (rigid tube with QC for 1/4" hose)	WYLBAT.ED.CZ.MAT	360,96 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	EDEN Antique Brass Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Antique Brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses (400 mm) + filtered water connection (rigid tube with QC for 1/4" hose)	WYLBAT.ED.MOS.ANT	360,96 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR

	PALMIRA INOX* Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Stainless steel, Brushed Steel finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses 450 mm each.	WYLBAT.PALMIRA.INOX	372,05 EUR
	Premium Inox Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Inox Stainless Steel finish	WYL.BAT.DOZ.INOX.PR	106,51 EUR

***while supplies last**

Model	Description	Index	Price
	ROYAL Chrome Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses (600 mm 3/8") plus 1 hose (300 mm 1/2") with QC for filter connection.	WYLBAT.ROY.CHR	318,55 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	ROYAL Matte Black Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses (600 mm 3/8") plus 1 hose (300 mm 1/2") with QC for filter connection.	WYLBAT.ROY.CZ.MAT	425,54 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	ROYAL Steel-colored Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Steel-colored finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses (600 mm 3/8") plus 1 hose (300 mm 1/2") with QC for filter connection.	WYLBAT.ROY.STAL	425,54 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.STA	128,19 EUR

	ROYAL Antique Brass Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Antique Brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 2 flexible hoses (600 mm 3/8") plus 1 hose (300 mm 1/2") with QC for filter connection.		425,54 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.M OS	128,19 EUR

Model	Description	Index	Price
	SAXO Chrome Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Chrome finish, 360° swivel spout, ceramic cartridges, two 380 mm flexible hoses plus a 1/4" quick-connect tube for filtered water.	WYLBAT.SAX.CHR	425,54 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	SAXO Antique Brass Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Antique Brass finish, 360° swivel spout, ceramic cartridges, two 380 mm flexible hoses plus a 1/4" quick-connect tube for filtered water.	WYLBAT.SAX.MOS.ANT	506,02 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.M OS	128,19 EUR
	SAXO Gold Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Gold finish, 360° swivel spout, ceramic cartridges, two 380 mm flexible hoses plus a 1/4" quick-connect tube for filtered water.	WYLBAT.SAX.ZLOTO	506,02 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR

Model	Description	Index	Price
	SORA Antique Brass* Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Antique brass finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.SOR.MOS.ANT	345,06 EUR
	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.MOS	128,19 EUR
	SORA Gold* Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Gold finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.SOR.ZLOT	345,06 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR
	TAUPO Steel-colored Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Steel-colored finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.TA.STAL	345,06 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.STA	128,19 EUR

***while supplies last**

Model	Description	Index	Price
	TIVOLI Chrome Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Chrome finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.TIV.CHR	253,98 EUR
	BW Alfa Chrome Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Chrome finish	WYL.BAT.DOZ.ALFA.CH	77,59 EUR
	TIVOLI Matte Black Faucet with two independent circuits: - hot and cold water mixer, - filtered water connection. Matte Black finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.TIV.CZ.MAT	372,05 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	TIVOLI Graphite (Gun Metal)* Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Graphite (Gun Metal) finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.TIV.GRAF	372,05 EUR
	BW Alfa Graphite (Gun Metal) Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Graphite (Gun Metal) finish	WYL.BAT.DOZ.ALFA.GRA	128,19 EUR

	TIVOLI Gold* Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Gold finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible 400 mm hoses.	WYLBAT.TIV.ZLOTO	372,05 EUR
	BW Alfa Gold Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Gold finish	WYL.BAT.DOZ.ALFA.ZL	128,19 EUR

***while supplies last**

Model	Description	Index	Price
	TUSAR Matte Black - with Pull-Out Spout Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Matte Black finish, 360° swivel spout, ceramic cartridges, two 600 mm flexible hoses plus a 1/4" QC tube for filtered water.	WYLBAT.TUS.CZ.M.	640,00 EUR
	BW Alfa Matte Black Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Matte Black finish	WYL.BAT.DOZ.ALFA.CZ	128,19 EUR
	TUSAR Steel-colored - with Pull-Out Spout Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Steel-colored finish, 360° swivel spout, ceramic cartridges, two 600 mm flexible hoses plus a 1/4" QC tube for filtered water.	WYLBAT.TUS.STAL	640,00 EUR
	BW Alfa Steel-colored Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Steel-colored finish	WYL.BAT.DOZ.ALFA.ST A	128,19 EUR
	TUSAR Antique Brass - with Pull-Out Spout Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Antique Brass finish, 360° swivel spout, ceramic cartridges, two 600 mm flexible hoses plus a 1/4" QC tube for filtered water.	WYLBAT.TUS.MOS	640,00 EUR

	BW Alfa Antique Brass Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Antique Brass finish	WYL.BAT.DOZ.ALFA.M OS	128,19 EUR
	TUSAR Graphite (Gun Metal) - with pull-out spout Faucet with two independent circuits: Ne - hot and cold water mixer, - connection to filtered water. Graphite (Gun Metal) finish, 360° swivel spout, ceramic cartridges, two 600 mm flexible hoses plus a 1/4" QC tube for filtered water.	WYLBAT.TUS.GRAF	666,99 EUR
	BW Alfa Graphite (Gun Metal) Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Graphite (Gun Metal) finish	WYL.BAT.DOZ.ALFA.GR A	128,19 EUR

Model	Description	Index	Price
	ZARA INOX Faucet with two independent circuits: - hot and cold water mixer, - connection to filtered water. Stainless steel, Brushed Steel finish, 2 aerators, 360° swivel spout, ceramic cartridges, 3 flexible hoses 450 mm each.	WYLBAT.ZARA.INOX	426,02 EUR
	Premium Inox Dispenser Metal top, plastic bottom, Ø 35mm dispenser opening, Inox Stainless Steel finish	WYL.BAT.DOZ.INOX.PR	106,51 EUR

SUPREME PREFILTER

best water solutions 
supreme
simply better

SUPREME

Model:	Description:	Article item:	Price:
Prefilter without manometr	Multifunctional connection: 3/4" G.W., 3/4" M.M. and 1" M.M. Quick, accurate and convenient removal of impurities from the filter thanks to the drain valve and rotating disc with a "scraper" function.		58 EUR
Prefilter with manometr			66 EUR



FILTER HOUSINGS

3 PART HOUSING set in box, wrench, bracket, cartridge

Model:		Description:	Articel item:	Price:
	H103-S12-SET1	Housing 1/2" with pressure relief, melt blown cartdige 5 um, wrench, bracket	H103-S12-SET1	16,5
	H103-S34-SET1	Housing 3/4" with pressure relief, melt blown cartdige 5 um, wrench, bracket	H103-S34-SET1	16,5
	H103-S1-SET1	Housing 1" with pressure relief, melt blown cartdige 5 um, wrench, bracket	H103-S1-SET1	17,80 EUR

3 PART HOUSING

Model:		Description:	Articel item:	Price:
	FHPR12-3BS	Housing 1/2" with pressure relief,	FHPR12-3BS	11,20 EUR
	FHPR34-3BS	Housing 3/4" with pressure relief,	FHPR34-3BS	11,20 EUR
	FHPR1-3BS	Housing 1" with pressure relief,	FHPR1-3BS	12,6 EUR
	wrench	wrench for 3 part hosuing	KL/FXWR1-H10L	1,5 EUR
	bucket	bracket for 3 part housing	UCH_FXBR1PN.	1,6 EUR

2 PART HOUSING

Description:		Articel item:	Price:
	Housing 3/4" with brass insert, available with mounting plate and a wrench, vent valve, double sealing o-ring	OB10-34-SET	12,6 EUR
	Housing 1" with brass insert, available with mounting plate and a wrench, vent valve, double sealing o-ring	OB10-1-SET	13 EUR

FILTER HOUSINGS			
Description:		Articel item:	Price:
  	10" White housing for RO 1/4	FI/OBUD/1/4"-WW4	11,60 EUR
	10" Transparent housing for RO 1/4	FI/OBUD/1/4"/TYP4	12 EUR
	20" blue double o-ring housing set, 1/2"NPT,include: wrench, bracket,	WH-6624BBK-08NA-PL5	32 EUR
	20" transparent double o-ring housing set, 1/2"NPT,include: wrench, bracket,	WH-6624C1W-07NA-PL5	39 EUR
	20" transparent double o-ring housing set, clear sump/ white cap, 3/4 "NPT, include: wrench, bracket	WH-6624C1W-08NA-PL5	39 EUR

SUPREME BIG BLUE FILTER HOUSINGS - SETS WITH BRACKETS AND WRENCHES

	BLUE 10BB housing 1" duple orings - set in box, with metal bracket and wrench	H103-10BB-S01	57 EUR
	BLUE 20BB housing 1" duple orings - set in box, with metal bracket and wrench	H103-20BB-S01	70 EUR
	TRANSPARENT 10BB housing 1" duple orings - set in box, with metal bracket and wrench	H103-10BBC-S01	71 EUR
	TRANSPARENT 20BB housing 1" duple orings - set in box, with metal bracket and wrench	H103-20BBC-S01	86 EUR
	TRANSPARENT 30BB housing 1,5" duple orings - set in box, with metal bracket and wrench	H103-30BBC-S01	193 EUR

	BLUE 10BB housing 1" double orings	WH-P6814BBK-10BA	45 EUR
	BLUE 20BB housing 1" duble orings	WH-P6824BBK-10BA	59 EUR
	AQUA BIG 10BB TRANSPARENT 1" ITALY	A1050120	62 EUR
	AQUA BIG 20BB TRANSPARENT 1" ITALY	A1050140	80,00 EUR
	AQUA BIG 30BB TRANSPARENT 1 1/2" ITALY	A1050340	185,00 EUR
	wrench for BB housing	KLBB-TF-2O-CN	5,78 EUR
	wrench for BB housing transparent	A6010090	8,40 EUR
	bracket for BB housing	UCH_FXBRBB-CN	8,00 EUR
	10" empty housing	OBUPU10PRZ-CN	3,60 EUR
	BB10 empty housing	OBUWKŁ10BB	8,20 EUR
	BB20 empty housing	OBUWKŁ20BB	14,0 EUR
	Polyphosphate Siliphos (kg)	ZLSSPBG/C1	14,60 EUR



Model	Description	Index	Price
NW18/25/32 	Filters for home systems, Filtering output 25µm (1µm, 5µm, 10µm, 50µm, 100µm, 150µm or 300µm) Max pressure - 10 bar; max. temperature - 50°C		
	NW18 3/4"; 3,5 m³/h output, 3/4" connection		79,50 €
	NW25 1"; 5,5 m³/h output, 1" connection		99,00 €
	NW32 1 1/4"; 6,5 m³/h output, 1 1/4" connection		142,00 €
Filter Sleeves NW18/25/32 (5pc.) 	Cintropur filter sleeves NW18/25/32		
	NW18 5 µ	C5FWVC005NW180	11,30 €
	NW18 10 µ	C5FWVC010NW180	11,30 €
	NW18 25 µ	C5FWVC025NW180	7,90 €
	NW18 50 µ	C5FWVC050NW180	8,40 €
	NW18 100 µ	C5FWVC100NW180	7,60 €
	NW25 1 µ	C5FWVC001NW250	17,00 €
	NW25 5 µ	C5FWVC005NW250	16,00 €
	NW25 10 µ	C5FWVC010NW250	15,20 €
	NW25 25 µ	C5FWVC025NW250	12,30 €
	NW25 50 µ	C5FWVC050NW250	12,60 €
	NW25 100 µ	C5FWVC100NW250	12,60 €
	NW25 150 µ NYLON (washable)	C5FWVC150NW250	56,80 €
	NW25 300 µ NYLON (washable)	C5FWVC300NW250	51,80 €
	NW32 1 µ	C5FWVC001NW320	24,60 €
	NW32 5 µ	C5FWVC005NW320	23,60 €
	NW32 10 µ	C5FWVC010NW320	22,00 €
	NW32 25 µ	C5FWVC025NW320	19,40 €
	NW32 50 µ	C5FWVC050NW320	20,40 €
	NW32 100 µ	C5FWVC100NW320	18,10 €
	NW32 150 µ NYLON (washable)	C5FWVC150NW320	69,50 €
	NW32 300 µ NYLON (washable)	C5FWVCNW320	68,20 €

Model	Description	Index	Price
Parts NW18/25/32 	Parts for Cintropur filters NW18/25/32		
	Filter head NW18/25/32	C5FWZCTNW250	27,20 €
	Centrifugal Vane NW18/25/32	C5FWZCHNW1624	1,92 €
	Support NW18	C5FWZCSNW180	16,60 €
	Support NW25	C5FWZCSNW250	23,60 €
	Support NW32	C5FWZCSNW320	44,80 €
	PVC Fixing cap	C5FWZCDNW250	2,18 €
	Transparent bowl NW18	C5FWZCCNW180	20,70 €
	Transparent bowl NW25	C5FWZCCNW250	35,40 €
	Transparent bowl NW32	C5FWZCCNW320	70,60 €
	Black spanner	C5FWZCKNW251	4,60 €
	Element TE NW25		78,10 €
	Element TE NW32		90,60 €
	Wall fixation PP	C5FWZCFNW251	14,70 €
	Drain cock 1/4"	C5FWZCBNW250	23,10 €
	Manometer 1/8", 0 - 10 bar	C5FWZCMNW010	17,10 €
	NW18 3/4" connection (1 pc.)	C5FWZCRNW180/1	10,30 €
	NW25 1" connection (1 pc.)	C5FWZCRNW250	11,30 €
	NW32 1 1/4" connection (1 pc.)	C5FWZCRNW320/1	11,90 €
	Air-drain screw + O-ring	C5FWZCVNW500	3,82 €
	Bowl o-ring for NW18/25/32	C5FWZCONW250	3,28 €
	Coupling o-ring for NW18/25/32	C5FWZCONW251	1,64 €

Model	Description	Index	Price
NW400 	Semi-industrial filters, Filtering output 25µm (1µm, 5µm, 10µm, 50µm, 100µm, 150µm or 300µm) Max pressure - 10 bar; max temperature - 50°C		
	NW400 1 1/2"; 12 m ³ /h output, 1 1/2" connection	U5FWCCNW400	322,00 €

Filter Sleeves	Cintropur filter sleeves NW18/25/32		
NW400 (5 pcs.) 			
	NW400 1 µ	C5WVC01NW400	34,20 €
	NW400 5 µ	C5WVC05NW400	32,40 €
	NW400 10 µ	C5WVC10NW400	29,70 €
	NW400 25 µ	C5WVC25NW400	26,00 €
	NW400 50 µ	C5WVC50NW400	27,10 €
	NW400 100 µ	C5WVC100NW400	27,90 €
	NW400 150 µ NYLON (washable)	C5WVC150NW400	84,10 €
	NW400 300 µ NYLON (washable)	C5WVC300NW400	87,20 €

Model	Description	Index	Price
NW500/650/800 	Industrial filters with 2 manometers, Filtration output 25µm (µm, 5µm, 10µm, 50µm, 100µm, 150µm or 300µm) Drain cock, Max pressure 10 bar; max temperature - 50°C		
	NW500 2" ; 18 m³/h output, 2" connection	U5FWCCNW500	499,00 €
	NW650 2 1/2" ; 25 m³/h output, 2 1/2" connection ko	U5FWCCNW650	575,00 €
	NW800 3" ; 32 m³/h output, 3" connection kołnier	U5FWCCNW800	700,00 €
Filter Sleeves NW500/650/800 NW50/62/75 (5 pcs.) 	Cintropur filter sleeves NW500/650/800 and NW50/62/75		
	NW500/650/800 / NW50/62/75 1 µ	C5FWVC001NW500	39,50 €
	NW500/650/800 / NW50/62/75 5 µ	C5FWVC005NW500	37,70 €
	NW500/650/800 / NW50/62/75 10 µ	C5FWVC010NW500	35,30 €
	NW500/650/800 / NW50/62/75 25 µ	C5FWVC025NW500	26,50 €
	NW500/650/800 / NW50/62/75 50 µ	C5FWVC050NW500	27,30 €
	NW500/650/800 / NW50/62/75 100 µ	C5FWVC100NW500	27,10 €
	NW500/650/800 / NW50/62/75 150 µ NYLON (wash)	C5FWVC150NW500	107,80 €
	NW500/650/800 / NW50/62/75 300 µ NYLON (wash)	C5FWVC300NW500	104,90 €
Parts NW500/650/800   	Parts for Cintropur filters NW500/650/800		
	Filter head NW500, NW650		161,20 €
	Filter head NW800		239,40 €
	Centrifugal vane NW500/650/800	C5FWZCHNW568	17,90 €
	Support for NW500/650/800	C5FWZCSNW568	45,50 €
	PVC fixing cap NW500/650/800	C5FWZCDNW568	16,00 €
	Transparent bowl NW500/650/800	C5FWZCCNW568	148,50 €
	Air-drain screw + O-ring	C5FWZCVNW500	3,82 €
	Element TE NW500/650/800		141,30 €
	Drain valve adapter for NW500/650/800	C5FWZCBANW568	17,40 €
	Drain Cock 3/4 + oring (NW500/650/800)	C5FWZCBNW568	37,40 €
	Spanner NW500/650/800	C5FWZCKNW568	17,20 €
	Wall fixation NW500/650/800 (metal)	C5FWZCFNW568	76,20 €
	Manometer 1/4", 0 - 20 bar	C5FWZCMNW020	24,80 €
	NW500 2" connection + O-ring (set)	C5FWZCRNW501	73,50 €
	NW650 2" connection + O-ring (set)	C5FWZCRNW501	121,80 €
	NW800 2" connection + O-ring (set)	C5FWZCRNW501	172,80 €
	O-ring for collar NW650 (EPDM)		6,00 €
	O-ring for collar NW800 (EPDM)		8,00 €
	O-ring coupling NW500, NW650		1,64 €
	O-ring coupling NW800		1,92 €
	Oring for NW500/650/800 filter cover	C5FWZCOKNW568	4,40 €

Model	Description	Index	Price
Parts NW50/62/75  	Parts for old Cintropur filters NW50/62/75*		
	Filter head NW50		106,90 €
	Filter head NW62		134,90 €
	Filter head NW75		144,50 €
	Centrifugal vane NW50/62/75		4,60 €
	Support NW50/62/75		54,80 €
	PVC Fixing cap NW50/62/75		4,90 €
	Transparent bowl NW50/62/75		150,10 €
	Air-drain screw + O-ring		3,82 €
	Element TE NW50/62/75		155,00 €
	Uchwyt montażowy + 4 pierścienie	C5FWZCFNW500	69,90 €
	ManometEr 1/4", 0 - 20 bar		22,60 €
	Drain cock 1/2"	C5FWZCBNW500	45,50 €
	NW62 2 1/2" connection (set)		On request
	NW75 3" connection (set)		On request
	O-ring filterhead NW50/62/75	C5FWZCONW500	4,60 €
	Clamp for NW50/62/75		181,80 €
	*until supplies last		

BRAUKMANN FILTERS

Model:	Description:	Articel item:	Price:
FF06 	Mini plus filters - 100μ		
	FF06-1/2AA - 1/2"; 1,5 m³/h; weight 0,7 kg	HON FF06-1/2AA	90,00 EUR
	FF06-3/4AA - 3/4"; 2,8 m³/h; weight 1,0 kg	HON FF06-3/4AA	100,00 EUR
	FF06-1AA - 1"; 3,2 m³/h; weight 1,3 kg	HON FF06-1AA	122,00 EUR
FK06 	Mini plus filters 100μ		
	FK06-1/2AA - 1/2"; 1,5 m³/h; weight 0,7 kg	HON FK06-1/2AA	164,00 EUR
	FK06-3/4AA - 3/4"; 2,8 m³/h; weight 1,0 kg	HON FK06-3/4AA	184,00 EUR
	FK06-1AA - 1"; 3,2 m³/h; weight 1,5 kg	HON FK06-1AA	204,00 EUR
F74CS 	Revers rinsing fine fiter 100μ (option 50μ or 200μ)		
	F74CS-3/4AA - 3/4"; 3,4 m³/h; weight 2,1 kg	HON F74CS-3/4AA	448 EUR
	F74CS-1AA - 1"; 3,8 m³/h; weight 2,3 kg	HON F74CS-1AA	472 EUR
	F74CS-11/4AA - 1 1/4"; 4,0 m³/h; weight 2,6 kg	HON F74CS-11/4AA	492 EUR
FK74CS-LF 	Revers rinsing fine fiter 100μ		
	F74CS-3/4LFAA - 3/4";		522 EUR
	F74CS-1LFAA - 1";		546 EUR
	F74CS-11/4LFAA - 1 1/4";		574 EUR
	Revers rinsing fine fiter 100μ		
	FK74CS-3/4LFAA - 3/4";		578 EUR
	FK74CS-1LFAA - 1";		634 EUR
FK74CS-LF 	FK74CS-11/4LFAA - 1 1/4";		680 EUR

Revers rinsing fine filter 100μ (option 20μ 50μ or 200μ)			
F76S 	F76S-3/4AA - 3/4"; 5,9 m ³ /h; weight 2,9 kg	HON F76S-3/4AA	490 EUR
	F76S-1AA - 1"; 7,9 m ³ /h; weight 3,1 kg	HON F76S-1AA	606 EUR
	F76S-11/4AA - 1 1/4"; 9,8 m ³ /h; weight 3,3 kg	HON F76S-11/4AA	609 EUR
	F76S-11/2AA - 1 1/2"; 10,0 m ³ /h; weight 4,0 kg	HON F76S-11/2AA	964 EUR
	F76S-2AA - 2"; 11,5 m ³ /h; weight 4,8 kg	HON F76S-2AA	1 064 EUR
F76S-LF 	F76S-3/4LFAA - 3/4";		538 EUR
	F76S-1LFAA - 1";		578 EUR
	F76S-11/4LFAA - 1 1/4";		635 EUR
	F76S-11/2LFAA - 1 1/2";		837 EUR
	F76S-2LFAA - 2";		923 EUR
Model:	Description:	Articel item:	Price:
F78TS 	Reverse rinsing fine filter with flanges 100μ (w option 20μ, 50μ, 200μ or 500μ)		
	F78TS-65FA – DN65/2,5"; 30 m ³ /h; weight 25 kg	HON F78TS-65FA	4 190 EUR
	F78TS-80FA - DN80/3"; 48 m ³ /h; weight 35 kg	HON F78TS-80FA	4 801 EUR
	F78TS-100FA - DN100/4"; 60 m ³ /h; weight 43 kg	HON F78TS-100FA	5 696 EUR
Automatic reverse rinsing actuators 	Z74S-AN - automatic reverse rinsing actuator for F74C, F74CS, FK74C, FK74CS, F76S,		
	Z74S-AN - automatic reverse rinsing actuator for F74CS oraz FK74CS	HON Z74S-AN	275 EUR
	RR74S-A - for F74CS-LF and FK74CS-LF		308 EUR
	RR11S-A - for F76S-LF and HS10S-LF		360 EUR
and F78TS (wit production code from 2534).			

	Adapters for mounting new-style flushing automats to older-style filters		
	URSP-1AR - adapter for old models F74CS and FK74CS z przył. od 1/2" do 1 1/4" do montażu automatu płuczącego RR74S-A		42 EUR
	URS-1AR - adapter for old models F76S and HS10S with connections from 1/2" to 1 1/4" for mounting RR11S-A and old models typu F74CS and FK74CS for advanced mounting RR11S-A		40 EUR
	URS-11/2AR - for old models F76S and HS10S with connection from 1 1/2" to 2" for mounting flushing automat RR11S-A		45 EUR
	KH78TS - adapter for filters F78TS (code below 2534) for mounting automat RR11S-A		233 EUR
Model	Differential pressure switches		
Differential pressure switches 	Differential pressure switches DDS76		
	DDS76-1/2 - Differential pressure switch for filters F76S 1/2" i 3/4"		1 015 EUR
	DDS76-1 - Differential pressure switch for filters F76S 1" i 1 1/4", F78S-F, F78TS-F DN65, 80, 100 i 125		1 015 EUR
	DDS76-11/2 - Differential pressure switch for filters F76S 1 1/2" i 2"		1 015 EUR
Pressure reducing valve 	Pressure reducing valve with balanced seat		
	D06F-3/4A - 3/4";	HON D06F-3/4A	139 EUR
	D06F-1A - 1";	HON D06F-1A	158 EUR
	D06F-11/4A - 1 1/4";	HON D06F-11/4A	244 EUR
	D06F-11/2A - 1 1/2";	HON D06F-11/2A	414 EUR
	D06F-2A - 2";	HON D06F-2A	486 EUR

Mechanical filtration BIG ONE



Model	Description:	Price:
	Filter BIG ONE - for industrial applications; maximum flow 50m³/h; maximum pressure 6 bar	
	Filter BIG ONE 23" - connection - threaded flange 3 "	958 EUR
	Filter BIG ONE 40" - connection - threaded flange 3 "	1 376 EUR
	Cartridges for BIG ONE filters:	
	Cartridge 23"FON; micronage 1/5; flow 9,0m3/h	96 EUR
	Cartridge 23"FON; micronage 5/20; flow 16,5m3/h	96 EUR
	Cartridge 23"FON; micronage 50/90; flow 28m3/h	96 EUR
	Cartridge 40"FON; micronage 1/5; flow 16m3/h	138 EUR
	Cartridge 40"FON; micronage 5/20; flow 30m3/h	138 EUR
	Cartridge 40"FON; micronage 50/90; flow 50m3/h	138 EUR

Mechanical Filtration

Model	Description	Index	Price
	High efficiency stainless steel filters for industrial use		
	SSF2-0320 - stainless steel filter SS304, 1"IT BSP; min output 6 m ³ /h; max output 10 m ³ /h 3x Sediment filter cartridge 20" x 2 1/2"	BN1-W3L2	\$256,00
	SSF2-0520 - stainless steel filter SS304, 1 1/2"IT BSP; min output 10 m ³ /h; max output 17 m ³ /h 5x Sediment filter cartridge 20" x 2 1/2"	BN1-W5L2	\$322,00
	SSF2-0530 - stainless steel filter SS304, 1 1/2"IT BSP; min output 12 m ³ /h; max output 20 m ³ /h 5x Sediment filter cartridge 30" x 2 1/2"	BN1-W5L3	\$386,00
	SSF2-0720 - stainless steel filter SS304, 2"IT BSP; min output 15 m ³ /h; max output 25 m ³ /h 7x Sediment filter cartridge 20" x 2 1/2"	BN1-W7L2	\$538,00
	Supreme cartridges for SSF		
	S-PP1-20 - 20" x 2 1/2" (long), 1 µ	WKL20PRA1M-SUP-ES	2,20 EUR
	S-PP5-20 - 20" x 2 1/2" (long), 5 µ	WKL20PRA5M-SUP-ES	2,20 EUR
	S-PP20-20 - 20" x 2 1/2" (long), 20 µ	WKL20PRA20M-SUP-ES	2,20 EUR
	S-PP50-20 - 20" x 2 1/2" (long), 50 µ	WKL20PRA50M-SUP-ES	2,20 EUR
	S-PP5-30 - 30" x 2 1/2" (long), 5 µ	WKL30PRA5M-SUP-ES	4,00 EUR
	S-PP20-30 - 30" x 2 1/2" (long), 20 µ	WKL30PRA20M-SUP-ES	4,00 EUR

Filter media and resin

Model	Description	Index	Price
	Ion exchange / nitrate selective resin, mix bed		
	Ion exchange Pure Soft IG (25l bag)	ZPURESOFT	2,60 \$/l.
	Ion exchange Pure Soft Plus FG (attest PZH) (25l bag)	ZPURESOFTPLUS	2,80 \$/l.
	Monospheric Ion exchange Pure Soft Mono (attest PZH) (25l bag)	PC003UNPureSoftMono	\$3,60
	Ion exchange Purolite C-100E highly acidic (25l bag)	ZC100E	5,00 €/l.
	Ion exchange TapTec HCRSS highly acidic (25l bag)	ZDOWEX	3,92 €
	Monospheric Ion exchange Lewatit S1567 (25l bag)	ZLEWATIT	5,20 €/l.
	PA103 Resin highly basic (25l bag)	ZPA103	12,40 €
	PA300 Resin weakly basic (25l bag)	ZPA300	11,30 €
	PMB 101-2 Mix Bed Resin (25l bag)	ZPMB101-2	6,20 \$/l.
	MB20 Mix Bed Resin (25l bag)	ZMB20	on request
	MB400 Mix Bed Resin (25l bag)	ZMB400	on request
	PA202 Resin for nitrate removal (25l bag)	Z_PA202	7,60 \$/l.
	Granulated activated carbon		
	Sorbotech LG 95 8x30 (41,67l/20 kg bag)	ZLOSORB-LG95	18,20 zł/kg
	Sorbotech LGCO 100 8x30 (40l/20 kg bag)	ZLOSORB-LGCO100	35,00 zł/kg
	Multifunctional filter media		
	Pure Mix (op. 12,0l/11kg)	ZPUREMIX12A	79,20 €/bag
	Pure Mix (op. 25,0l/21,8kg)	ZPUREMIX25A	165,00 €/bag
	Pure Mix Plus (op. 12,0l/11kg)	ZPUREMIXPLUS12C	84,00 €/bag
	Pure Mix Plus (op. 25,0l/22kg)	ZPUREMIXPLUS25C	175,00 €/bag
	Ecomix A (op. 12,0l/9,6kg)	ZECOMIXA-12	92,40 €/bag
	Ecomix A (op. 25,0l/20kg)	ZECOMIXA-25	192,50 €/bag
	Ecomix C (op. 12,0l/9,6kg)	ZECOMIXC-12	104,40 €/bag
	Ecomix C (op. 25,0l/20kg)	ZECOMIXC-25	217,50 €/bag
	AquaMulti (op. 12,0l/9,6kg)	ZL-AQMULT-12	on request
	AquaMulti (op. 25,0l/20kg)	ZL-AQMULT-25	on request
	AquaMulti BIO (op. 12,0l/9,6kg)	ZL-AQMULTBIO-12	on request
	AquaMulti BIO (op. 25,0l/20kg)	ZL-AQMULTBIO-25	on request
	Crystal Right CR-100 (op. 28,3l/22,6kg)	ZCR100	348,00 \$/bag
	Crystal Right CR-200 (op. 28,3l/22,6kg)	ZCR200	386,00 \$/bag

Model	Description	Index	Price
	Filter media		
	Quartz sand filter 0,8-1,2mm (17,5l/25kg bag)	ZLOFILKWA0,8-1,2	1,80 zł/kg
	Quartz sand filter 2-3mm (17,5l/25kg bag)	ZLOFILKWA1,6-3,15	1,70 zł/kg
	Quartz sand filter 2,0-4,0mm (17,5l/25kg bag)	ZLOFILKWA2,0-4,0	1,60 zł/kg
	Quartz sand filter 3,0-5,0mm (17,5l/25kg bag)	ZLOFILKWA3-5	1,80 zł/kg
	Quartz sand filter 5,0-8,0mm (17,5l/25kg bag)	ZLOFILKWA5-8	1,80 zł/kg
	Quartz sand filter 8,0-16,0mm (17,5l/25kg bag)	ZLOFILKWA8-16	1,30 zł/kg
	Hydroanthracite N 0,6-1,6 (50l/36,5kg bag)	ZLHANTR0616	on request
	Hydroanthracite N 1,4-2,5 (50l/36,5kg bag)	ZLHANTR1425	on request
	Iron removal		
	Filter AG (28,3l/11,3kg bag)	ZLFILTERAG	48,80 \$/bag
	Turbidex - Filter AG Plus (28,3l/22,6kg bag)	ZLTURBIDEX	\$64,70
	Birm (28,3l/17,6kg bag)	ZLBIRM	104,00 \$/bag
	Greensand Plus (14,15l/20kg bag)	ZLGREENPLUS	70,00 \$/bag
	Manganese Oxide filter (12,5l/25kg bag)	ZLTLENEKMANGANU	96,00 \$/bag
	Pyrolox advantage (13,9l/20kg bag)	ZLPYROLOX-ADV	90,00 \$/bag
	Katalox Light (28,3l/30kg bag)	ZLKARLIGHT	110,00 €/bag
	Regulating		
	Corosex (18,7l/22,68kg bag)	ZLCOROSEX	216,00 \$/bag
	Calcite / Imerys (15,6l/22,8kg bag)	ZLCALCITE	60,20 \$/bag
	Aqua-Dol (20,8l/25kg bag)	ZLAQUADOL	53,00 €/bag
	Tabletized salt		
	Tabletized salt (25kg bag)	SÓL	3,20 zł/kg

BWG PRESSURE TANKS



Description:	Article item:	Price:
Tank 7x13 2,5" without base BWG	B0713-BP-BWG	\$32,00
Tank 7x13 2,5" BWG	B0713-BWG	\$33,50
Tank 7x17 2,5" BWG	B0717-BWG	\$34,40
Tank 7x35 2,5" BWG	B0735-BWG	\$44,50
Tank 8x13 2,5" without base BWG	B0813-BP-BWG	\$33,50
Tank 8x17 2,5" without base BWG	B0817-BP-BWG	\$33,60
Tank 8x17 2,5" BWG	B0817-BWG	\$35,40
Tank 8x35 2,5" without base BWG	B0835-BP-BWG	\$41,20
Tank 8x35 2,5" BWG	B0835-BWG	\$43,10
Tank 8x44 2,5" BWG	B0844-BWG	\$48,90
Tank 9x17 2,5" without base BWG	B0917-BP-BWG	\$38,80
Tank 9x35 2,5" without base BWG	B0935-BP-BWG	\$48,80
Tank 9x35 2,5" BWG	B0935-BWG	\$50,80
Tank 10x17 2,5" without base BWG	B1017-BP-BWG	\$43,50
Tank 10x30 2,5" without base BWG	B1030-BP-BWG	\$48,10
Tank 10x35 2,5" without base BWG	B1035-BP-BWG	\$51,20
Tank 10x35 2,5" BWG	B1035-BWG	\$53,20
Tank 10x44 2,5" BWG	B1044-BWG	\$58,00
Tank 10x54 2,5" BWG blue/natural	B1054-BWG / B1054-BWG-NAT	\$61,90
Tank 12x48 2,5" BWG	B1248-BWG	\$74,80
Tank 12x52 2,5" BWG blue/natural	B1252-BWG / B1252-BWG--NAT	\$81,60
Tank 13x44 2,5" BWG	B1344-BWG	\$101,00
Tank 13x54 2,5" BWG blue/natural	B1354-BWG / B1354-BWG-NAT	\$107,80
Tank 14x65 2,5"Top BWG blue/natural	B1465-BWG / B1465-BWG-NAT	\$140,00
Tank 14x65 4"Top BWG	B1465-4-BWG	\$140,00
Tank 16x65 2,5"Top BWG	B1665-BWG	\$173,00
Tank 16x65 4"Top BWG blue/natural	B1665-4-BWG / B1665-4-BWH-NAT	\$173,00
Tank 16x65 4"Top/Bottom BWG	B1665-44-BWG	\$201,00
Tank 18x65 4"Top BWG	B1865-4-BWG	\$252,00
Tank 18x65 4"Top/Bottom BWG	B1865-44-BWG	\$274,00
Tank 21x62 4"Top BWG	B2162-4-BWG	\$356,00
Tank 21x62 4"Top/Bottom BWG	B2162-44-BWG	\$367,00

Tank 24x72; 4"Top BWG	B2472-4-BWG	\$444,00
Tank 24x72; 4"Top/Bottom BWG	B2472-44-BWG	\$459,00
Tank 30x72; 4"Top/Bottom BWG	B3072-44-BWG	\$648,00
Tank 36x72; 4"Top/Bottom BWG	B3672-44-BWG	\$996,00
Tank 42x72; 6"Top/Bottom BWG	B4272-66-BWG	\$1 364,00
Tank 48x72; 6"Top/Bottom BWG	B4872-66-BWG	\$1 837,00

Pressure tanks with jackets

	Opis	Cena netto
	Butla BWG 10x44 with jacket	\$85,70
	Butla BWG 10x54 with jacket	\$90,00
	Butla BWG 12x48 with jacket	\$104,30
	Butla BWG 12x52 with jacket	\$111,50
	Butla BWG 13x44 with jacket	\$133,10
	Butla BWG 13x54 with jacket	\$140,90
	Butla BWG 14x65 2,5"G with jacket	\$172,40
	Butla BWG 14x65 4"G with jacket	\$172,40

Jackets

	Opis	Cena netto
	Jacket 10x44 black	\$33,20
	Jacket 10x54 black	\$33,80
	Jacket 12x48 black	\$36,20
	Jacket 12x52 black	\$37,00
	Jacket 13x44 black	\$40,60
	Jacket 13x54 black	\$42,10
	Jacket 14x65 black	\$43,40

Accessories for pressure tanks

Model	Description	Index	Price
	Closers and adapters		
	Closer 4"- 8UN	KOR4"21"-36"	\$17,30
	Closer 6" (flange)	C1WPV510	124,00 €
	Adapter 4"- 8UN x 2,5"- 8NPSM	REDU4"/2,5"	\$15,50
	Adapter 6" (flange) x 4" (8UN)	C1PV511B	134,00 €
	PVC tank heads		
	Tank head for 2,5" tank, inlet/outlet 1", for 1.05" tube	GL_PVC2,5-1"	\$16,10
	Manual tank heads		
	Manual tank head: filtration, backwash, cleaning resin. For 2,5" tank, inlet/outlet 1", 3/4" connection, for 1.05" tube	C1F56A1	\$37,10
	PVC tubes		
	1.05" PVC tube, 3m	C1SDR21	8,00 €
	1 1/2" PVC tube (48,3mm), 3m	RURPVC1,5"-SZT	31,00 €
	Koszyki/dystrybutory		
	Top twist-lock 1.05" pipe, 255 valves, 0,2mm slots	C1KOSZ-G-ZAM	1,40 €
	Top twist-lock 1.05" pipe, Performa valves, 0,2mm slots	C1KOSZPERF	2,50 €
	Top twist 1.05" pipe, 0,2mm slots	C1AV073	4,50 €
	Top twist 1 1/2" tube (48,3mm), Magnum valve, 60mm diameter, 150mm length, 0,2mm slots	C1CC050	98,50 €
	Bottom collector 1.05" pipe, 0,2mm slots	C1AFH2807	1,20 €
	Bottom collector 1.05" pipe, Performa valve, 66mm diameter, 102mm length, 0,2mm slots	C1AV099A	21,80 €
	Bottom collector 1.05" pipe, Performa H2810 valve, 66mm diameter, 102mm length, 0,2mm slots	C1H2810	8,60 €
	Bottom collector 1 1/2" (48,3mm), Magnum valve, 88mm diameter, 150mm length, 0,2mm slots	C1CC051	95,00 €
	Aeration valve		
	Aeration valve 1 1/2", 1/2" drain	C1PV308	96,00 €

Model	Description	Index	Price
	Lower lateral systems for 4" tanks (China)		
	For 1 1/2" tube, 6 arms, 0,2mm slot for 14"-16" tanks	C1HU6260A2	\$29,50
	For 1 1/2" tube, 6 arms, 0,2mm slot for 18"-21" tanks	C1HU6370A2	\$33,00
	For 1 1/2" tube, 6 arms, 0,2mm slot for 24" tanks	C1HU6450A2	\$40,30
	For 1 1/2" tube, 6 arms, 0,2mm slot for 30" tanks	C1HU6600A2	\$42,60
	For 1 1/2" tube, 6 arms, 0,2mm slot for 36" tanks	C1HU6700A2	\$56,70



	Lateral systems for 4" tank, no distribution tube (32mm slot) - top mounted for Pentair and Clack WS1,25		
	For 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1632-TM-0.2	98,00 €
	For 32mm (1 1/2") tube, glued, 6 arms, 0,5mm slot, for 14"-18" tanks	I-1632-TM-0.5	98,00 €
	For 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2132-TM-0.2	116,60 €
	For 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2132-TM-0.5	116,60 €
	Lateral systems for 4" tank, with distribution tube (32mm slot) - top mounted for Pentair and Clack WS1,25		
	With 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1632-TM-0.2-R	104,70 €
	With 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1632-TM-0.5-R	104,70 €
	With 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2132-TM-0.2-R	123,40 €
	With 32mm (1 1/2") tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2132-TM-0.5-R	123,40 €



Model	Description	Index	Price
	Lateral systems for 4" tank, no distribution tube (48mm 1 1/2" slot) - top mounted for Pentair and Magnum		
	For 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1648-TM-0.2	98,40 €
	For 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 14"-18" tanks	I-1648-TM-0.5	98,40 €
	For 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2148-TM-0.2	117,20 €
	For 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 21"-24" tanks	I-2148-TM-0.5	117,20 €
	For 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 30" tanks	I-3048-TM-0.2	144,40 €
	For 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 30" tanks	I-3048-TM-0.5	144,40 €
	For 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 36" tanks	I-3648-TM-0.2	163,20 €
	For 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 36" tanks	I-3648-TM-0.5	163,20 €
	Lateral systems for 4" tank, with distribution tube (48mm 1 1/2" slot) - top mounted for Pentair and Magnum		
	With 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1648-TM-0.2-R	132,80 €
	With 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 14"-18" tanks	I-1648-TM-0.5-R	132,80 €
	With 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2148-TM-0.2-R	151,50 €
	With 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 21"-24" tanks	I-2148-TM-0.5-R	151,50 €
	With 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 30" tanks	I-3048-TM-0.2-R	178,80 €
	With 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 30" tanks	I-3048-TM-0.5-R	178,80 €
	With 1 1/2" tube, glued, 6 arms, 0,2mm slot, for 36" tanks	I-3648-TM-0.2-R	197,50 €
	With 1 1/2" tube, glued, 6 arms, 0,5mm slot, for 36" tanks	I-3648-TM-0.5-R	197,50 €



	Description	Price
	Lateral systems for 4" tank, no distribution tube (50mm slot) - top mounted for Pentair, Clack WS1,5/WS2, WS QC, RX74/RX75	
	For 50mm tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1650-TM-0.2 96,40 €
	For 50mm tube, glued, 6 arms, 0,5mm slot, for 14"-18" tanks	I-1650-TM-0.5 96,40 €
	For 50mm tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2150-TM-0.2 115,10 €
	For 50mm tube, glued, 6 arms, 0,5mm slot, for 21"-24" tanks	I-2150-TM-0.5 115,10 €
	For 50mm tube, glued, 6 arms, 0,2mm slot, for 30" tanks	I-3050-TM-0.2 142,40 €
	For 50mm tube, glued, 6 arms, 0,5mm slot, for 30" tanks	I-3050-TM-0.5 142,40 €
	For 50mm tube, glued, 6 arms, 0,2mm slot, for 36" tanks	I-3650-TM-0.2 161,20 €
	For 50mm tube, glued, 6 arms, 0,5mm slot, for 36" tanks	I-3650-TM-0.5 161,20 €
	Lateral systems for 4" tank, with distribution tube (50mm slot) - top mounted for Pentair, Clack WS1,5/WS2, WS QC, RX74/RX75	
	With 50mm tube, glued, 6 arms, 0,2mm slot, for 14"-18" tanks	I-1650-TM-0.2-R 108,20 €
	With 50mm tube, glued, 6 arms, 0,5mm slot, for 14"-18" tanks	I-1650-TM-0.5-R 108,20 €
	With 50mm tube, glued, 6 arms, 0,2mm slot, for 21"-24" tanks	I-2150-TM-0.2-R 127,00 €
	With 50mm tube, glued, 6 arms, 0,5mm slot, for 21"-24" tanks	I-2150-TM-0.5-R 127,00 €
	With 50mm tube, glued, 6 arms, 0,2mm slot, for 30" tanks	I-3050-TM-0.2-R 154,30 €
	With 50mm tube, glued, 6 arms, 0,5mm slot, for 30" tanks	I-3050-TM-0.5-R 154,30 €
	With 50mm tube, glued, 6 arms, 0,2mm slot, for 36" tanks	I-3650-TM-0.2-R 173,00 €
	With 50mm tube, glued, 6 arms, 0,5mm slot, for 36" tanks	I-3650-TM-0.5-R 173,00 €



Model	Description	Index	Price
	Components for Pentair distribution systems		
	Lateral system hub - 2" ET	AB-H60-00	27,40 €
	Lateral system hub plug	AC-H60-00	10,84 €
	Lateral bayonet system for 14"-18" tanks, 0,2mm slot	A-BT02-113	8,62 €
	Lateral bayonet system for 14"-18" tanks, 0,5mm slot	A-BT05-113	8,62 €
	Lateral bayonet system for 21"-24" tanks, 0,2mm slot	A-BT02-175	11,74 €
	Lateral bayonet system for 21"-24" tanks, 0,5mm slot	A-BT05-175	11,74 €
	Lateral bayonet system for 30" tanks, 0,2mm slot	A-BT02-268	16,30 €
	Lateral bayonet system for 30" tanks, 0,5mm slot	A-BT05-268	16,30 €
	Lateral bayonet system for 36" tanks, 0,2mm slot	A-BT02-330	19,42 €
	Lateral bayonet system for 36" tanks, 0,5mm slot	A-BT05-330	19,42 €

Model	Description	Index	Price
	Cylindrical diffusers for 4" tanks, glued 63mm elbow, side mounted		
	Cylindrical diffuser for 4" tank, top installation, external elbow connection - 63mm elbow, 85mm diameter, 180mm length, 0,2mm slot, for 14"-36" tanks	C1PV350	150,00 €
	Cylindrical diffuser for 4" tank, top installation, external elbow connection - 63mm elbow, 85mm diameter, 180mm length, 0,5mm slot, for 14"-36" tanks	C1PV349	150,00 €
	Lateral bayonet systems for 4" tanks, glued 63mm elbow, side mounted		
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 113mm arm length, 0,2mm slot, for 14"-18" tanks	C1PV353A	172,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 113mm arm length, 0,5mm slot, for 14"-18" tanks	C1PV360A	172,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 175mm arm length, 0,2mm slot, for 21"-24" tanks	C1PV354A	188,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 175mm arm length, 0,5mm slot, for 21"-24" tanks	C1PV361A	188,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 237mm arm length, 0,2mm slot, for 30" tanks	C1PV355A	202,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 237mm arm length, 0,5mm slot, for 30" tanks	C1PV362A	202,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 299mm arm length, 0,2mm slot, for 36" tanks	C1PV356A	219,00 €
	Lateral system, glued elbow 63mm, 5 arms 54mm diameter, 299mm arm length, 0,5mm slot, for 36" tanks	C1PV363A	219,00 €

Model	Description	Index	Price
	Cylindrical diffusor for 6" tanks (flange), DN65, side mounted		
	Cylindrical diffusor (flange) for 6" tank, top installation, DN65 connection, 85mm diameter, 284mm length, 0,2mm slot, for 18"-36" tanks	C1PV512	398,00 €
	Cylindrical diffusor (flange) for 6" tank, top installation, DN65 connection, 85mm diameter, 284mm length, 0,5mm slot, for 18"-36" tanks	C1PV513	398,00 €
	Lower lateral systems for 6" tanks (flange), 6 arms, DN65, side mounted		
	Lateral system 6 arms (hub DN65), 144mm arm length, 0,2mm slot, for 18"-21" tank	C1PV520	394,00 €
	Lateral system 6 arms (hub DN65), 144mm arm length, 0,5mm slot, for 18"-21" tank	C1PV524	394,00 €
	Lateral system 6 arms (hub DN65), 175mm arm length, 0,2mm slot, for 24" tank	C1PV521	408,00 €
	Lateral system 6 arms (hub DN65), 175mm arm length, 0,5mm slot, for 24" tank	C1PV525	408,00 €
	Lateral system 6 arms (hub DN65), 237mm arm length, 0,2mm slot, for 30" tank	C1PV522	434,00 €
	Lateral system 6 arms (hub DN65), 237mm arm length, 0,5mm slot, for 30" tank	C1PV526	434,00 €
	Lateral system 6 arms (hub DN65), 299mm arm length, 0,2mm slot, for 36" tank	C1PV523	458,00 €
	Lateral system 6 arms (hub DN65), 299mm arm length, 0,5mm slot, for 36" tank	C1PV527	458,00 €

Model	Description	Index	Price
	Cylindrical diffuser for 6" tanks (flange), DN80, side mounted		
	Cylindrical diffuser (flange) for 6" tank, top installation, DN80 connection, 120mm diameter, 240mm length, 0,2mm slot, for 24"-36" tanks	C1PV514	448,00 €
	Cylindrical diffuser (flange) for 6" tank, top installation, DN80 connection, 120mm diameter, 240mm length, 0,5mm slot, for 24"-36" tanks	C1PV516	448,00 €
	Cylindrical diffuser (flange) for 6" tank, top installation, DN80 connection, 120mm diameter, 312mm length, 0,2mm slot, for 42"-48" tanks	C1PV515	478,00 €
	Cylindrical diffuser (flange) for 6" tank, top installation, DN80 connection, 120mm diameter, 312mm length, 0,5mm slot, for 42"-48" tanks	C1PV517	478,00 €
	Cylindrical diffuser (flange) for 6" tank, top installation, DN80 connection, 120mm diameter, 384mm length, 0,2mm slot, for 63" tanks	C1PV553	462,00 €
	Cylindrical diffuser (flange) for 6" tank, top installation, DN80 connection, 120mm diameter, 384mm length, 0,5mm slot, for 63" tanks	C1PV554	462,00 €
	Lateral systems for 6" tanks (flange), 8 arms, DN80, side mounted		
	Lateral system 8 arms (hub DN80), 175mm arm length, 0,2mm slot, for 24" tank	C1PV528	650,00 €
	Lateral system 8 arms (hub DN80), 175mm arm length, 0,5mm slot, for 24" tank	C1PV531	650,00 €
	Lateral system 8 arms (hub DN80), 237mm arm length, 0,2mm slot, for 30" tank	C1PV529	682,00 €
	Lateral system 8 arms (hub DN80), 237mm arm length, 0,5mm slot, for 30" tank	C1PV532	682,00 €
	Lateral system 8 arms (hub DN80), 299mm arm length, 0,2mm slot, for 36" tank	C1PV530	714,00 €
	Lateral system 8 arms (hub DN80), 299mm arm length, 0,5mm slot, for 36" tank	C1PV533	714,00 €
	Double lower lateral systems for 6" tanks (flange), 8 arms, DN80, side mounted		
	Lateral system, DN80, 2 x 8 arms, 361mm / 423mm arm length, 0,2mm slot, for 42" tank	C1PV534	1 090,00 €
	Lateral system, DN80, 2 x 8 arms, 361mm / 423mm arm length, 0,5mm slot, for 42" tank	C1PV536	1 090,00 €
	Lateral system, DN80, 2 x 8 arms, 423mm / 485mm arm length, 0,2mm slot, for 48" tank	C1PV535	1 208,00 €
	Lateral system, DN80, 2 x 8 arms, 423mm / 485mm arm length, 0,5mm slot, for 48" tank	C1PV537	1 208,00 €
	Lateral system, DN80, 2 x 8 arms, 578mm / 640mm arm length, 0,2mm slot, for 63" tank	C1PV555	1 320,00 €
	Lateral system, DN80, 2 x 8 arms, 578mm / 640mm arm length, 0,5mm slot, for 63" tank	C1PV556	1 320,00 €

Model	Description	Index	Price
	Cylindrical diffusor for 6" tanks (flange), DN100, side mounted		
	Cylindrical diffusor (flange) for 6" tank, top installation, DN100 connection, 120mm diameter, 384mm length, 0,2mm slot, for 63" tanks	C1PV518	508,00 €
	Cylindrical diffusor (flange) for 6" tank, top installation, DN100 connection, 120mm diameter, 384mm length, 0,5mm slot, for 63" tanks	C1PV519	508,00 €
	Double lower lateral systems for 6" tanks (flange), 8 arms, DN100, side mounted		
	Lateral system, DN100, 2 x 8 arms, 578mm / 640mm arm length, 0,2mm slot, for 63" tank	C1PV538	1 366,00 €
	Lateral system, DN100, 2 x 8 arms, 578mm / 640mm arm length, 0,5mm slot, for 63" tank	C1PV539	1 366,00 €

Brine tanks and accessories

Model	Description	Index	Price
	Canature brine tanks		
	25l brine tank, circular (tube, valve set)	ZBI25/CAN-OKR	\$25,70
	70l brine tank (full set - top cover, well, valve, connection, 1,5m tube)	ZBI70LKPL-N	\$60,00
	100l brine tank (full set - top cover, well, valve, connection, 1,5m tube)	ZBI100KPL-N	\$73,60
	JIN SHI brine tanks - with grid and well		
	145l circular brine tank - grid, well, top cover	ZBIJS/Y-145-K	\$92,30
	200l circular brine tank - grid, well, top cover	ZBIJS/Y-200-K	\$113,00
	350l circular brine tank - grid, well, top cover	ZBIJS/Y-350-K	\$182,00
	500l circular brine tank - grid, well, top cover	ZBIJS/Y-500-K	\$267,00
	750l circular brine tank - grid, well, top cover	ZBIJS/Y-750	\$350,00
	1000l circular brine tank - grid, well, top cover	ZBIJS/Y-1000	\$460,00
	1500l circular brine tank - grid, well, top cover	ZBIJS/Y-1500	\$696,00
	2000l circular brine tank - grid, well, top cover	ZBIJS/Y-2000	\$816,00
	Eurotrol brine tank - with white top cover		
	85l square white brine tank with blue cover	C1PC003	84,00 €
	140l circular brine tank, white top cover	C1PC320	206,00 €
	190l circular brine tank, white top cover	C1PC330	210,00 €
	340l circular brine tank, white top cover	C1PC355	382,00 €
	460l circular brine tank, white top cover	C1PC380	484,00 €
	670l circular brine tank, white top cover	C1PC060	674,00 €
	920l circular brine tank, white top cover	C1PC065	845,00 €
	Chemical tanks		
	20l KMnO4 tank - set	ZBIKMNO	\$131,00
	60l Chemical tank	V-60	280,00 zł
	100l Chemical tank	V-100PA	418,00 zł
	200l Chemical tank		on request
	300l Chemical tank		on request
	500l Chemical tank		on request
	1000l Chemical tank		on request

Model	Description	Index	Price
  	Brine tank accessories and parts		
	Eurotrol 85l tank grid	C1PC006	22,50 €
	Eurotrol 140/190l tank grid	C1PC031	32,00 €
	Eurotrol 340l tank grid	C1PC070	174,00 €
	Eurotrol 460l tank grid	C1PC071	174,00 €
	Eurotrol 670l tank grid	C1PC072	304,00 €
	Eurotrol 920l tank grid	C1PC073	304,00 €
	Tube for brine valve for MAXI cabinets	C1PA005	19,70 €
	Tube for brine valve for Eurotrol 85l tanks	C1PA007	16,20 €
	Tube for brine valve for Eurotrol 140l tanks	C1PA010	17,20 €
	Tube for brine valve for Eurotrol 190l tanks	C1PA015	20,40 €
	Tube for brine valve for Eurotrol 340/460/670/920l tanks	C1PA016	42,70 €
	Brine container float valve 3/8" with brine well for cabinets	796402-HC	\$21,80
	Brine container float valve 3/8" Canature for 70-100l tanks		\$16,40
	Brine container float valve 3/8" Canature for 140-200l tanks		\$16,40
	Brine container float valve 3/8" 464 Clack for 70-140l tanks	PLYW-464HF-CL	\$36,50
	Brine container float valve 1/2" 474 Clack for 140-190l tanks	C1H7003-3	\$54,00
	Brine container float valve 3/4" 454 for JIN-SHI 350-1000l tanks	PLYW-CN-350	\$35,00
	Brine container float valve 3/4" 484 for 340-920l tanks	C1H7070-STD	\$135,00
	Aircheck 3/8"	C1AV093	9,50 €
	Mesh screen with tube	C1AV090	7,20 €
	Overflow adapter 3/8" Canature (for 25-200l tanks)	C1AFZ2PVC	\$1,18
	Overflow adapter 1/2" Canature (for 340-1000l tanks)	C1PRZELEW1/2	\$1,50
	Overflow adapter 1/2" (for 340-1000l tanks)	C1AV181	6,32 €
	Elbow 3/8" tube x 3/8" tube	WA-UE0606	5,84 €
	1/4" IT x 3/8" tube (aircheck) elbow for Autotrol 255	C1AV150	4,38 €
	3/8" IT x 3/8" tube elbow for Autotrol Performa	C1AV154	5,40 €
	Union tee 3 x 3/8" QC tube	WA-UT0606	1,30 €
	3/8" White tube BWG, 150m (price for 1m)	WE-2006W-PL5	1,00 €

Cabinets

Description:		Price:
 	Crystal	
	NEWMINI CRYSTAL white-blue without tank	135,00 €
	NEWMINI CRYSTAL white-blue with tank 7x17	176,00 €
	NEWMINI CRYSTAL white-blue with tank 8x17	181,00 €
	NEWMINI CRYSTAL white-blue with tank 9x17	184,00 €
	NEWMINI CRYSTAL white-blue with tank 10x17	189,00 €
	NEWMIDI CRYSTAL white-blue without tank	181,00 €
	NEWMIDI CRYSTAL white-blue with tank 9x30	250,00 €
	NEWMIDI CRYSTAL white-blue with tank 10x30	257,00 €
	NEWMAXI CRYSTAL white-blue without tank	198,00 €
	NEWMAXI CRYSTAL white-blue with tank 7x35	264,00 €
	NEWMAXI CRYSTAL white-blue with tank 8x35	272,00 €
	NEWMAXI CRYSTAL white-blue with tank 9x35	278,00 €
	NEWMAXI CRYSTAL white-blue with tank 10x35	292,00 €
 	CABINETS NEW OCEAN - white-blue / white-biała	
	NEWMINI OCEAN white-blue without tank	149,00 €
	NEWMINI OCEAN white-blue with tank 7x17	189,00 €
	NEWMINI OCEAN white-blue with tank 8x17	194,00 €
	NEWMINI OCEAN white-blue with tank 9x17	198,00 €
	NEWMINI OCEAN white-blue with tank 10x17	202,00 €
	NEWMIDI OCEAN white-blue without tank	194,00 €
	NEWMIDI OCEAN white-blue with tank 9x30	263,00 €
	NEWMIDI OCEAN white-blue with tank 10x30	270,00 €
	NEWMAXI OCEAN white-blue without tank	212,00 €
	NEWMAXI OCEAN white-blue with tank 7x35	277,00 €
	NEWMAXI OCEAN white-blue with tank 8x35	286,00 €
	NEWMAXI OCEAN white-blue with tank 9x35	291,00 €
	NEWMAXI OCEAN white-blue with tank 10x35	305,00 €
 	Cabinet EASY - blue/orange	
	MINI EASY z butlą 10x17	206,00 €
	MIDI EASY z butlą 10x30	274,00 €
	MAXI EASY z butlą 10x35	309,00 €

			
	CABINETS JUNIOR		
	New Junior Mini 13 without tank		58,80 €
	New Junior Mini 13 with tank 7x13		96,60 €
	New Junior Mini 13 with tank 8x13		101,00 €

Pentair cabinet

	Description	Price
	Elegant	
	CABINET Elegant Maxi white-blue with tank 8x35	176,20 €
	CABINET Elegant S.Maxi white-blue 9x35	211,20 €
	CABINET Elegant S.Maxi white-blue 10x35	218,30 €
		
	CABINETS TopCab	
	CABINET TopCab35 without tank - pod butle o wysokości 35"	208,60 €
		

Hydro Premium Valve

Model:	Description:	Articel item:	Price:
	Hydro Premium - Softening volumetric upflow with mixing 1"	C10TZ2SM-M	174 EUR
Accsories for Hydro Premium			
	Bypass for Hydro Premium	C1-BYP-TZ2-SMKĄT	18 EUR
	Chlorin dezynfection for Hydro Premium	C1-CHL-TZ2-SM	32 EUR

BNT 1650F Valve

Model:	Description:	Articel item:	Price:
	BNT 1650F - Softening volumetric 1"	C101650FW-EN	198 EUR

RX Valve

Model:	Description:	Articel item:	Price:
	RX116A3+B bypass	C1RX116A3	226 EUR

Autotrol Softening Valves - Easy-iQ



Model	Description	Index	Price
Softening Valves			
255 Easy-iQ Tc 	255 Easy-iQ Softener Chronometric	CV255EIQ00X	276,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	1,40 €
	Noryl manifold 1"	C1GZ255	13,90 €
	Elbow 1/4" IT x 3/8" tube	C1AV150	4,38 €
	Drain fitting elbow 1/2" ET x QC	KOL-POPL-12GW	1,00 €
	Options:		
	Bypass 256 for valves 255 - 1040769	C1AV026	60,40 €
	+ Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	
<i>*if bypass included, 1/2" IT drain elbow needed</i>			
255 Easy-iQ V 	255 Easy-iQ Softener Volumetric	CV255EIQ20X	336,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	1,40 €
	Noryl manifold 1"	C1GZ255	13,90 €
	Elbow 1/4" IT x 3/8" tube	C1AV150	4,38 €
	Drain fitting elbow 1/2" ET x QC	KOL-POPL-12GW	1,00 €
	Options:		
	Bypass 256 for valves 255 - 1040769	C1AV026	60,40 €
	+ Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	
<i>*if bypass included, 1/2" IT drain elbow needed</i>			
269 Easy-iQ V Upflow 	269 Easy-iQ Performa Softener Volumetric Upflow	CV269EIQ001	528,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Elbow 3/8" IT x 3/8" tube	C1AV154	5,40 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Options:		
	Bypass 1265 for valves 263, 268, 278 - 1040930 +brass connection 1" set	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €
278 Easy iQ Tc 	278 Easy-iQ Performa Cv Softener Chronometric	CV278EIQ00X	360,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Elbow 3/8" IT x 3/8" tube	C1AV154	5,40 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Options:		
	Bypass 1265 for valves 263, 268, 278 - 1040930	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €

Model	Description	Index	Price
Softening Valves			
278 Easy iQ V 	278 Easy-iQ Performa Cv Softener Volumetric	CV278EIQ20X	492,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Elbow 3/8" IT x 3/8" tube	C1AV154	5,40 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Options:		
	Bypass 1265 for valves 263, 268, 278 - 1040930	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €

Model	Description	Index	Price
Filtration Valves			
263 Easy-iQ Tc 	263 Easy-iQ Performa Filter, Chronometric	CV263EIQ00X	300,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Backwash - size depending on application		12,52 €
	Options:		
	Bypass 1265 do głowic 263, 268, 278 - 1040930	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €

268FA Easy-iQ 	268FA Easy-iQ Performa Filter FA, czasowy	CV268FAEIQ0X	324,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Elbow 3/8" IT x 3/8" tube	C1AV154	5,40 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Options:		
	Bypass 1265 do głowic 263, 268, 278 - 1040930	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €

Autotrol Softening Valves - Logix



Model	Description	Index	Price
Softening Valves			
255/764L 	255/764L Logix Softener Volumetric	C10255764L	426,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	1,40 €
	Noryl manifold 1"	C1GZ255	13,90 €
	Elbow 1/4" IT x 3/8" tube	C1AV150	4,38 €
	Drain fitting elbow 1/2" ET x QC	KOL-POPL-12GW	1,00 €
	Options:		
	Bypass 256 for valves 255 - 1040769	C1AV026	60,40 €
	+ Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	
	*if bypass included, 1/2" IT drain elbow needed		
255/764 Multi 	255/764 Multi Logix Softener Volumetric (TWIN)	C10255764-MULTI	442,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	1,40 €
	Noryl manifold 1"	C1GZ255	13,90 €
	Elbow 1/4" IT x 3/8" tube	C1AV150	4,38 €
	Drain fitting elbow 1/2" ET x QC	KOL-POPL-12GW	1,00 €
	Options:		
	Bypass 256 for valves 255 - 1040769	C1AV026	60,40 €
	+ Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	
	*if bypass included, 1/2" IT drain elbow needed		
255/764TW 	255/764TW Logix Softener Twin Alternating/High flow	C10255764	582,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,80 €
	Noryl manifold 1"	C1GZ255	27,80 €
	Elbow 1/4" IT x 3/8" tube (price for 2 pcs.)	C1AV150	8,76 €
	Drain fitting elbow 1/2" ET x QC (price for 2 pcs.)	KOL-POPL-12GW	2,00 €
	Options:		
	Bypass 256 for valves 255 - 1040769 (price for 2 pcs.)	C1AV026	120,80 €
	+ Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	
	*if bypass included, 1/2" IT drain elbow needed		

Model	Description	Index	Price
Softening Valves			
278/764L 	278/764L Logix Performa Cv Softener Volumetric Valve	C1278764L	582,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Elbow 3/8" IT x 3/8" tube	C1AV154	5,40 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Options:		
	Bypass 1265 do głowic 263, 268, 278 - 1040930	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €
278/764 Multi 	278/764 Multi Logix Performa Cv Volumetric	C1278764-MULTI	604,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm	C1KOSZ-G-ZAM	2,50 €
	Brass connection for 263,268,273,278 1" 2pc. Set	C1AV031	28,90 €
	Elbow 3/8" IT x 3/8" tube	C1AV154	5,40 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Options:		
	Bypass 1265 do głowic 263, 268, 278 - 1040930	C1AV026	68,10 €
	External backwash 5-10 gpm		35,80 €
	External backwash 12-20 gpm		53,08 €
278/764TW 	278/764TW Logix M+S Performa Cv Softener Twin DN 1"	C1278764T	872,00 €
	Accessories:		
	Top distributor 1.05" - slot 0,2mm (2 pcs.)	C1KOSZ-G-ZAM	5,00 €
	Brass connection for 263,268,273,278 1" 2pc. 2 sets	C1AV031	57,80 €
	Elbow 3/8" IT x 3/8" tube (2 pcs.)	C1AV154	10,80 €
	Drain fitting elbow 3/4" IT x QC (2 pcs.)	KR.KONWEZA43GW	2,00 €
	Options:		
	Bypass 1265 do głowic 263, 268, 278 - 1040930 (2pcs.)	C1AV026	136,20 €
	External backwash 5-10 gpm (2pcs.)		71,60 €
	External backwash 12-20 gpm (2pcs.)		106,16 €

Model	Description	Index	Price
Industrial Magnum Valves			
Magnum Cv 764L HNB 	Magnum Cv 764L Softener MG Cv Volumetric 1 1/2" (HNB)	298-CV-764L-HNB	1 390,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 1 1/2" - set	C1CC080	145,50 €
Magnum Cv 764L NHB 	Magnum Cv 764L Softener MG Cv Volumetric 1 1/2" (NHB)	298-CV-764L-NHB	1 436,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 1 1/2" - set	C1CC080	145,50 €
Magnum IT 764L HNB 	Magnum IT 764L Softener MG IT Volumetric 2"	298-IT-764L-HNB	1 490,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 2" - set	C1CC082	163,50 €
Magnum IT 764L NHB 	Magnum IT 764L Softener MG IT Volumetric 2" (NHB)	298-IT-764L-NHB	1 536,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 2" - set	C1CC082	163,50 €
Magnum IT 764 Multi NHB 	Magnum IT 764 Multi Softener MG IT Volumetric 2" (NHB) TWIN		1 560,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 2" - set	C1CC082	163,50 €

 Magnum IT 764 TWIN NHB 			
	Magnum IT TWIN 764 Softener MG IT TWIN Volumetric 2" (NHB)		2 620,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots (2 pcs.)	C1CC050	197,00 €
	Connections for Magnum 2" - set (2 pcs.)	C1CC082	327,00 €

Model	Opis	Price	
Głowice filtrujące/odżelaziające			
Magnum IT 742F UWB 	Magnum IT 742F Filter Chronometric MG IT 2" (UWB)		1 096,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 2" - set	C1CC082	163,50 €
	DLFC disc + Orings (configured for tank and media)	C1CD108	50,02 €
Magnum IT 742F NUB 	Magnum IT 742F Filter Chronometric MG IT 2" (NUB)		1 142,00 €
	Accessories:		
	Top distributor for 1 1/2" pipe (48,3mm) for Magnum Valve 60mm diameter, 150mm length, 0.2mm slots	C1CC050	98,50 €
	Connections for Magnum 2" - set	C1CC082	163,50 €
	DLFC disc + Orings (configured for tank and media)	C1CD108	50,02 €

When ordering Valves, please state uses for the valve.
Additionally, tank size, type and amount of media is needed.
It will allow to correctly configure the valve to suit your needs.

Parts for Autotrol Valves



Model	Description	Index	Price
	Control Panels		
	Control panel 742C - 1242159	C1AW512E	244,00 €
	Control panel 760C - 1242165	C1AW514E	246,80 €
	Control panel 762C - 1265830	C1AW515E	313,90 €
	Control panel 764C - 3022346	C1AW505E	283,30 €
	Control panel 869 - 4003901	C14003901	35,20 €
	Control panel Easy-iQ - 4000817	C14000817	198,50 €
	Connections, adapters, bypasses		
	Manifold 1" connection for 255 Valves	C1GZ255	13,90 €
	Brass manifold 1" with mixing for 255 Valves	C1AV012	68,90 €
	Adapter for 255 Valve wiith turbine (C1AW201)	C1AW201	52,40 €
	Oring set for a turbine with 1" plate for 255 Valve	C1AW196	5,40 €
	Brass connection for 263,268,273,278 1" set of 2 pc	C1AV031	28,90 €
	PVC connection fos valves 263, 268, 273, 278	AV032	42,40 €
	256 Bypass for valve 255 (Connections C1AV031 sold separately)	C1AV026	31,50 €
	Bypass 1265 for valves 263, 268, 278 (Connections C1AV031 sold separately)	C1AV027	68,10 €
	Elbows, connections		
	Elbow 1/4" IT x 3/8" Tube	C1AV150	4,38 €
	Elbow 3/8" IT x 3/8" Tube	C1AV154	5,40 €
	Elbow 3/8" Tube x 3/8" Tube	C1AV155	5,84 €
	Drain fitting elbow 1/2" ET x QC	C1KROCIEC1/2	1,00 €
	Drain fitting elbow 1/2" IT x QC	KRÓCIEC1/2GW	1,00 €
	Drain fitting elbow 3/4" IT x QC	KR.KONWEZA43GW	1,00 €
	Drain fitting elbow 1" IT x QC		1,50 €

Model	Description	Index	Price
    	Autotrol valve parts		
	Injector cap with O-ring - 1000269	C1AW107	3,80 €
	Injector cap with strainer - 1000226	C1AW125	3,94 €
	Backwash 7 - tank 7" - 1000209	C1AW100	12,54 €
	Backwash 8 - tank 8" - 1000210	C1AW101	12,54 €
	Backwash 9 - tank 9" - 1000211	C1AW102	12,54 €
	Backwash 10 - tank 10" - 1000212	C1AW103	12,54 €
	Backwash 12 - tank 12" - 1000213	C1AW104	12,54 €
	Backwash 13 - tank 13" - 1000214	C1AW105	12,54 €
	Backwash 14 - tank 14" - 1000215	C1AW106	12,54 €
	External flow restrictor 5 gpm - 1030355	C1AV044	35,80 €
	External flow restrictor 7 gpm - 1030357	C1AV046	35,80 €
	External flow restrictor 10 gpm - 1030360	C1AV049	35,80 €
	External flow restrictor 12 gpm - 1000406	C1AV141	53,08 €
	External flow restrictor 15 gpm - 1000406	C1AV142	53,08 €
	External flow restrictor 20 gpm - 1000409	C1AV144	53,08 €
	Refill 0.33 gpm without a ball - 1243511	C1AW118	13,74 €
	Refill ball - 1030502	C1AW139	0,98 €
	Refill cap to valve 263 - 1030334	C1AW308	7,10 €
	Motor Logix 700 with cable 12V/50Hz - 1238861	C1AW126	70,64 €
	Adapter for the tank for valve 255 - 1033784	C1AW170	113,10 €
	Cover for Easy-iQ 4000816		24,38 €
	Transformer for valve Logix		37,80 €
	Aircheck 1/4" set - 1032417	C1AW190	17,24 €
	Optical sensor - 1235373	C1AW129	16,02 €
	Camshaft for valve Logix 263/268 black - 1235352	C1AW358	22,66 €
	Internal Turbine for valve Performa - 1033444	C1AW328	20,20 €
	Valve disc kit for 255 1000250	C1AW180	36,84 €
	Spring plate for valve 255 - 1235341	C1AW163	12,44 €
	Valve Discs kit for Performa 1041174	C1AW329	59,50 €
	Valve disc spring 1pc for Performa - 1235339	C1AW360	12,22 €
	Cable for connecting valves for parallel operation - 3020228	C1AW367	49,26 €
	O-ring valve/tank for valves 255, 263, 268, 278 - 3029969 1010154	C1AW172	5,04 €
	Distribution pipe set o-ring 1.05" for valves 255, 263, 268, 278 - 3030918 1232370	C1AW169	1,22 €
	Set of O-rings for the top plate Logix 255 - 1001404	C1AW195	7,04 €
	Switch kit 1 for the controller 255-268/700 5 Amp - 1239752	C1AV058	55,80 €
	Switch kit 1 for the top plate 255-268 5 Amp - 1239754	C1AV069	69,10 €

Model	Description	Index	Price
	Parts for Magnum Valves		
	Connections		
	Set of connections for valve Magnum Cv - 3023673	C1CC080	145,50 €
	Set of connections for valves Magnum IT - 3023674	C1CC082	163,50 €
	Parts for Magnum Valves		
	Drain valve (cartridge)/NHB Magnum - 1000366	C1CD111	111,68 €
	Flushing valve (cartridge) Magnum - 1000365	C1CD112	155,36 €
	Input valve (cartridge) Magnum - 1000317	C1CD113	155,36 €
	Internal turbine for Magnum - 1232965	C1CD068	77,92 €
	External turbine for Magnum 2" without connections - 1033358	C1CD069	655,88 €
	Set of flap valves for the Magnum - 1040692	C1CD020	56,80 €
	Microswitch Magnum Kit.1 5.0A with breakaway cam	3019523	74,36 €
	AISI 304 Adapter for Magnum Valve	C1CD171	416,34 €
	PVC 2" side mounting adapter	C1CC084	571,20 €

Clack valves



Clack WS 1		
Description:		Price:
	Model WS 1 TC - 3 buttons (time controlled)	
	WS 1 TC - filter, TIME (backwash only)	\$327,30
	WS 1 TC - regenerating, TIME (down flow)	\$341,74
	WS 1 TC - regenerating, TIME (down flow) mixing	\$375,42
	Model WS 1 EI - 4 buttons (metter/time)	
	WS 1 EI - filter, TIME (backwash only)	\$416,34
	WS 1 EI - regenerating, TIME	\$430,78
	WS 1 EI - regenerating METTER	\$462,06
	WS 1 EI - regenerating METTER (down flow) mixing	\$495,76
	Model WS 1 CI - 5 buttons (metter/time)	
	WS 1 CI - filter, TIME (backwash only)	\$429,58
	WS 1 CI - regenerating, TIME (down flow)	\$433,20
	WS 1 CI - regenerating METTER (down flow)	\$475,30
	WS 1 CI - regenerating METTER (down flow) mixing	\$508,98
	WS 1 CI - regenerating METTER (up flow) z mixing	\$527,04
	Model WS 1 CK - 5 buttons (metter/time)	
	WS 1 CK - filter, TIME (backwash only)	\$475,30
	WS 1 CK - regenerating, TIME (down flow)	\$493,34
	WS 1 CK - regenerating METTER (down flow)	\$519,82
	WS 1 CK - regenerating METTER (down flow) mixing	\$554,72
	WS 1 CK - regenerating METTER (up flow) z mixing	\$572,76
	Model WS 1 CN - 5 buttons (metter/time)	
	WS 1 CN - filter, TIME (backwash only)	
	WS 1 CN - regenerating time	
	WS 1 CN - regenerating, metter	
	WS 1 CN - regenerating, metter, mixing	
	WS 1 CN - regenerating, metter, mixing upflog	
Parts for WS 1 (not included to valve)		
	Transformer 220-240V 12V EU	\$21,68
	Top distributor 1.05" 287F	\$2,72
	Connectors 1"BSPT - V3007-06	\$15,66
	DLFC 0,7-10 gpm 3/4" - V3162-XXX	\$2,42

Other parts for WS 1		
Description:		Price:
	Connectors (kit) 3/4"BSPT - V3007-14	\$17,48
	Connestors (kit) 1"BSPT - V3007-16	\$10,84
	Connestors (kit) 1"BSPT -angular - V3191-01	\$20,46
	Bypass 1" without connections- V3006	\$40,92
	Mixing - outer - V4099	\$39,72
	DLFC cover 1" - V3008-02	\$19,26
	DLFC 9-25 gpm for cover 1" - V3190-XXX	\$6,02
	BLFC 1/2" for tanks 18"-24" - V3552	\$8,42
	Microswitch Auxiliary WS1 without cabel - V3009	\$18,06
	Microswitch WS1 with cabel for Parallel systems - V3014	\$39,72
	Nut for drain pipe 3/4" - V3192	\$1,38
	Polytube insert 5/8"	\$1,38
	Drain hose PVC 5/8" - price for 1m	\$2,58
	3 way valveMAV - V3069	\$232,24
	Closed valveNHWBP 1/125 - V3070	\$216,60

Clack WS 1 TWIN ALTERNATING TT1		
Description:		Price:
	Model WS 1 EI - 4 buttons (metter/time)	
	TWIN TT1 EI - regenerating METTER	\$880,80
	Model WS 1 CI - 5 buttons (metter/time)	
	TWIN TT1 CI - regenerating METTER	\$894,04
	Model WS 1 CK - 5 buttons (metter/time)	
	TWIN TT1 CK - regenerating METTER	\$939,76
Parts for WS 1 TT (not included to valve)		
	Transformer 220-240V 12V EU	\$21,68
	Top distributor 1.05" 287F	\$2,72
	Connectors 1"BSPT - V3007-06	\$15,66
	DLFC 0,7-10 gpm 3/4" - V3162-XXX	\$2,42
Other parts for WS 1 TT		
	Connectors 3/4"BSPT - V3007-14	\$17,48
	Connectors 1"GZ BSPT - V3004-16	\$10,84
	Angular connectors 1"GZ elbow * - V3191-01	\$20,46
	Bypass 1" (without connectors)* - V3006	\$40,92
	Mixing - outer - V4099	\$39,72
	Cover for DLFC 1" - V3008-02	\$19,26
	DLFC 9-25 gpm for 1" - V3190-XXX	\$6,02
	Cover BLFC 1/2" for tanks 18"-24" - V3552	\$8,42
	Piping Clack Twin TT for tanks 12" - 21" - V169	\$49,96
	Microswitch Auxiliary WS1 ithout cabel - V3009	\$18,06
	Nut for drian pipe 3/4" - V3192	\$1,38
	Polytube insert 5/8"	\$1,38
	Drain hose PVC 5/8" - price for 1m	\$2,58

Clack WS 1,25		
Description:		Price:
	Model WS 1,25 TC - 3 bottoms (time)	
	WS 1,25 TC - fillter, TIME (backwash only)	\$415,12
	WS 1,25 TC - regeneration, time	\$458,44
	WS 1,25 TC - regeneration, volumetric with mixing	\$463,26
	Model WS 1,25 EI - 4 bottoms (metter/time)	
	WS 1,25 EI - fillter, TIME (backwash only)	\$504,18
	WS 1,25 EI - regeneration, time	\$504,18
	WS 1,25 EI - regeneration, volumetric	\$549,90
	Model WS 1,25 CI - 5 bottoms (metter/time)	
	WS 1,25 CI - fillter, TIME (backwash only)	\$517,40
	WS 1,25 CI - regeneration, time	\$531,84
	WS 1,25 CI - regeneration, volumetric	\$563,14
	Model WS 1,25 CK - 5 bottoms (metter/time)	
	WS 1,25 CK - fillter, TIME (backwash only)	\$563,14
	WS 1,25 CK - regeneration, time	\$571,56
	WS 1,25 CK - regeneration, volumetric	\$605,26
	WS 1,25 CK - regeneration, volumetric with mixing	\$642,54
	WS 1,25 CK - regeneration, volumetric with mixing up flow	TEL.
Parts for WS 1,25 (not included to valve)		
	Transformer 220-240V 12V EU	\$21,66
	Top distributor 1,25 32mm	\$5,68
	Connections 1,25"BSPT - V3007-08	\$16,84
	DLFC 0,7-10 gpm 3/4" - V3162-XXX	\$2,42
Other parts for WS 1,25		
	Connections 1"BSPT - V3007-06	\$15,66
	Connections 1"GZ BSPT - V3007-16	\$10,84
	Angular connections 1"BSPT* - V3191-01	\$20,46
	Bypass 1" (wothout connections)* - V3006	\$40,92
	Cover for DLFC 1" - V3008-04	\$19,26
	DLFC 9-25 gpm for cover 1" - V3190-XXX	\$6,02
	Cover BLFC 1/2" for tanks 18"-24" - V3552	\$8,42
	Microswitch Auxiliary WS1 without cabel - V3009	\$18,06
	Microswitch WS1 with cabel for Parallel systems - V3014	\$39,72
	Nut for drain horse 3/4" - V3192	\$1,38
	Insert for drain horse 5/8"	\$1,38
	Drain hose PVC 5/8" - price for 1m	\$2,58
	3 way valve MAV - V3069	\$232,24
	Closed valve NHWBP 1/125 - V3070	\$216,60

DLFC for valves WS 1 and WS 1,25		
Description:		Price:
 	DLFC 017 (1,7 gpm) 3/4"	request
	DLFC 022 (2,2 gpm) 3/4"	request
	DLFC 027 (2,7 gpm) 3/4"	request
	DLFC 032 (3,2 gpm) 3/4"	request
	DLFC 042 (4,2 gpm) 3/4"	request
	DLFC 053 (5,3 gpm) 3/4"	request
	DLFC 065 (6,5 gpm) 3/4"	request
	DLFC 075 (7,5 gpm) 3/4"	request
	DLFC 090 (9,0 gpm) 3/4"	request
	DLFC 100 (10,0 gpm) 3/4"	request
	DLFC 090 (9,0 gpm) 1"	request
	DLFC 100 (10,0 gpm) 1"	request
	DLFC 110 (11,0 gpm) 1"	request
	DLFC 130 (13,0 gpm) 1"	request
	DLFC 150 (15,0 gpm) 1"	request
	DLFC 170 (17,0 gpm) 1"	request
	DLFC 200 (20,0 gpm) 1"	request
	DLFC 250 (25,0 gpm) 1"	request
Injectors for valves WS 1 and WS 1,25 (for softeners)		
	Injector A black - tank 6" down flow lub tank 8" up flow	request
	Injector B brown - tank 7" down flow lub tank 9" up flow	request
	Injector C violet - tank 8" down flow lub tank 10" up flow	request
	Injector D red - tank 9" down flow lub tank 12" up flow	request
	Injector E white - tank 10" down flow lub tank 13" up flow	request
	Injector F blue - tank 12" down flow lub tank 14" up flow	request
	Injector G yellow - tank 13" down flow lub tank 16" up flow	request
	Injector H green - tank 14" down flow lub tank 18" up flow	request
	Injector I oreange - tank 16" down flow lub tank 21/24" up flow	request
	Injector J azure - tank 18" down flow	request
	Injector K willow-green - tank 21/24" down flow	request

Clack WS 1,5		
Description:		Price:
  	Model WS 1,5 TC - 3 bottoms (time)	
	WS 1,5 TC - filtration, time (only backwash)	
	Model WS 1,5 EI - 4 bottoms (volumetric-time)	
	WS 1,5 EI - filtration, time (only backwash)	\$1 502,22
	WS 1,5 EI - regeneration, time	\$1 524,90
	WS 1,5 EI - regeneration, volumetric	\$2 160,90
	Model WS 1,5 CI - 5 bottoms (volumetric-time)	
	WS 1,5 CI - filtration, time (only backwash)	\$1 512,16
	WS 1,5 CI - regeneration, time	\$1 536,24
	WS 1,5 CI - regeneration, volumetric	\$2 247,68
	Model WS 1,5 CK - 5 bottoms (volumetric-time)	
	WS 1,5 CK - filtration, time (only backwash)	\$1 575,92
	WS 1,5 CK - regeneration, time	\$1 598,60
	WS 1,5 CK - regeneration, volumetric	\$2 305,50
Parts for valve WS 1,5 (bo buy seperatly)		
	Transformer 220-240V 12V EU	\$21,66
	Top distributor 50 mm	\$75,82
	DLFC 0,7-10 gpm 3/4" - V3162-XXX	\$2,42
Other parts for WS 1,5		
 	Stainless steel cover DLFC 1,25" 9-85 gpm - V3079BSPT	\$188,92
	Cover DLFC 1" - V3008-02	\$19,26
	DLFC 9-25 gpm 1" - V3190-XXX	\$6,02
	Microswitch Auxiliary WS1 without cabel - V3009	\$18,06
	Microswitch WS1 with cabel for Parallel systems - V3014	\$39,72
	Nut for drain horse 3/4" - V3192	\$1,38
	Insert for drain horse 5/8"	\$1,38
	Drain hose PVC 5/8" - price for 1m	\$2,58
	3 way valve MAV 1,5" - V3071BSPT	\$653,14
	Closed valve NHWBP 1,5" - V3097BSPT	\$403,50
	Flow meter 1,5" MxF 2-284 lpm with cabel 4,5 m - V3040BSPT-15	\$636,00
Injectors for valve WS 1,5 (dla for softeners)		
	1,5 Injector Asy B violet - tank 12" down flow	request
	1,5 Injector Asy C red - tank 13" down flow	request
	1,5 Injector Asy D white - tank 14" down flow	request
	1,5 Injector Asy E blue - tank 16" down flow	request
	1,5 Injector Asy F yellow - tank 18" down flow	request
	1,5 Injector Asy G green - tank 21" down flow	request
	1,5 Injector Asy H orrange - tank 24" down flow	request

Clack WS 2		
Description:		Price:
	Model WS 2 EI - 4 bottoms (volumetric-time)	
	WS 2 EI - filtration, time (only backwash)	\$2 071,38
	WS 2 EI - regeneration, time	\$2 095,18
	WS 2 EI - regeneration, volumetric	\$2 744,26
	Model WS 2 CI - 5 bottoms (volumetric-time)	
	WS 2 CI - filtration, time (only backwash)	\$2 081,98
	WS 2 CI - regeneration, time	\$2 105,76
	WS 2 CI - regeneration, volumetric	\$2 806,80
	Model WS 2 CK - 5 bottoms (volumetric-time)	
	WS 2 CK - filtration, time (only backwash)	\$2 138,84
	WS 2 CK - regeneration, time	\$2 161,32
	WS 2 CK - regeneration, volumetric	\$2 863,70
Other parts for WS 2 (to buy seperatly)		
	Transformer 220-240V 12V EU	\$21,66
	Top distributor 50 mm	\$75,82

Valves Clack WS 2QC		
	Model WS 2QC EI - 4 bottoms (volumetric-time)	
	WS 2QC EI - filtration, time (only backwash)	\$2 071,38
	WS 2QC EI - regeneration, time	\$2 095,18
	WS 2QC EI - regeneration, volumetric	\$2 797,56
	Model WS 2QC CI - 5 bottoms (volumetric-time)	
	WS 2QC CI - filtration, time (only backwash)	\$2 081,98
	WS 2QC CI - regeneration, time	\$2 105,76
	WS 2QC CI - regeneration, volumetric	\$2 806,80
	Model WS 2QC CK - 5 bottoms (volumetric-time)	
	WS 2QC CK - filtration, time (only backwash)	\$2 138,84
	WS 2QC CK - regeneration, time	\$2 161,32
	WS 2QC CK - regeneration, volumetric	\$2 863,70
Others parts for WS 2 QC (to buy seperatly)		
	Transformer 220-240V 12V EU	\$21,66
	Top distributor 63 mm	\$75,82
	WS 2/2H Base - 4" top mounted	\$204,06
	WS 2/2H Base - 2" side mounted BSPT	\$501,28

Other parts for valves WS 2 oraz WS 2 QC		
Description:		Price:
	Cover DLFC 1,5" 9-85 gpm - V3080BSPT	\$176,34
	Cover DLFC 1" - V3008-05	\$34,04
	DLFC 9-25 gpm 1" - V3190-XXX	\$6,02
	WS2 Microswitch without cabel - V3017	\$40,30
	WS2 cabel to microswitch - V3473	\$11,34
	3 way valve MAV 2" - V3076BSPT	\$848,90
	Clasing valve NHWBP 2" - V3098BSPT	\$450,90
	Water meter 2" MxF 6-568 lpm with cabel 4,5 m - V3094BSPT-15	\$642,36
	WS 2/2H flnage base 6" do WS2 QC top mounted	\$333,48

Injectors for WS 2 and WS 2 QC (for softeners)		
	WS2 Injector Asy A - tank 18"	request
	WS2 Injector Asy B - tank 21"	request
	WS2 Injector Asy C - tank 24"	request
	WS2 Injector Asy D - tank 30"	request
	WS2 Injector Asy E - tank 36"	request
	WS2 Injector Asy F - tank 42"	request
	WS2 Injector Asy G - tank 48"	request
DLFC for valves WS 1,5, WS 2 and WS 2 QC		
	DLFC 017 (1,7 gpm) 3/4"	request
	DLFC 022 (2,2 gpm) 3/4"	request
	DLFC 027 (2,7 gpm) 3/4"	request
	DLFC 032 (3,2 gpm) 3/4"	request
	DLFC 042 (4,2 gpm) 3/4"	request
	DLFC 053 (5,3 gpm) 3/4"	request
	DLFC 065 (6,5 gpm) 3/4"	request
	DLFC 075 (7,5 gpm) 3/4"	request
	DLFC 090 (9,0 gpm) 3/4"	request
	DLFC 100 (10,0 gpm) 3/4"	request
	DLFC 090 (9,0 gpm) 1"	request
	DLFC 100 (10,0 gpm) 1"	request
	DLFC 110 (11,0 gpm) 1"	request
	DLFC 130 (13,0 gpm) 1"	request
	DLFC 150 (15,0 gpm) 1"	request
	DLFC 170 (17,0 gpm) 1"	5,68 USD
	DLFC 200 (20,0 gpm) 1"	5,68 USD
	DLFC 250 (25,0 gpm) 1"	5,68 USD

Other valves for request

SUPREME RIVA SOFTENER - CANATURE

Softener RIVA - UP flow, 850 canature valve, mixing, bypass included		
Model:	Description:	Price:
Supreme RIVA 10	RIVA 10/O BNT850SE-UF	546 EUR
Supreme RIVA 20	RIVA 20/O BNT850SE-UF	638 EUR
Supreme RIVA 29	RIVA 29/O BNT850SE-UF	710 EUR



Logiq Softeners with valve Performa Easy IQ Pentair PURE SOFT MONO resin

Model:	Description:	Price:
Supreme LOGIQ 25K CABINET	resin 25l, drain hoses, deflector	904 EUR
Supreme LOGIQ 30K CABINET	resin 30l, drain hoses, deflector	926 EUR
Supreme LOGIQ 35K CABINET	resin 35l, drain hoses, deflector	940 EUR
Supreme LOGIQ 35D with brine tank	resin 35l, drain hoses, deflector	848 EUR
Supreme LOGIQ 40D with brine tank	resin 40l, drain hoses, deflector	886 EUR
Supreme LOGIQ 50D with brine tank	resin 50l, drain hoses, deflector	888 EUR
Supreme LOGIQ 60D with brine tank	resin 60l, drain hoses, deflector	956 EUR
Supreme LOGIQ 75D with brine tank	resin 75l, drain hoses, deflector	1 028 EUR
Supreme LOGIQ 100D with brine tank	resin 100l, drain hoses, deflector	1 186 EUR

bypass - 62,2 euro



Logiq Softeners with valve Performa Easy IQ Pentair Lewatit S1567 resin

Model:	Description:	Price:
Supreme LOGIQ 25K_LW CABINET	resin 25l, drain hoses, deflector	994 EUR
Supreme LOGIQ 30K_LW CABINET	resin 30l, drain hoses, deflector	1 030 EUR
Supreme LOGIQ 35K_LW CABINET	resin 35l, drain hoses, deflector	1 056 EUR
Supreme LOGIQ 35D_LW with brine tank	resin 35l, drain hoses, deflector	952 EUR
Supreme LOGIQ 40D_LW with brine tank	resin 40l, drain hoses, deflector	998 EUR
Supreme LOGIQ 50D_LW with brine tank	resin 50l, drain hoses, deflector	1 026 EUR
Supreme LOGIQ 60D_LW with brine tank	resin 60l, drain hoses, deflector	1 116 EUR
Supreme LOGIQ 75D_LW with brine tank	resin 75l, drain hoses, deflector	1 224 EUR
Supreme LOGIQ 100D_LW with brine tank	resin 100l, drain hoses, deflector	1 444 EUR

bypass - 68,1 euro



Logiq MULTI 255 IQ Easy V Pentair Ecomix-A resin

Model:	Description:	Price:
Supreme LOGIQ MULTI 35D	tank 10x54, resin 35l, brine tank 100l, drian hoses,	834 EUR
Supreme LOGIQ MULTI 50D	tank 13x44, resin 50l, brine tank 100l, drian hoses,	984 EUR

Logiq MULTI 255 IQ Easy V Pentair Pure Mix - A

Model:	Description:	Price:
Supreme LOGIQ MULTI 35D	tank 10x54, resin 35l, brine tank 100l, drian hoses,	782 EUR
Supreme LOGIQ MULTI 50D	tank 13x44, resin 50l, brine tank 100l, drian hoses,	912 EUR



SUPREME CORE Softeners BNT1650 vlave

Softener with valve BWG CORE - volumetric with mixing, PURE SOFT PLUS resin		
Model:	Description:	Price:
Softener Supreme Core 12	tank 10x17, resin 12l, down flow, 1" BSP, w. bypass	444 EUR
Softener Supreme Core 22	tank 10x30, resin 22l, down flow, 1" BSP, w. bypass	470 EUR
Softener Supreme Core 26	tank 10x35, resin 26l, down flow, 1" BSP, w. bypass	486 EUR
Softener Supreme Core 32	tank 10x35, resin 32l, down flow, 1" BSP, w. bypass	498 EUR

Mixing and bypass included!!!!



Softeners CLEVER

Softener with valve Clack WS1CI - volumetric with mixing, PURE SOFT PLUS resin

Model:	Description:	Price:
Softener Supreme CLEVER 20K WS1CI-M	tank 10x35, resin 20l, down flow, cabinet Elegant, drain hoses	872 USD
Softener Supreme CLEVER 25K WS1CI-M	tank 10x35, resin 25l, down flow, cabinet Elegant, drain hoses	882 USD
Softener Supreme CLEVER 30K WS1CI-M	tank 10x35, resin 30l, down flow, cabinet Elegant, drain hoses	904 USD
Softener Supreme CLEVER 40D WS1CI-M	tank 10x44, resin 40l, brine tank 70l, down flow, drain hoses	850 USD
Softener Supreme CLEVER 50D WS1CI-M	tank 10x54, resin 50l, brine tank 70l, down flow, drain hoses	860 USD
Softener Supreme CLEVER 60D WS1CI-M	tank 12x48, resin 60l, brine tank 70l, down flow, drain hoses	906 USD
Softener Supreme CLEVER 75D WS1CI-M	tank 13x54, resin 75l, brine tank 100l, down flow, drain hoses	976 USD
Softener Supreme CLEVER 100D WS1CI-M	tank 14x65, resin 100l, brine tank 150l, down flow, drain hoses	1 140 USD

bypass - 38,00 EUR



Softener with valve Clack WS1CK - volumetric with mixing, PURE SOFT MONO resin		
Model:	Description:	Price:
Softener Supreme CLEVER 20K WS1CK-UM MN	tank 10x35, resin 20l, up-flow, cabinet Elegant, drain hoses	958 USD
Softener Supreme CLEVER 25K WS1CK-UM MN	tank 10x35, resin 25l, up-flow, cabinet Elegant, drain hoses	974 USD
Softener Supreme CLEVER 30K WS1CK-UM MN	tank 10x35, resin 30l, up-flow, cabinet Elegant, drain hoses	1 002 USD
Softener Supreme CLEVER 35K WS1CK-UM MN	tank 10x35, resin 35l, up-flow, cabinet Elegant, drain hoses	1 018 USD
Softener Supreme CLEVER 35D WS1CK-UM MN	tank 10x35, resin 35l, brine tank 70l, up-flow, drain hoses	908 USD
Softener Supreme CLEVER 40D WS1CK-UM MN	tank 10x44, resin 40l, brine tank 70l, up-flow, drain hoses	952 USD
Softener Supreme CLEVER 50D WS1CK-UM MN	tank 10x54, resin 50l, brine tank 70l, up-flow, drain hoses	974 USD
Softener Supreme CLEVER 60D WS1CK-UM MN	tank 12x48, resin 60l, brine tank 70l, up-flow, drain hoses	1 024 USD
Softener Supreme CLEVER 75D WS1CK-UM MN	tank 13x54, resin 75l, brine tank 100l, up-flow, drain hoses	1 110 USD
Softener Supreme CLEVER 100D WS1CK-UM MN	tank 14x65, resin 100l, brine tank 150l, up-flow, drain hoses	1 294 USD

bypass - 38,00 EUR



Softener with valve Clack WS1CK - volumetric with mixing, Lewatit S1567 resin		
Model:	Description:	Price:
Softener Supreme CLEVER 20K WS1CK-UM LW	tank 10x35, resin 20l, up-flow, cabinet Elegant, drain hoses	1 036 USD
Softener Supreme CLEVER 25K WS1CK-UM LW	tank 10x35, resin 25l, up-flow, cabinet Elegant, drain hoses	1 068 USD
Softener Supreme CLEVER 30K WS1CK-UM LW	tank 10x35, resin 30l, up-flow, cabinet Elegant, drain hoses	1 008 USD
Softener Supreme CLEVER 35K WS1CK-UM LW	tank 10x35, resin 35l, up-flow, cabinet Elegant, drain hoses	1 140 USD
Softener Supreme CLEVER 35D WS1CK-UM LW	tank 10x35, resin 35l, brine tank 70l, up-flow, drain hoses	1 030 USD
Softener Supreme CLEVER 40D WS1CK-UM LW	tank 10x44, resin 40l, brine tank 70l, up-flow, drain hoses	1 088 USD
Softener Supreme CLEVER 50D WS1CK-UM LW	tank 10x54, resin 50l, brine tank 70l, up-flow, drain hoses	1 120 USD
Softener Supreme CLEVER 60D WS1CK-UM LW	tank 12x48, resin 60l, brine tank 70l, up-flow, drain hoses	1 220 USD
Softener Supreme CLEVER 75D WS1CK-UM LW	tank 13x54, resin 75l, brine tank 100l, up-flow, drain hoses	1 350 USD
Softener Supreme CLEVER 100D WS1CK-UM LW	tank 14x65, resin 100l, brine tank 150l, up-flow, drain hoses	1 610 USD

bypass - 38,00 EUR



MULTI DEVICE CLEVER CLACK WS1CK Ecomix-A RESIN

Model:	Description:	Price:
SupremeCLEVER MULTI 25K CK/DF	tank 10x35, resin 25l, drian hoses,	1 054 USD
SupremeCLEVER MULTI 35D CK/DF	tank 10x54, resin 35l, drian hoses,	1 074 USD
SupremeCLEVER MULTI 50D CK/DF	tank 13x44, resin 50l, drian hoses,	1 258 USD

MULTI DEVICE CLEVER CLACK WS1CK Pure Mix A

Model:	Description:	Price:
SupremeCLEVER MULTI 25K CK/DF	tank 10x35, resin 25l, drian hoses,	1 028 USD
SupremeCLEVER MULTI 35D CK/DF	tank 10x54, resin 35l, drian hoses,	1 014 USD
SupremeCLEVER MULTI 50D CK/DF	tank 13x44, resin 50l, drian hoses,	1 170 USD



MULTI DEVICE CLEVER CLACK WS1CI Ecomix-A RESIN

Model:	Description:	Price:
SupremeCLEVER MULTI 25K CI/DF	tank 10x35, resin 25l, drian hoses,	1 008 USD
SupremeCLEVER MULTI 35D CI/DF	tank 10x54, resin 35l, drian hoses,	1 028 USD
SupremeCLEVER MULTI 50D CI/DF	tank 13x44, resin 50l, drian hoses,	1 212 USD

MULTI DEVICE CLEVER CLACK WS1CI Pure Mix - A

Model:	Description:	Price:
SupremeCLEVER MULTI 25K CI/DF	tank 10x35, resin 25l, drian hoses,	982 USD
SupremeCLEVER MULTI 35D CI/DF	tank 10x54, resin 35l, drian hoses,	968 USD
SupremeCLEVER MULTI 50D CI/DF	tank 13x44, resin 50l, drian hoses,	1 124 USD

CABINET SYSTEMS WITH HYDRO Premium - CRYSTAL CABINET

Model:	Description:	Price:
CRYSTAL 05/O HYDRO	CRYSTAL Mini; 7x17, 5l , 0,35m3/h	415 EUR
CRYSTAL 10/O HYDRO	CRYSTAL Mini; 9x17, 10l , 1,2m3/h	430 EUR
CRYSTAL 15/O HYDRO MIDI	CRYSTAL Midi; 7x35, 15l , 1,4m3/h	503 EUR
CRYSTAL 20/O HYDRO MIDI	CRYSTAL Midi; 10x30, 20l , 1,7m3/h	514 EUR
CRYSTAL 25/O HYDRO MIDI	CRYSTAL Midi; 10x30, 25l , 1,8m3/h	532 EUR
CRYSTAL 30/O HYDRO	CRYSTAL Maxi; 10x35, 30l , 1,9m3/h	560 EUR

System in standar with brine valve, mixing. Additional payment for bypass 9 euro



CABINET SYSTEMS WITH HYDRO Premium - OCEAN CABINET

Model:	Description:	Price:
OCEAN 05/O HYDRO	OCEAN Mini; 7x17, 5l , 0,35m3/h	429 EUR
OCEAN 10/O HYDRO	OCEAN Mini; 9x17, 10l , 1,2m3/h	445 EUR
OCEAN 15/O HYDRO MIDI	OCEAN Midi; 7x35, 15l , 1,4m3/h	519 EUR
OCEAN 20/O HYDRO MIDI	OCEAN Midi; 10x30, 20l , 1,7m3/h	529 EUR
OCEAN 25/O HYDRO MIDI	OCEAN Midi; 10x30, 25l , 1,8m3/h	547 EUR
OCEAN 30/O HYDRO	OCEAN Maxi; 10x35, 30l , 1,9m3/h	575 EUR

System in standar with brine valve, mixing. Additional payment for bypass 38 euro

CABINET SYSTEM LUMIX WITH BNT1650 - BONNIE CABINET

Model:	Description:	Price:	
		1 piece	4 pieces
BONNIE 05/O BNT1650	BONNIE Mini; 7x17, 5l resin, max. 0,35m3/h	364 EUR	343 EUR
BONNIE 06/O BNT1650	BONNIE Mini; 7x17, 6l resin, max. 0,4m3/h	366 EUR	344 EUR
BONNIE 07/O BNT1650	BONNIE Mini; 8x17, 7l resin, max. 0,5m3/h	369 EUR	348 EUR
BONNIE 08/O BNT1650	BONNIE Mini; 8x17, 8l resin, max. 0,6m3/h	370 EUR	350 EUR
BONNIE 10/O BNT1650	BONNIE Mini; 9x17, 10l resin, max. 1,2m3/h	382 EUR	362 EUR
BONNIE 12/O BNT1650	BONNIE Mini; 10x17, 12l resin, max. 1,3m3/h	390 EUR	370 EUR
BONNIE 20/O BNT1650 MIDI	BONNIE Midi; 10x30, 20l resin, max. 1,7m3/h	416 EUR	394 EUR
BONNIE 20/O BNT1650 MAXI	BONNIE Maxi; 8x35, 20l resin, max. 1,7m3/h	420 EUR	444 EUR
BONNIE 25/O BNT1650 MIDI	BONNIE Midi; 10x30, 25l resin, max. 1,8m3/h	427 EUR	406 EUR
BONNIE 25/O BNT1650 MAXI	BONNIE Maxi; 9x35, 25l resin, max. 1,8m3/h	438 EUR	416 EUR
BONNIE 30/O BNT1650	BONNIE Maxi; 10x35, 30l resin, max. 1,9m3/h	450 EUR	430 EUR

In standard softener including brine valve, bypass and mixing



CABINET SYSTEM WITH BNT1650 - CRYSTAL CABINET

Model:	Description:	Price:	
		1 piece	4 pieces
CRYSTAL 05/O BNT1650	CRYSTAL Mini; 7x17, 5l resin, 0,35m3/h	379 EUR	358 EUR
CRYSTAL 10/O BNT1650	CRYSTAL Mini; 9x17, 10l resin, 1,2m3/h	395 EUR	375 EUR
CRYSTAL 15/O BNT1650 MIDI	CRYSTAL Midi; 7x35, 15l resin, 1,4m3/h	467 EUR	447 EUR
CRYSTAL 20/O BNT1650 MIDI	CRYSTAL Midi; 10x30, 20l resin, 1,7m3/h	478 EUR	452 EUR
CRYSTAL 25/O BNT1650 MIDI	CRYSTAL Midi; 10x30, 25l resin, 1,8m3/h	495 EUR	470 EUR
CRYSTAL 30/O BNT1650	CRYSTAL Maxi; 10x35, 30l resin, 1,9m3/h	523 EUR	498 EUR

In standard softener including brine valve, bypass and mixing



CABINET SYSTEM WITH BNT1650 - OCEAN CABINET

Model:	Description:	Price:	
		1 piece	4 pieces
OCEAN 05/O BNT1650	OCEAN Mini; 7x17, 5l resin, 0,35m3/h	394 EUR	373 EUR
OCEAN 10/O BNT1650	OCEAN Mini; 9x17, 10l resin, 1,2m3/h	410 EUR	390 EUR
OCEAN 15/O BNT1650 MIDI	OCEAN Mid; 7x35, 15l resin, 1,4m3/h	482 EUR	462 EUR
OCEAN 20/O BNT1650 MIDI	OCEAN Midi; 10x30, 20l resin, 1,7m3/h	493 EUR	467 EUR
OCEAN 25/O BNT1650 MIDI	OCEAN Midi; 10x30, 25l resin, 1,8m3/h	510 EUR	485 EUR
OCEAN 30/O BNT1650	OCEAN Maxi; 10x35, 30l resin, 1,9m3/h	538 EUR	512 EUR

In standard softener including brine valve, bypass and mixing



CABINET SYSTEM WITH BNT1650 - JUNIOR CABINET

Model:	Description:	Price:	
		1 piece	4 pieces
JUNIOR 05/O BNT1650	JUNIOR 13; 8x13, 5l resin, 0,7m3/h	306 EUR	290 EUR

In standard softener including brine valve, bypass and mixing



CABINET SYSTEM WITH BNT1650 - SLIM CS4H

Model:	Description:	Price:	
		1 piece	
SLIM 10/O BNT1650 MINI	SLIM Mini; 8x17, 10l resin , 1,7m3/h	406 EUR	
SLIM 20/O BNT1650 MIDI	SLIM Midi; 8x35, 20l resin, 1,8m3/h	476 EUR	
SLIM 25/O BNT1650 MAXI	SLIM Maxi; 8x44, 25l resin, 1,9m3/h	518 EUR	

In standard softener including brine valve, bypass and mixing



POLAQUA GROUP
Sycowska 45
60-003 Poznan

www.polaquagroup.com
order@polaquagroup.com

mobile:+48 697-998-736

CABINET SYSTEM WITH BNT1650 - MINI CAB

Model:	Description:	Price:	
		1 piece	4 pieces
MINI CAB 5/O BNT1650 MINI	MINI CAB; 8x17, 5l resin ,	322 EUR	308,00 EUR



CABINET SOFTENERS WITH VALVE RX63C-3+B- CABINET CRYSTAL

Model:	Description:	Price:
CRYSTAL 05/O RX63C-3+B	CRYSTAL Mini; 7x17, 5l resin 0,35m3/h	448 EUR
CRYSTAL 10/O RX63C-3+B	CRYSTAL Mini; 9x17, 10l resin 1,2m3/h	465 EUR
CRYSTAL 15/O RX63C-3+BMIDI	CRYSTAL Midi; 7x35, 15l resin 1,4m3/h	537 EUR
CRYSTAL 20/O RX63C-3+BMIDI	CRYSTAL Midi; 10x30, 20l resin 1,7m3/h	547 EUR
CRYSTAL 25/O RX63C-3+BMIDI	CRYSTAL Midi; 10x30, 25l resin 1,8m3/h	565 EUR
CRYSTAL 30/O RX63C-3+B	CRYSTAL Maxi; 10x35, 30l resin 1,9m3/h	593 EUR

systems with brine valve, mixing, bypass



systems with brine valve, mixing, bypass

CABINET SOFTENERS WITH VALVE RX63C-3+B- CABINET SLIM

Model:	Description:	Price:
SLIM 10/O RX63C-3+BMINI	SLIM Mini; 8x17, 10l resin 1,7m3/h	472 EUR
SLIM 20/O RX63C-3+BMIDI	SLIM Midi; 8x35, 20l resin 1,8m3/h	546 EUR
SLIM 25/O RX63C-3+BMAXI	SLIM Maxi; 8x44, 25l resin 1,9m3/h	585 EUR

systems with brine valve, mixing, bypass



Cabinet softeners with Easy-iQ Time Controlled valve Easy Cabinet

Model	Description	Price
EKO-OPTIMA EASY 20/C EiQ-TC MIDI	Cabinet EASY Midi; 10x30 tank , 20l of resin, max capacity of 1,7m3/h	698,00 €
EKO-OPTIMA EASY 25/C EiQ-TC MIDI	Cabinet EASY Midi; 10x30 tank, 25l of resin, max capacity of 1,8m3/h	718,00 €
EKO-OPTIMA EASY 30/C EiQ-TC	Cabinet EASY Maxi; 10x35 tank, 30l of resin, max capacity of 1,9m3/h	758,00 €

Softener comes with a brine filter and a noryl 1" ET connector

Brine valve - **6,00 EURO**

Bypass - **47,00 EURO**



Cabinet softeners with Easy-iQ Time Controlled valve Crystal Cabinet

Model	Description	Price
EKO-OPTIMA CRYSTAL 05/C EiQ-TC	Cabinet CRYSTAL Mini; 7x17 tank, 5l of resin, max capacity of 0,35m ³ /h	546,00 €
EKO-OPTIMA CRYSTAL 06/C EiQ-TC	Cabinet CRYSTAL Mini; 7x17 tank, 6l of resin, max capacity of 0,4m ³ /h	548,00 €
EKO-OPTIMA CRYSTAL 07/C EiQ-TC	Cabinet CRYSTAL Mini; 8x17 tank, 7l of resin, max capacity of 0,5m ³ /h	550,00 €
EKO-OPTIMA CRYSTAL 08/C EiQ-TC	Cabinet CRYSTAL Mini; 8x17 tank, 8l of resin, max capacity of 0,6m ³ /h	552,00 €
EKO-OPTIMA CRYSTAL 10/C EiQ-TC	Cabinet CRYSTAL Mini; 9x17 tank, 10l of resin, max capacity of 1,2m ³ /h	562,00 €
EKO-OPTIMA CRYSTAL 12/C EiQ-TC	Cabinet CRYSTAL Mini; 10x17 tank, 12l of resin, max capacity of 1,3m ³ /h	570,00 €
EKO-OPTIMA CRYSTAL 15/C EiQ-TC MIDI	Cabinet CRYSTAL Midi; 9x30 tank, 15l of resin, max capacity of 1,4m ³ /h	630,00 €
EKO-OPTIMA CRYSTAL 20/C EiQ-TC MIDI	Cabinet CRYSTAL Midi; 10x30 tank, 20l of resin, max capacity of 1,7m ³ /h	640,00 €
EKO-OPTIMA CRYSTAL 20/C EiQ-TC MAXI	Cabinet CRYSTAL Maxi; 8x35 tank, 20l of resin, max capacity of 1,7m ³ /h	654,00 €
EKO-OPTIMA CRYSTAL 25/C EiQ-TC MIDI	Cabinet CRYSTAL Midi; 10x30 tank, 25l of resin, max capacity of 1,8m ³ /h	660,00 €
EKO-OPTIMA CRYSTAL 25/C EiQ-TC MAXI	Cabinet CRYSTAL Maxi; 9x35 tank, 25l of resin, max capacity of 1,8m ³ /h	672,00 €
EKO-OPTIMA CRYSTAL 30/C EiQ-TC	Cabinet CRYSTAL Maxi; 10x35 tank, 30l of resin, max capacity of 1,9m ³ /h	684,00 €

Softener comes with a brine filter and a noryl 1" ET connector

Brine valve - 6,00 EURO

Bypass - 47,00 EURO



Cabinet softeners with Easy-iQ Time Controlled valve Junior Cabinet

Model	Description	Price
EKO-OPTIMA JUNIOR 05/C EiQ TC	Cabinet JUNIOR 13; 8x13 tank, 5l of resin, max capacity of 0,4m3/h	462,00 €

Softener comes with a brine filter and a noryl 1" ET connector

Brine valve - **6,00 EURO**

Bypass - **47,00 EURO**



Cabinet softeners with Easy-iQ Volumetric valve Easy Cabinet

Model	Description	Price
EKO-OPTIMA EASY 20/O EiQ-V MIDI	Cabinet EASY Midi; 10x30 tank, 20l of resin, max capacity of 1,7m3/h	768,00 €
EKO-OPTIMA EASY 25/O EiQ-V MIDI	Cabinet EASY Midi; 10x30 tank, 25l of resin, max capacity of 1,8m3/h	788,00 €
EKO-OPTIMA EASY 30/O EiQ-V	Cabinet EASY Maxi; 10x35 tank, 30l of resin, max capacity of 1,9m3/h	826,00 €

Softener comes with a brine filter and a noryl 1" ET connector

Brine valve - **6,00 EURO**

Bypass - **47,00 EURO**



Cabinet softeners with Easy-iQ Volumetric valve Crystal Cabinet

Model	Description	Price
EKO-OPTIMA CRYSTAL 05/O EiQ-V	Cabinet CRYSTAL Mini; 7x17 tank, 5l of resin, max capacity of 0,35m3/h	614,00 €
EKO-OPTIMA CRYSTAL 06/O EiQ-V	Cabinet CRYSTAL Mini; 7x17 tank, 6l of resin, max capacity of 0,4m3/h	616,00 €
EKO-OPTIMA CRYSTAL 07/O EiQ-V	Cabinet CRYSTAL Mini; 8x17 tank, 7l of resin, max capacity of 0,5m3/h	620,00 €
EKO-OPTIMA CRYSTAL 08/O EiQ-V	Cabinet CRYSTAL Mini; 8x17 tank, 8l of resin, max capacity of 0,6m3/h	622,00 €
EKO-OPTIMA CRYSTAL 10/O EiQ-V	Cabinet CRYSTAL Mini; 9x17 tank, 10l of resin, max capacity of 1,2m3/h	630,00 €
EKO-OPTIMA CRYSTAL 12/O EiQ-V	Cabinet CRYSTAL Mini; 10x17 tank, 12l of resin, max capacity of 1,3m3/h	638,00 €
EKO-OPTIMA CRYSTAL 15/O EiQ-V MIDI	Cabinet CRYSTAL Midi; 9x30 tank, 15l of resin, max capacity of 1,4m3/h	700,00 €
EKO-OPTIMA CRYSTAL 20/O EiQ-V MIDI	Cabinet CRYSTAL Midi; 10x30 tank, 20l of resin, max capacity of 1,7m3/h	710,00 €
EKO-OPTIMA CRYSTAL 20/O EiQ-V MAXI	Cabinet CRYSTAL Maxi; 8x35 tank, 20l of resin, max capacity of 1,7m3/h	724,00 €
EKO-OPTIMA CRYSTAL 25/O EiQ-V MIDI	Cabinet CRYSTAL Midi; 10x30 tank, 25l of resin, max capacity of 1,8m3/h	730,00 €
EKO-OPTIMA CRYSTAL 25/O EiQ-V MAXI	Cabinet CRYSTAL Maxi; 9x35 tank, 25l of resin, max capacity of 1,8m3/h	740,00 €
EKO-OPTIMA CRYSTAL 30/O EiQ-V	Cabinet CRYSTAL Maxi; 10x35 tank, 30l of resin, max capacity of 1,9m3/h	754,00 €

Softener comes with a brine filter and a noryl 1" ET connector

Brine valve - 6,00 EURO

Bypass - 47,00 EURO



Cabinet softeners with Easy-iQ Volumetric valve Junior Cabinet

Model	Description	Price
EKO-OPTIMA JUNIOR 05/O EiQ-V	Cabinet JUNIOR 13; 8x13 tank, 5l of resin, max capacity of 0,4m3/h	532,00 €

Softener comes with a brine filter and a noryl 1" ET connector

Brine valve - **6,00 EURO**

Bypass - **36,00 EURO**



CABINET SOFTENER SYSTEM WITH WS1TC VOLUMETRIC VALVE - OCEAN CABINET

Model:	Description:	Price:
OCEAN 05/C WS1TC	OCEAN Mini; tank 7x17, 5l , 0,35m3/h	\$682,00
OCEAN 06/C WS1TC	OCEAN Mini; tank 7x17, 6l , 0,4m3/h	\$684,00
OCEAN 07/C WS1TC	OCEAN Mini; tank 8x17, 7l , 0,5m3/h	\$688,00
OCEAN 08/C WS1TC	OCEAN Mini; tank 8x17, 8l , 0,6m3/h	\$690,00
OCEAN 10/C WS1TC	OCEAN Mini; tank 9x17, 10l , 1,2m3/h	\$700,00
OCEAN 12/C WS1TC	OCEAN Mini; tank 10x17, 12l , 1,3m3/h	\$710,00
OCEAN 15/C WS1TC MIDI	OCEAN Midi; tank 9x30, 15l , 1,4m3/h	\$780,00
OCEAN 20/C WS1TC MIDI	OCEAN Midi; tank 10x30, 20l , 1,7m3/h	\$792,00
OCEAN 20/C WS1TC MAXI	OCEAN Maxi; tank 8x35, 20l , 1,7m3/h	\$806,00
OCEAN 25/C WS1TC MIDI	OCEAN Midi; tank 10x30, 25l , 1,8m3/h	\$816,00
OCEAN 25/C WS1TC MAXI	OCEAN Maxi; tank 9x35, 25l , 1,8m3/h	\$826,00
OCEAN 30/C WS1TC	OCEAN Maxi; tank 10x35, 30l , 1,9m3/h	\$840,00

mixing - 34,00 USD

bypass - 41 USD



CABINET SOFTENER SYSTEM WITH WS1TC VOLUMETRIC VALVE - CRYSTAL CABINET

Model:	Description:	Price:
CRYSTAL 05/C WS1TC	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$664,00
CRYSTAL 06/C WS1TC	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$668,00
CRYSTAL 07/C WS1TC	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$672,00
CRYSTAL 08/C WS1TC	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$674,00
CRYSTAL 10/C WS1TC	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$684,00
CRYSTAL 12/C WS1TC	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$694,00
CRYSTAL 15/C WS1TC MIDI	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$764,00
CRYSTAL 20/C WS1TC MIDI	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$776,00
CRYSTAL 20/C WS1TC MAXI	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$790,00
CRYSTAL 25/C WS1TC MIDI	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$800,00
CRYSTAL 25/C WS1TC MAXI	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$810,00
CRYSTAL 30/C WS1TC	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$824,00

mixing - 34,00 USD

bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1TC VOLUMETRIC VALVE - JUNIOR CABINET

Model:	Description:	Price:
JUNIOR 05/C WS1TC	JUNIOR, tank 8x13, 5l, 0,4m3/h	\$578,00

mixing - 34,00 USD

bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1TC VOLUMETRIC VALVE - SLIM CABINET

Model:	Description:	Price:
SLIM 10/C WS1TC	SLIM Mini; tank 8x17, 10l, 0,7m3/h	\$686,00
SLIM 20/C WS1TC	SLIM Midi; tank 8x35, 20l, 1,2m3/h	\$768,00
SLIM 25/C WS1TC	SLIM Maxi; tank 8x44, 25l, 1,7m3/h	\$810,00

mixing - 34,00 USD

bypass - 41 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - CRYSTAL CABINET

Model:	Description:	Price:
CRYSTAL 05/O WS1CI	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$800,00
CRYSTAL 06/O WS1CI	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$802,00
CRYSTAL 07/O WS1CI	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$806,00
CRYSTAL 08/O WS1CI	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$808,00
CRYSTAL 10/O WS1CI	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$818,00
CRYSTAL 12/O WS1CI	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$828,00
CRYSTAL 15/O WS1CI MIDI	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$898,00
CRYSTAL 20/O WS1CI MIDI	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$910,00
CRYSTAL 20/O WS1CI MAXI	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$924,00
CRYSTAL 25/O WS1CI MIDI	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$934,00
CRYSTAL 25/O WS1CI MAXI	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$944,00
CRYSTAL 30/O WS1CI	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$958,00

mixing - 34,00 USD

bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - OCEAN CABINET

Model:	Description:	Price:
OCEAN 05/O WS1CI	OCEAN Mini; tank 7x17, 5l , 0,35m3/h	\$816,00
OCEAN 06/O WS1CI	OCEAN Mini; tank 7x17, 6l , 0,4m3/h	\$818,00
OCEAN 07/O WS1CI	OCEAN Mini; tank 8x17, 7l , 0,5m3/h	\$822,00
OCEAN 08/O WS1CI	OCEAN Mini; tank 8x17, 8l , 0,6m3/h	\$824,00
OCEAN 10/O WS1CI	OCEAN Mini; tank 9x17, 10l , 1,2m3/h	\$834,00
OCEAN 12/O WS1CI	OCEAN Mini; tank 10x17, 12l , 1,3m3/h	\$844,00
OCEAN 15/O WS1CI MIDI	OCEAN Midi; tank 9x30, 15l , 1,4m3/h	\$914,00
OCEAN 20/O WS1CI MIDI	OCEAN Midi; tank 10x30, 20l , 1,7m3/h	\$926,00
OCEAN 20/O WS1CI MAXI	OCEAN Maxi; tank 8x35, 20l , 1,7m3/h	\$940,00
OCEAN 25/O WS1CI MIDI	OCEAN Midi; tank 10x30, 25l , 1,8m3/h	\$950,00
OCEAN 25/O WS1CI MAXI	OCEAN Maxi; tank 9x35, 25l , 1,8m3/h	\$960,00
OCEAN 30/O WS1CI	OCEAN Maxi; tank 10x35, 30l , 1,9m3/h	\$974,00

mixing - 34,00 USD
bypass - 41,00 USD
upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - JUNIOR CABINET

Model:	Description:	Price:
JUNIOR 05/C WS1CI	JUNIOR, tank 8x13, 5l, 0,4m3/h	\$712,00

mixing - 34 USD
bypass - 41 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - SLIM CABINET

Model:	Description:	Price:
SLIM 10/C WS1CI	SLIM Mini; tank 8x17, 10l, 0,7m3/h	\$820,00
SLIM 20/C WS1CI	SLIM Midi; tank 8x35, 20l, 1,2m3/h	\$902,00
SLIM 25/C WS1CI	SLIM Maxi; tank 8x44, 25l, 1,7m3/h	\$944,00

mixing - 34,00 USD
bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - TopCab CABINET

Model:	Description:	Price:
TopCab 20/O WS1CI	TopCab; tank 8x35, 20l, 1,7m3/h	\$866,00
TopCab 25/O WS1CI	TopCab; tank 9x35, 25l, 1,8m3/h	\$884,00
TopCab 30/O WS1CI	TopCab; tank 10x35, 30l, 1,9m3/h	\$898,00

mixing - 34,00 USD
bypass - 41,00 USD
upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - ELEGANT CABINET

Model:	Description:	Price:
Elegant 20/O WS1CI	Elegant; tank 8x35, 20l, 1,7m3/h	\$784,00
Elegant 25/O WS1CI	Elegant; tank 9x35, 25l, 1,8m3/h	\$828,00

mixing - 34,00 USD
bypass - 41,00 USD
upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CK VOLUMETRIC VALVE CRYSTAL CABINET

Model:	Description:	Price:
CRYSTAL 05/O WS1CK	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$846,00
CRYSTAL 06/O WS1CK	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$848,00
CRYSTAL 07/O WS1CK	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$852,00
CRYSTAL 08/O WS1CK	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$854,00
CRYSTAL 10/O WS1CK	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$864,00
CRYSTAL 12/O WS1CK	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$874,00
CRYSTAL 15/O WS1CK MIDI	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$944,00
CRYSTAL 20/O WS1CK MIDI	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$956,00
CRYSTAL 20/O WS1CK MAXI	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$970,00
CRYSTAL 25/O WS1CK MIDI	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$980,00
CRYSTAL 25/O WS1CK MAXI	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$990,00
CRYSTAL 30/O WS1CK	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$1 004,00

mixing - 34,00 USD
bypass - 41,00 USD
upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - CRYSTAL CABINET PURE SOFT MONO RESIN

Model:	Description:	Price:
CRYSTAL 05/O WS1CI Mono	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$806,00
CRYSTAL 06/O WS1CI Mono	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$810,00
CRYSTAL 07/O WS1CI Mono	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$814,00
CRYSTAL 08/O WS1CI Mono	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$816,00
CRYSTAL 10/O WS1CI Mono	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$830,00
CRYSTAL 12/O WS1CI Mono	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$842,00
CRYSTAL 15/O WS1CI MIDI Mono	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$914,00
CRYSTAL 20/O WS1CI MIDI Mono	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$932,00
CRYSTAL 20/O WS1CI MAXI Mono	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$946,00
CRYSTAL 25/O WS1CI MIDI Mono	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$962,00
CRYSTAL 25/O WS1CI MAXI Mono	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$972,00
CRYSTAL 30/O WS1CI Mono	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$992,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - OCEAN CABINET PURE SOFT MONO RESIN

Model:	Description:	Price:
OCEAN 05/O WS1CI Mono	OCEAN Mini; tank 7x17, 5l , 0,35m3/h	\$822,00
OCEAN 06/O WS1CI Mono	OCEAN Mini; tank 7x17, 6l , 0,4m3/h	\$826,00
OCEAN 07/O WS1CI Mono	OCEAN Mini; tank 8x17, 7l , 0,5m3/h	\$830,00
OCEAN 08/O WS1CI Mono	OCEAN Mini; tank 8x17, 8l , 0,6m3/h	\$832,00
OCEAN 10/O WS1CI Mono	OCEAN Mini; tank 9x17, 10l , 1,2m3/h	\$846,00
OCEAN 12/O WS1CI Mono	OCEAN Mini; tank 10x17, 12l , 1,3m3/h	\$858,00
OCEAN 15/O WS1CI MIDI Mono	OCEAN Midi; tank 9x30, 15l , 1,4m3/h	\$930,00
OCEAN 20/O WS1CI MIDI Mono	OCEAN Midi; tank 10x30, 20l , 1,7m3/h	\$948,00
OCEAN 20/O WS1CI MAXI Mono	OCEAN Maxi; tank 8x35, 20l , 1,7m3/h	\$962,00
OCEAN 25/O WS1CI MIDI Mono	OCEAN Midi; tank 10x30, 25l , 1,8m3/h	\$978,00
OCEAN 25/O WS1CI MAXI Mono	OCEAN Maxi; tank 9x35, 25l , 1,8m3/h	\$988,00
OCEAN 30/O WS1CI Mono	OCEAN Maxi; tank 10x35, 30l , 1,9m3/h	\$1 008,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - TopCab CABINET PURE SOFT MONO RESIN

Model:	Description:	Price:
TopCab 20/O WS1CI MONO	TopCab; tank 8x35, 20l, 1,7m3/h	\$886,00
TopCab 25/O WS1CI MONO	TopCab; tank 9x35, 25l, 1,8m3/h	\$910,00
TopCab 30/O WS1CI MONO	TopCab; tank 10x35, 30l, 1,9m3/h	\$928,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - ELEGANT CABINET PURE SOFT MONO RESIN

Model:	Description:	Price:
Elegant 20/O WS1CI MONO	Elegant; tank 8x35, 20l, 1,7m3/h	\$804,00
Elegant 25/O WS1CI MONO	Elegant; tank 9x35, 25l, 1,8m3/h	\$854,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CK VOLUMETRIC VALVE - CRYSTAL CABINET PURE SOFT MONO RESIN

Model:	Description:	Price:
CRYSTAL 05/O WS1CK Mono	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$852,00
CRYSTAL 06/O WS1CK Mono	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$856,00
CRYSTAL 07/O WS1CK Mono	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$860,00
CRYSTAL 08/O WS1CK Mono	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$862,00
CRYSTAL 10/O WS1CK Mono	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$876,00
CRYSTAL 12/O WS1CK Mono	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$888,00
CRYSTAL 15/O WS1CK MIDI Mono	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$960,00
CRYSTAL 20/O WS1CK MIDI Mono	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$978,00
CRYSTAL 20/O WS1CK MAXI Mono	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$992,00
CRYSTAL 25/O WS1CK MIDI Mono	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$1 008,00
CRYSTAL 25/O WS1CK MAXI Mono	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$1 018,00
CRYSTAL 30/O WS1CK Mono	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$1 038,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - CRYSTAL CABINET LEWATIT S1567 RESIN

Model:	Description:	Price:
CRYSTAL 05/O WS1CI Mono LW	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$820,00
CRYSTAL 06/O WS1CI Mono LW	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$826,00
CRYSTAL 07/O WS1CI Mono LW	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$832,00
CRYSTAL 08/O WS1CI Mono LW	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$840,00
CRYSTAL 10/O WS1CI Mono LW	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$858,00
CRYSTAL 12/O WS1CI Mono LW	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$874,00
CRYSTAL 15/O WS1CI MIDI Mono LW	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$956,00
CRYSTAL 20/O WS1CI MIDI Mono LW	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$988,00
CRYSTAL 20/O WS1CI MAXI Mono LW	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$1 004,00
CRYSTAL 25/O WS1CI MIDI Mono LW	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$1 032,00
CRYSTAL 25/O WS1CI MAXI Mono LW	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$1 042,00
CRYSTAL 30/O WS1CI Mono LW	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$1 076,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - OCEAN CABINET LEWATIT S1567 RESIN

Model:	Description:	Price:
OCEAN 05/O WS1CI Mono LW	OCEAN Mini; tank 7x17, 5l , 0,35m3/h	\$836,00
OCEAN 06/O WS1CI Mono LW	OCEAN Mini; tank 7x17, 6l , 0,4m3/h	\$842,00
OCEAN 07/O WS1CI Mono LW	OCEAN Mini; tank 8x17, 7l , 0,5m3/h	\$848,00
OCEAN 08/O WS1CI Mono LW	OCEAN Mini; tank 8x17, 8l , 0,6m3/h	\$856,00
OCEAN 10/O WS1CI Mono LW	OCEAN Mini; tank 9x17, 10l , 1,2m3/h	\$874,00
OCEAN 12/O WS1CI Mono LW	OCEAN Mini; tank 10x17, 12l , 1,3m3/h	\$890,00
OCEAN 15/O WS1CI MIDI Mono LW	OCEAN Midi; tank 9x30, 15l , 1,4m3/h	\$972,00
OCEAN 20/O WS1CI MIDI Mono LW	OCEAN Midi; tank 10x30, 20l , 1,7m3/h	\$1 004,00
OCEAN 20/O WS1CI MAXI Mono LW	OCEAN Maxi; tank 8x35, 20l , 1,7m3/h	\$1 020,00
OCEAN 25/O WS1CI MIDI Mono LW	OCEAN Midi; tank 10x30, 25l , 1,8m3/h	\$1 048,00
OCEAN 25/O WS1CI MAXI Mono LW	OCEAN Maxi; tank 9x35, 25l , 1,8m3/h	\$1 058,00
OCEAN 30/O WS1CI Mono LW	OCEAN Maxi; tank 10x35, 30l , 1,9m3/h	\$1 092,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CK VOLUMETRIC VALVE - CRYSTAL CABINET LEWATIT S1567 RESIN

Model:	Description:	Price:
CRYSTAL 05/O WS1CK Mono LW	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$866,00
CRYSTAL 06/O WS1CK Mono LW	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$872,00
CRYSTAL 07/O WS1CK Mono LW	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$878,00
CRYSTAL 08/O WS1CK Mono LW	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$886,00
CRYSTAL 10/O WS1CK Mono LW	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$904,00
CRYSTAL 12/O WS1CK Mono LW	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$920,00
CRYSTAL 15/O WS1CK MIDI Mono LW	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$1 002,00
CRYSTAL 20/O WS1CK MIDI Mono LW	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$1 034,00
CRYSTAL 20/O WS1CK MAXI Mono LW	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$1 050,00
CRYSTAL 25/O WS1CK MIDI Mono LW	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$1 078,00
CRYSTAL 25/O WS1CK MAXI Mono LW	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$1 088,00
CRYSTAL 30/O WS1CK Mono LW	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$1 122,00

mixing - 34,00 USD

bypass - 41,00 USD

upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CK VOLUMETRIC VALVE - JUNIOR CABINET

Model:	Description:	Price:
JUNIOR 05/C WS1CK	JUNIOR, tank 8x13, 5l, 0,4m3/h	\$758,00

mixing - 34,00 USD
bypass - 41,00 USD
upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1CI VOLUMETRIC VALVE - ELEGANT CABINET LEWATIT S1567 RESIN

Model:	Description:	Price:
Elegant 20/O WS1CI MONO LW	Elegant; tank 8x35, 20l, 1,7m3/h	\$856,00
Elegant 25/O WS1CI MONO LW	Elegant; tank 9x35, 25l, 1,8m3/h	\$918,00

mixing - 34,00 USD
bypass - 41,00 USD
upflow - 18,00 USD



CABINET SOFTENER SYSTEM WITH WS1EI VOLUMETRIC VALVE CRYSTAL CABINET

Model:	Description:	Price:
CRYSTAL 05/O WS1EI	CRYSTAL Mini; tank 7x17, 5l , 0,35m3/h	\$786,00
CRYSTAL 06/O WS1EI	CRYSTAL Mini; tank 7x17, 6l , 0,4m3/h	\$788,00
CRYSTAL 07/O WS1EI	CRYSTAL Mini; tank 8x17, 7l , 0,5m3/h	\$792,00
CRYSTAL 08/O WS1EI	CRYSTAL Mini; tank 8x17, 8l , 0,6m3/h	\$794,00
CRYSTAL 10/O WS1EI	CRYSTAL Mini; tank 9x17, 10l , 1,2m3/h	\$804,00
CRYSTAL 12/O WS1EI	CRYSTAL Mini; tank 10x17, 12l , 1,3m3/h	\$814,00
CRYSTAL 15/O WS1EI MIDI	CRYSTAL Midi; tank 9x30, 15l , 1,4m3/h	\$884,00
CRYSTAL 20/O WS1EI MIDI	CRYSTAL Midi; tank 10x30, 20l , 1,7m3/h	\$896,00
CRYSTAL 20/O WS1EI MAXI	CRYSTAL Maxi; tank 8x35, 20l , 1,7m3/h	\$910,00
CRYSTAL 25/O WS1EI MIDI	CRYSTAL Midi; tank 10x30, 25l , 1,8m3/h	\$920,00
CRYSTAL 25/O WS1EI MAXI	CRYSTAL Maxi; tank 9x35, 25l , 1,8m3/h	\$930,00
CRYSTAL 30/O WS1EI	CRYSTAL Maxi; tank 10x35, 30l , 1,9m3/h	\$944,00

mixing - 34,00 USD

bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1EI VOLUMETRIC VALVE OCEAN CABINET

Model:	Description:	Price:
OCEAN 05/O WS1EI	OCEAN Mini; tank 7x17, 5l , 0,35m3/h	\$802,00
OCEAN 06/O WS1EI	OCEAN Mini; tank 7x17, 6l , 0,4m3/h	\$804,00
OCEAN 07/O WS1EI	OCEAN Mini; tank 8x17, 7l , 0,5m3/h	\$808,00
OCEAN 08/O WS1EI	OCEAN Mini; tank 8x17, 8l , 0,6m3/h	\$810,00
OCEAN 10/O WS1EI	OCEAN Mini; tank 9x17, 10l , 1,2m3/h	\$820,00
OCEAN 12/O WS1EI	OCEAN Mini; tank 10x17, 12l , 1,3m3/h	\$830,00
OCEAN 15/O WS1EI MIDI	OCEAN Midi; tank 9x30, 15l , 1,4m3/h	\$900,00
OCEAN 20/O WS1EI MIDI	OCEAN Midi; tank 10x30, 20l , 1,7m3/h	\$912,00
OCEAN 20/O WS1EI MAXI	OCEAN Maxi; tank 8x35, 20l , 1,7m3/h	\$926,00
OCEAN 25/O WS1EI MIDI	OCEAN Midi; tank 10x30, 25l , 1,8m3/h	\$936,00
OCEAN 25/O WS1EI MAXI	OCEAN Maxi; tank 9x35, 25l , 1,8m3/h	\$946,00
OCEAN 30/O WS1EI	OCEAN Maxi; tank 10x35, 30l , 1,9m3/h	\$960,00

mixing - 34,00 USD

bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1EI VOLUMETRIC VALVE - JUNIOR CABINET

Model:	Description:	Price:
JUNIOR 05/C WS1EI	JUNIOR, tank 8x13, 5l, 0,4m3/h	\$698,00

mixing - 34,00 USD

bypass - 41,00 USD



CABINET SOFTENER SYSTEM WITH WS1EI VOLUMETRIC VALVE - SLIM CABINET

Model:	Description:	Price:
SLIM 10/C WS1EI	SLIM Mini; tank 8x17, 10l, 0,7m3/h	\$806,00
SLIM 20/C WS1EI	SLIM Midi; tank 8x35, 20l, 1,2m3/h	\$888,00
SLIM 25/C WS1EI	SLIM Maxi; tank 8x44, 25l, 1,7m3/h	\$930,00

mixing - 34,00 USD

bypass - 41,00 USD



SIMPLEX SOFTENERS WITH HYDRO PREMIUM VALVE

Two-elements device with volumetric valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O HYDRO	pressure tank 7x35, brine tank 70l, 15l resin, 1,5 m3/h	\$348,00
EKO-OPTIMA 20/O HYDRO	pressure tank 8x35, brine tank 70l, 20l resin, 1,7 m3/h	\$360,00
EKO-OPTIMA 25/O HYDRO	pressure tank 9x35l, brine tank 70l, 25l resin, 1,8 m3/h	\$384,00
EKO-OPTIMA 30/O HYDRO	pressure tank 10x35, brine tank 70l, 30l resin, 1,9 m3/h	\$402,00
EKO-OPTIMA 35/O HYDRO	pressure tank 10x44, brine tank 70l, 35l resin, 2,0 m3/h	\$424,00
EKO-OPTIMA 45/O HYDRO	pressure tank 10x54, brine tank 70l, 45l resin, 2,3 m3/h	\$458,00
EKO-OPTIMA 50/O HYDRO	pressure tank 12x48, brine tank 70l, 50l resin, 2,3 m3/h	\$488,00
EKO-OPTIMA 60/O HYDRO	pressure tank 12x52, brine tank 100l, 60l resin, 2,3 m3/h	\$542,00
EKO-OPTIMA 65/O HYDRO	pressure tank 13x44, brine tank 100l, 65l resin, 2,5 m3/h	\$580,00
EKO-OPTIMA 75/O HYDRO	pressure tank 13x54, brine tank 100l, 75l resin, 3,0 m3/h	\$618,00

Bypass - 17,40 USD



SIMPLEX SOFTENERS WITH BNT1650 VALVE

Two-elements device with volumetric valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O BNT7650	pressure tank 7x35, brine tank 70l, 15l resin, 1,5 m3/h	\$342,00
EKO-OPTIMA 20/O BNT7650	pressure tank 8x35, brine tank 70l, 20l resin, 1,7 m3/h	\$354,00
EKO-OPTIMA 25/O BNT7650	pressure tank 9x35l, brine tank 70l, 25l resin, 1,8 m3/h	\$374,00
EKO-OPTIMA 30/O BNT7650	pressure tank 10x35, brine tank 70l, 30l resin, 1,9 m3/h	\$390,00
EKO-OPTIMA 35/O BNT7650	pressure tank 10x44, brine tank 70l, 35l resin, 2,0 m3/h	\$408,00
EKO-OPTIMA 45/O BNT7650	pressure tank 10x54, brine tank 70l, 45l resin, 2,3 m3/h	\$438,00
EKO-OPTIMA 50/O BNT7650	pressure tank 12x48, brine tank 70l, 50l resin, 2,3 m3/h	\$464,00
EKO-OPTIMA 60/O BNT7650	pressure tank 12x52, brine tank 100l, 60l resin, 2,3 m3/h	\$512,00
EKO-OPTIMA 65/O BNT7650	pressure tank 13x44, brine tank 100l, 65l resin, 2,5 m3/h	\$546,00
EKO-OPTIMA 75/O BNT7650	pressure tank 13x54, brine tank 100l, 75l resin, 3,0 m3/h	\$580,00
EKO-OPTIMA 100/O BNT7650	pressure tank 14x65, brine tank 145l, 100l resin, 3,0 m3/h	\$724,00



SIMPLEX SOFTENERS WITH RX63C-3+B VALVE

Softener's with brine tank's. Valve RX63C-3+B		
Model:	Description:	Price:
EKO-OPTIMA 15/O RX63C-3+B	tank 7x35, brain tank 70l, 15l of resin,	\$388,00
EKO-OPTIMA 20/O RX63C-3+B	tank 8x35, brain tank 70l, 20l of resin,	\$400,00
EKO-OPTIMA 25/O RX63C-3+B	tank 9x35, brain tank 70l, 25l of resin,	\$420,00
EKO-OPTIMA 30/O RX63C-3+B	tank 10x35, brain tank 70l, 30l of resin,	\$436,00
EKO-OPTIMA 35/O RX63C-3+B	tank 10x44, brain tank 70l, 35l of resin,	\$456,00
EKO-OPTIMA 45/O RX63C-3+B	tank 10x54, brain tank 70l, 45l of resin,	\$486,00
EKO-OPTIMA 50/O RX63C-3+B	tank 12x48, brain tank 70l, 50l of resin,	\$514,00
EKO-OPTIMA 60/O RX63C-3+B	tank 12x52, brain tank 100l, 60l of resin,	\$562,00
EKO-OPTIMA 65/O RX63C-3+B	tank 13x44, brain tank 100l, 65l of resin,	\$598,00
EKO-OPTIMA 75/O RX63C-3+B	tank 13x54, brain tank 100l, 75l of resin,	\$632,00
EKO-OPTIMA 100/O RX63C-3+B	tank 14x65, brain tank 145, 100l of resin,	\$774,00



Simplex softeners with Autotrol 255 Easy-iQ valves

Model	Description	Price
Two-element softeners with Easy-iQ Time Controlled Valve		
EKO-OPTIMA 15/C EiQ-TC	Two-element softener, 7x35 tank, 70l brine tank, 15l of resin, max capacity of 1,5m3/h	474,00 €
EKO-OPTIMA 20/C EiQ-TC	Two-element softener, 8x35 tank, 70l brine tank, 20l of resin, max capacity of 1,7m3/h	484,00 €
EKO-OPTIMA 25/C EiQ-TC	Two-element softener, 9x35 tank, 70l brine tank, 25l of resin, max capacity of 1,8m3/h	500,00 €
EKO-OPTIMA 30/C EiQ-TC	Two-element softener, 10x35 tank, 70l brine tank, 30l of resin, max capacity of 1,9m3/h	514,00 €
EKO-OPTIMA 35/C EiQ-TC	Two-element softener, 10x44 tank, 70l brine tank, 35l of resin, max capacity of 2,0m3/h	528,00 €
EKO-OPTIMA 45/C EiQ-TC	Two-element softener, 10x54 tank, 70l brine tank, 45l of resin, max capacity of 2,3m3/h	552,00 €
EKO-OPTIMA 50/C EiQ-TC	Two-element softener, 12x48 tank, 70l brine tank, 50l of resin, max capacity of 2,3m3/h	574,00 €
EKO-OPTIMA 60/C EiQ-TC	Two-element softener, 12x52 tank, 70l brine tank, 60l of resin, max capacity of 2,3m3/h	614,00 €
EKO-OPTIMA 65/C EiQ-TC	Two-element softener, 13x44 tank, 100l brine tank, 65l of resin, max capacity of 2,5m3/h	640,00 €
EKO-OPTIMA 75/C EiQ-TC	Two-element softener, 13x54 tank, 100l brine tank, 75l of resin, max capacity of 3,0m3/h	668,00 €
EKO-OPTIMA 100/C EiQ-TC	Two-element softener, 14x65 tank, 145l brine tank*, 100l of resin, max capacity of 4,2m3/h	786,00 €

Softener comes with noryl 1" manifold

Bypass with brass fittings -47,00 €



Model	Description	Price
Two-element softeners with Easy-iQ Volumetric Valve		
EKO-OPTIMA 15/O EiQ-V	Two-element softener, 7x35 tank, 70l brine tank, 15l of resin, max capacity of 1,5m3/h	546,00 €
EKO-OPTIMA 20/O EiQ-V	Two-element softener, 8x35 tank, 70l brine tank, 20l of resin, max capacity of 1,7m3/h	554,00 €
EKO-OPTIMA 25/O EiQ-V	Two-element softener, 9x35 tank, 70l brine tank, 25l of resin, max capacity of 1,8m3/h	572,00 €
EKO-OPTIMA 30/O EiQ-V	Two-element softener, 10x35 tank, 70l brine tank, 30l of resin, max capacity of 1,9m3/h	584,00 €
EKO-OPTIMA 35/O EiQ-V	Two-element softener, 10x44 tank, 70l brine tank, 35l of resin, max capacity of 2,0m3/h	600,00 €
EKO-OPTIMA 45/O EiQ-V	Two-element softener, 10x54 tank, 70l brine tank, 45l of resin, max capacity of 2,3m3/h	624,00 €
EKO-OPTIMA 50/O EiQ-V	Two-element softener, 12x48 tank, 70l brine tank, 50l of resin, max capacity of 2,3m3/h	646,00 €
EKO-OPTIMA 60/O EiQ-V	Two-element softener, 12x52 tank, 70l brine tank, 60l of resin, max capacity of 2,3m3/h	684,00 €
EKO-OPTIMA 65/O EiQ-V	Two-element softener, 13x44 tank, 100l brine tank, 65l of resin, max capacity of 2,5m3/h	712,00 €
EKO-OPTIMA 75/O EiQ-V	Two-element softener, 13x54 tank, 100l brine tank, 75l of resin, max capacity of 3,0m3/h	740,00 €
EKO-OPTIMA 100/O EiQ-V	Two-element softener, 14x65 tank, 145l brine tank*, 100l of resin, max capacity of 4,2m3/h	858,00 €

Softener comes with noryl 1" manifold

Bypass with brass fittings -47,00 €



Simplex softeners with Autotrol Performa Easy-iQ valves

Model	Description	Price
Two-element softeners with Easy-iQ Time Controlled valve		
EKO-OPTIMA 105/C EiQ-TC	Two-element softener, 14x65 tank, 145l brine tank*, 100l of resin, max capacity of 4,2m3/h	898,00 €
EKO-OPTIMA 125/C EiQ-TC	Two-element softener, 16x65 tank, 145l brine tank*, 130l of resin, max capacity of 4,5m3/h	1 054,00 €
EKO-OPTIMA 145/C EiQ-TC	Two-element softener, 18x65 tank, 200l brine tank**, 150l of resin, max capacity of 4,8m3/h	1 186,00 €
EKO-OPTIMA 175/C EiQ-TC	Two-element softener, 18x65 tank, 200l brine tank**, 180l of resin, max capacity of 5,0m3/h	1 246,00 €
EKO-OPTIMA 205/C EiQ-TC	Two-element softener, 21x62 tank, 350l brine tank***, 210l of resin, max capacity of 5,2m3/h	1 506,00 €

Softener comes with 1" connectors

Bypass - 68,10 €



Model	Description	Price
Two-element softeners with Easy-iQ Volumetric valve		
EKO-OPTIMA 105/O EiQ-V	Two-element softener, 14x65 tank, 145l brine tank*, 100l of resin, max capacity of 4,2m3/h	1 054,00 €
EKO-OPTIMA 125/O EiQ-V	Two-element softener, 16x65 tank, 145l brine tank*, 130l of resin, max capacity of 4,5m3/h	1 210,00 €
EKO-OPTIMA 145/O EiQ-V	Two-element softener, 18x65 tank, 200l brine tank**, 150l of resin, max capacity of 4,8m3/h	1 342,00 €
EKO-OPTIMA 175/O EiQ-V	Two-element softener, 18x65 tank, 200l brine tank**, 180l of resin, max capacity of 5,0m3/h	1 404,00 €
EKO-OPTIMA 205/O EiQ-V	Two-element softener, 21x62 tank, 350l brine tank***, 210l of resin, max capacity of 5,2m3/h	1 664,00 €

Softener comes with 1" connectors

Bypass - 68,10 €



Simplex softeners with Autotrol Magnum valves

Model	Description	Price
Two-element softeners with Magnum 764L HWB Volumetric valve		
EKO-OPTIMA 130/O 764L	Two-element softener, 16x65 tank, 145l brine tank*, 130l of resin, Magnum 1 1/2" valve, nom./max. capacity of 3,2/5,2m3/h	2 454,00 €
EKO-OPTIMA 150/O 764L	Two-element softener, 18x65 tank, 200l brine tank**, 150l of resin, Magnum 1 1/2" valve, nom./max. capacity of 4,5/6,2m3/h	2 586,00 €
EKO-OPTIMA 180/O 764L	Two-element softener, 18x65 tank, 200l brine tank**, 180l of resin, Magnum 1 1/2" valve, nom./max. capacity of 4,5/7,2m3/h	2 648,00 €
EKO-OPTIMA 210/O 764L	Two-element softener, 21x62 tank, 350l brine tank***, 210l of resin, Magnum 1 1/2" valve, nom./max. capacity of 5,3/8,4m3/h	2 868,00 €
EKO-OPTIMA 300/O 764L	Two-element softener, 24x72 tank, 350l brine tank***, 300l of resin, Magnum 1 1/2" valve, nom./max. capacity of 7,5/12,0m3/h	3 148,00 €
EKO-OPTIMA 500/O 764L	Two-element softener, 30x72 tank, 500l brine tank****, 500l of resin, Magnum 2" valve, nom./max. capacity of 12,5/20,0m3/h	3 968,00 €
EKO-OPTIMA 700/O 764L	Two-element softener, 36x72 tank, 750l brine tank*****, 700l of resin, Magnum 2" valve, nom./max. capacity of 17,5/22,0m3/h	4 772,00 €

NHB version of 1 1/2" valve - 88,00 €

NHB version of 2" valve - 88,00 €

764 Multi (for combining into multi-column arrangements) - on request



Duet softeners with Autotrol valves

Model	Description	Price
Two-column softeners TWIN for continuous alternating operation with Logix 255/764TW valve		
EKO-OPTIMA DUET 15	7x35 tanks, two 70l brine tanks, 2 x 15l of resin, nominal capacity of 0,7m ³ /h; max capacity of 1,5* m ³ /h	964,00 €
EKO-OPTIMA DUET 20	8x35 tanks, two 70l brine tanks, 2 x 20l of resin, nominal capacity of 0,9m ³ /h; max capacity of 1,7* m ³ /h	982,00 €
EKO-OPTIMA DUET 25	9x35 tanks, two 70l brine tanks, 2 x 25l of resin, nominal capacity of 1,0m ³ /h; max capacity of 1,8* m ³ /h	1 016,00 €
EKO-OPTIMA DUET 30	10x35 tanks, two 70l brine tanks, 2 x 30l of resin, nominal capacity of 1,2m ³ /h; max capacity of 1,9* m ³ /h	1 040,00 €
EKO-OPTIMA DUET 35	10x44 tanks, two 70l brine tanks, 2 x 35l of resin, nominal capacity of 1,2m ³ /h; max capacity of 2,0* m ³ /h	1 070,00 €
EKO-OPTIMA DUET 45	10x54 tanks, two 70l brine tanks, 2 x 45l of resin, nominal capacity of 1,6m ³ /h; max capacity of 2,3* m ³ /h	1 120,00 €
EKO-OPTIMA DUET 50	12x48 tanks, two 70l brine tanks, 2 x 50l of resin, nominal capacity of 1,8m ³ /h; max capacity of 2,4* m ³ /h	1 164,00 €
EKO-OPTIMA DUET 60	12x52 tanks, two 100l brine tanks, 2 x 60l of resin, nominal capacity of 1,8m ³ /h; max capacity of 2,4* m ³ /h	1 242,00 €
EKO-OPTIMA DUET 65	13x44 tanks, two 100l brine tanks, 2 x 65l of resin, nominal capacity of 2,0m ³ /h; max capacity of 2,5* m ³ /h	1 296,00 €
EKO-OPTIMA DUET 75	13x54 tanks, two 100l brine tanks, 2 x 75l of resin, nominal capacity of 2,2m ³ /h; max capacity of 3,0* m ³ /h	1 350,00 €
EKO-OPTIMA DUET 100	14x65 tanks, two 145l brine tanks*, 2 x 100l of resin, nominal capacity of 3,0m ³ /h; max capacity of 4,2* m ³ /h	1 586,00 €
UWAGA! * single column operation capacity		

Softener comes with 1" noryl manifold

Bypass with brass fittings - 94,00 € (cena za dwa komplety)

Pipework connecting valves to be done in-house



Model	Description	Price
Two-column TWIN softeners for continuous parallel operation with Logix 255/764 valves		
EKO-OPTIMA DUET 15 Parallel	7x35 tanks, two 70l brine tanks, 2 x 15l of resin, nominal capacity of 0,7/1,4* m3/h; max capacity of 1,5/3,0* m3/h	1 398,00 €
EKO-OPTIMA DUET 20 Parallel	8x35 tanks, two 70l brine tanks, 2 x 20l of resin, nominal capacity of 0,9/1,8* m3/h; max capacity of 1,7/3,4* m3/h	1 416,00 €
EKO-OPTIMA DUET 25 Parallel	9x35 tanks, two 70l brine tanks, 2 x 25l of resin, nominal capacity of 1,0/2,0* m3/h; max capacity of 1,8/3,6* m3/h	1 450,00 €
EKO-OPTIMA DUET 30 Parallel	10x35 tanks, two 70l brine tanks, 2 x 30l of resin, nominal capacity of 1,2/2,4* m3/h; max capacity of 1,9/3,8* m3/h	1 474,00 €
EKO-OPTIMA DUET 35 Parallel	10x44 tanks, two 70l brine tanks, 2 x 35l of resin, nominal capacity of 1,2/2,4* m3/h; max capacity of 2,0/4,0* m3/h	1 504,00 €
EKO-OPTIMA DUET 45 Parallel	10x54 tanks, two 70l brine tanks, 2 x 45l of resin, nominal capacity of 1,6/3,2* m3/h; max capacity of 2,3/4,6* m3/h	1 554,00 €
EKO-OPTIMA DUET 50 Parallel	12x48 tanks, two 70l brine tanks, 2 x 50l of resin, nominal capacity of 1,8/3,6* m3/h; max capacity of 2,4/4,8* m3/h	1 598,00 €
EKO-OPTIMA DUET 60 Parallel	12x52 tanks, two 100l brine tanks, 2 x 60l of resin, nominal capacity of 1,8/3,6* m3/h; max capacity of 2,4/4,8* m3/h	1 676,00 €
EKO-OPTIMA DUET 65 Parallel	13x44 tanks, two 100l brine tanks, 2 x 65l of resin, nominal capacity of 2,0/4,0* m3/h; max capacity of 2,5/5,0* m3/h	1 730,00 €
EKO-OPTIMA DUET 75 Parallel	13x54 tanks, two 100l brine tanks, 2 x 75l of resin, nominal capacity of 2,2/4,4* m3/h; max capacity of 3,0/6,0* m3/h	1 784,00 €
EKO-OPTIMA DUET 100 Parallel	14x65 tanks, two 145l brine tanks*, 2 x 100l of resin, nominal capacity of 3,0/6,0* m3/h; max capacity of 4,2/8,4* m3/h	2 020,00 €
UWAGA! * two column operation capacity (outside of regeneration)		

Softener comes with 1" noryl manifold

Bypass with brass fittings - 94,00 € (cena za dwa komplety)

Pipework connecting valves to be done in-house



Model	Description	Price
Two-column TWIN softeners for continuous alternating operation with Logix 278/764TW valve		
EKO-OPTIMA DUET 105	14x65 tanks, two 145l brine tanks*, 2 x 100l of resin, nominal capacity of 3,0* m3/h; max capacity of 4,2* m3/h	1 974,00 €
EKO-OPTIMA DUET 125	16x65 tanks, two 145l brine tanks*, 2 x 130l of resin, nominal capacity of 3,2* m3/h; max capacity of 4,5* m3/h	2 286,00 €
EKO-OPTIMA DUET 145	18x65 tanks, two 200l brine tanks**, 2 x 150l of resin, nominal capacity of 3,8* m3/h; max capacity of 4,8* m3/h	2 556,00 €
EKO-OPTIMA DUET 175	18x65 tanks, two 200l brine tanks**, 2 x 180l of resin, nominal capacity of 4,5* m3/h; max capacity of 5,0* m3/h	2 674,00 €
EKO-OPTIMA DUET 205	21x62 tanks, two 350l brine tanks***, 2 x 200l of resin, nominal capacity of 5,0* m3/h; max capacity of 5,2* m3/h	3 194,00 €
UWAGA! * single column operation capacity		

Softener comes with 1" connectors

Bypasses - 136,20 € (price for 2 pcs.)

Pipework connecting valves to be done in-house



Model	Description	Price
Two-column TWIN softeners for continuous parallel operation with Logix 278/764 valve		
EKO-OPTIMA DUET 105 Parallel	14x65 tanks, two 145l brine tanks*, 2 x 100l of resin, nominal capacity of 3,0/6,0* m3/h; max capacity of 4,2/8,4* m3/h	2 190,00 €
EKO-OPTIMA DUET 125 Parallel	16x65 tanks, two 145l brine tanks*, 2 x 130l of resin, nominal capacity of 3,2/6,4* m3/h; max capacity of 4,5/9,0* m3/h	2 502,00 €
EKO-OPTIMA DUET 145 Parallel	18x65 tanks, two 200l brine tanks**, 2 x 150l of resin, nominal capacity of 3,8/7,6* m3/h; max capacity of 4,8/9,6* m3/h	2 772,00 €
EKO-OPTIMA DUET 175 Parallel	18x65 tanks, two 200l brine tanks**, 2 x 180l of resin, nominal capacity of 4,5/9,0* m3/h; max capacity of 5,0/10,0* m3/h	2 890,00 €
EKO-OPTIMA DUET 205 Parallel	21x62 tanks, two 350l brine tanks***, 2 x 200l of resin, nominal capacity of 5,0/10,0* m3/h; max capacity of 5,2/10,4* m3/h	3 408,00 €
UWAGA! * two column operation capacity (outside of regeneration)		

Softener comes with 1" connectors

Bypasses - 136,20 € (price for 2 pcs.)

Pipework connecting valves to be done in-house



Model	Description	Price
Two-column TWIN softeners for continuous alternating operation with Magnum 764 TWIN IT 2" valve		
EKO-OPTIMA DUET 130	16x65 tanks, two 145l brine tanks*, 2 x 130l of resin, nominal capacity of 3,2* m3/h; max capacity of 5,2* m3/h	4 824,00 €
EKO-OPTIMA DUET 150	18x65 tanks, two 200l brine tanks**, 2 x 150l of resin, nominal capacity of 4,5* m3/h; max capacity of 6,2* m3/h	5 088,00 €
EKO-OPTIMA DUET 180	18x65 tanks, two 200l brine tanks**, 2 x 180l of resin, nominal capacity of 4,5* m3/h; max capacity of 7,2* m3/h	5 186,00 €
EKO-OPTIMA DUET 210	21x62 tanks, two 350l brine tanks***, 2 x 210l of resin, nominal capacity of 5,3* m3/h; max capacity of 8,4* m3/h	5 652,00 €
EKO-OPTIMA DUET 300	24x72 tanks, two 350l brine tanks***, 2 x 300l of resin, nominal capacity of 7,5* m3/h; max capacity of 12,0* m3/h	6 212,00 €
EKO-OPTIMA DUET 500	30x72 tanks, two 500l brine tanks****, 2 x 500l of resin, nominal capacity of 12,5* m3/h; max capacity of 20,0* m3/h	7 574,00 €
EKO-OPTIMA DUET 700	36x72 tanks, two 750l brine tanks*****, 2 x 700l of resin, nominal capacity of 17,5* m3/h; max capacity of 22,0* m3/h	9 182,00 €
UWAGA! * single column operation capacity		

Pipework connecting valves to be done in-house



Model	Description	Price
Two-column TWIN softeners for continuous parallel operation with Magnum 764 IT 2" valve		
EKO-OPTIMA DUET 130 Parallel	16x65 tanks, two 145l brine tanks*, 2 x 130l of resin, nominal capacity of 3,2/6,4* m3/h; max capacity of 5,2/10,4* m3/h	5 072,00 €
EKO-OPTIMA DUET 150 Parallel	18x65 tanks, two 200l brine tanks**, 2 x 150l of resin, nominal capacity of 4,5/9,0* m3/h; max capacity of 6,2/12,4* m3/h	5 338,00 €
EKO-OPTIMA DUET 180 Parallel	18x65 tanks, two 200l brine tanks**, 2 x 180l of resin, nominal capacity of 4,5/9,0* m3/h; max capacity of 7,2/14,4* m3/h	5 460,00 €
EKO-OPTIMA DUET 210 Parallel	21x62 tanks, two 350l brine tanks***, 2 x 210l of resin, nominal capacity of 5,3/10,6* m3/h; max capacity of 8,4/16,8* m3/h	5 902,00 €
EKO-OPTIMA DUET 300 Parallel	24x72 tanks, two 350l brine tanks***, 2 x 300l of resin, nominal capacity of 7,5/15,0* m3/h; max capacity of 12,0/24,0* m3/h	6 462,00 €
EKO-OPTIMA DUET 500 Parallel	30x72 tanks, two 500l brine tanks****, 2 x 500l of resin, nominal capacity of 12,5/25,0* m3/h; max capacity of 20,0/40,0* m3/h	7 824,00 €
EKO-OPTIMA DUET 700 Parallel	36x72 tanks, two 750l brine tanks*****, 2 x 700l of resin, nominal capacity of 17,5/35,0* m3/h; max capacity of 22,0/44,0* m3/h	9 432,00 €
UWAGA! * two column operation capacity (outside of regeneration)		

Pipework connecting valves to be done in-house



***** Eurotrol 670l brine tanks - 1056,00 €

SIMPLEX SOFTENERS WITH CLACK WS1TC VALVE

Two elemnets devices with Clack WS1TC time valve		
Model:	Description:	Price:
EKO-OPTIMA 15/C WS1TC	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$569,00
EKO-OPTIMA 20/C WS1TC	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$591,00
EKO-OPTIMA 25/C WS1TC	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$615,00
EKO-OPTIMA 30/C WS1TC	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$627,00
EKO-OPTIMA 35/C WS1TC	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$655,00
EKO-OPTIMA 45/C WS1TC	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$691,00
EKO-OPTIMA 50/C WS1TC	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$721,00
EKO-OPTIMA 60/C WS1TC	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$767,00
EKO-OPTIMA 65/C WS1TC	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$797,00
EKO-OPTIMA 75/C WS1TC	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$835,00
EKO-OPTIMA 100/C WS1TC	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$987,00
EKO-OPTIMA 125/CWS1TC	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 151,00
EKO-OPTIMA 150/C WS1TC	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$1 329,00

mixing - 34,00 USD

bypass - 41 USD



SIMPLEX SOFTENERS WITH CLACK WS1EI VALVE

Two elemnets devices with Clack WS1EI volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1EI	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$689,00
EKO-OPTIMA 20/O WS1EI	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$711,00
EKO-OPTIMA 25/O WS1EI	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$735,00
EKO-OPTIMA 30/O WS1EI	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$747,00
EKO-OPTIMA 35/O WS1EI	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$775,00
EKO-OPTIMA 45/O WS1EI	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$811,00
EKO-OPTIMA 50/O WS1EI	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$841,00
EKO-OPTIMA 60/O WS1EI	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$887,00
EKO-OPTIMA 65/O WS1EI	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$917,00
EKO-OPTIMA 75/O WS1EI	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$955,00
EKO-OPTIMA 100/O WS1EI	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 107,00
EKO-OPTIMA 125/O WS1EI	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 271,00
EKO-OPTIMA 150/O WS1EI	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$1 449,00

mixing - 34,00 USD

bypass - 41 USD



SIMPLEX SOFTENERS WITH CLACK WS1CI VALVE

Two elemnets devices with Clack WS1CI volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1CI	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$702,00
EKO-OPTIMA 20/O WS1CI	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$724,00
EKO-OPTIMA 25/O WS1CI	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$748,00
EKO-OPTIMA 30/O WS1CI	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$760,00
EKO-OPTIMA 35/O WS1CI	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$788,00
EKO-OPTIMA 45/O WS1CI	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$824,00
EKO-OPTIMA 50/O WS1CI	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$854,00
EKO-OPTIMA 60/O WS1CI	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$900,00
EKO-OPTIMA 65/O WS1CI	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$930,00
EKO-OPTIMA 75/O WS1CI	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$968,00
EKO-OPTIMA 100/O WS1CI	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 120,00
EKO-OPTIMA 125/O WS1CI	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 284,00
EKO-OPTIMA 150/O WS1CI	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$1 462,00

mixing - 34,00 USD

upflow valve - 18,00 USD

bypass - 41,0 USD



SIMPLEX SOFTENERS WITH CLACK WS1CI VALVE PURE SOFT MONO RESIN

Two elemnets devices with Clack WS1CI volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1CI Mono	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$710,00
EKO-OPTIMA 20/O WS1CI Mono	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$734,00
EKO-OPTIMA 25/O WS1CI Mono	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$760,00
EKO-OPTIMA 30/O WS1CI Mono	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$776,00
EKO-OPTIMA 35/O WS1CI Mono	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$806,00
EKO-OPTIMA 45/O WS1CI Mono	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$846,00
EKO-OPTIMA 50/O WS1CI Mono	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$880,00
EKO-OPTIMA 60/O WS1CI Mono	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$932,00
EKO-OPTIMA 65/O WS1CI Mono	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$964,00
EKO-OPTIMA 75/O WS1CI Mono	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$1 006,00
EKO-OPTIMA 100/O WS1CI Mono	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 172,00
EKO-OPTIMA 125/O WS1CI Mono	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 346,00
EKO-OPTIMA 150/O WS1CI Mono	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$1 540,00

mixing - 34,00 USD
upflow valve - 18,00 USD
bypass - 41,00 USD



SIMPLEX SOFTENERS WITH CLACK WS1CI VALVE LEWATIT S1567 RESIN

Two elemnets devices with Clack WS1CI volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1CI Mono LW	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$760,00
EKO-OPTIMA 20/O WS1CI Mono LW	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$802,00
EKO-OPTIMA 25/O WS1CI Mono LW	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$846,00
EKO-OPTIMA 30/O WS1CI Mono LW	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$878,00
EKO-OPTIMA 35/O WS1CI Mono LW	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$926,00
EKO-OPTIMA 45/O WS1CI Mono LW	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$1 004,00
EKO-OPTIMA 50/O WS1CI Mono LW	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$1 054,00
EKO-OPTIMA 60/O WS1CI Mono LW	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$1 140,00
EKO-OPTIMA 65/O WS1CI Mono LW	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$1 190,00
EKO-OPTIMA 75/O WS1CI Mono LW	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$1 268,00
EKO-OPTIMA 100/O WS1CI Mono LW	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 524,00
EKO-OPTIMA 125/O WS1CI Mono LW	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 802,00
EKO-OPTIMA 150/O WS1CI Mono LW	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$2 084,00

mixing - 34,00 USD
upflow valve - 18,00 USD
bypass - 41,00 USD



SIMPLEX SOFTENERS WITH CLACK WS1CK VALVES

Two elements devices with Clack WS1CK volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1CK	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$747,00
EKO-OPTIMA 20/O WS1CK	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$769,00
EKO-OPTIMA 25/O WS1CK	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$793,00
EKO-OPTIMA 30/O WS1CK	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$805,00
EKO-OPTIMA 35/O WS1CK	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$833,00
EKO-OPTIMA 45/O WS1CK	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$869,00
EKO-OPTIMA 50/O WS1CK	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$899,00
EKO-OPTIMA 60/O WS1CK	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$945,00
EKO-OPTIMA 65/O WS1CK	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$975,00
EKO-OPTIMA 75/O WS1CK	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$1 013,00
EKO-OPTIMA 100/O WS1CK	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 165,00
EKO-OPTIMA 125/O WS1CK	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 329,00
EKO-OPTIMA 150/O WS1CK	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$1 507,00

mixing - 35,00 USD
upflow valve - 18,00 USD
bypass - 41 USD



SIMPLEX SOFTENERS WITH CLACK WS1CK VALVE PURE SOFT MONO RESIN

Two elements devices with Clack WS1CK volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1CK Mono	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$755,00
EKO-OPTIMA 20/O WS1CK Mono	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$779,00
EKO-OPTIMA 25/O WS1CK Mono	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$805,00
EKO-OPTIMA 30/O WS1CK Mono	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$821,00
EKO-OPTIMA 35/O WS1CK Mono	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$851,00
EKO-OPTIMA 45/O WS1CK Mono	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$891,00
EKO-OPTIMA 50/O WS1CK Mono	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$925,00
EKO-OPTIMA 60/O WS1CK Mono	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$977,00
EKO-OPTIMA 65/O WS1CK Mono	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$1 009,00
EKO-OPTIMA 75/O WS1CK Mono	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$1 051,00
EKO-OPTIMA 100/O WS1CK Mono	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 217,00
EKO-OPTIMA 125/O WS1CK Mono	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 391,00
EKO-OPTIMA 150/O WS1CK Mono	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$1 585,00

mixing - 35,00 USD
upflow valve - 18,00 USD
bypass - 41,00 USD



SIMPLEX SOFTENERS WITH CLACK WS1CK VALVE LEWATIT S1567 RESIN

Two elemnets devices with Clack WS1CK volume valve		
Model:	Description:	Price:
EKO-OPTIMA 15/O WS1CK Mono LW	two elements device, pressure tank 7x35, brine tank 70l, 15l resin, max efficiency 1,5m3/h	\$805,00
EKO-OPTIMA 20/O WS1CK Mono LW	two elements device, pressure tank 8x35, brine tank 70l, 20l resin, max efficiency 1,7m3/h	\$847,00
EKO-OPTIMA 25/O WS1CK Mono LW	two elements device, pressure tank 9x35, brine tank 70l, 25l resin, max efficiency 1,8m3/h	\$891,00
EKO-OPTIMA 30/O WS1CK Mono LW	two elements device, pressure tank 10x35, brine tank 70l, 30l resin, max efficiency 1,9m3/h	\$923,00
EKO-OPTIMA 35/O WS1CK Mono LW	two elements device, pressure tank 10x44, brine tank 70l, 35l resin, max efficiency 2,0m3/h	\$971,00
EKO-OPTIMA 45/O WS1CK Mono LW	two elements device, pressure tank 10x54, brine tank 70l, 45l resin, max efficiency 2,3m3/h	\$1 049,00
EKO-OPTIMA 50/O WS1CK Mono LW	two elements device, pressure tank 12x48, brine tank 70l, 50l resin, max efficiency 2,3m3/h	\$1 099,00
EKO-OPTIMA 60/O WS1CK Mono LW	two elements device, pressure tank 12x52, brine tank 100l, 60l resin, max efficiency 2,3m3/h	\$1 185,00
EKO-OPTIMA 65/O WS1CK Mono LW	two elements device, pressure tank 13x44, brine tank 100l, 65l resin, max efficiency 2,5m3/h	\$1 235,00
EKO-OPTIMA 75/O WS1CK Mono LW	two elements device, pressure tank 13x54, brine tank 100l, 75l resin, max efficiency 3,0m3/h	\$1 313,00
EKO-OPTIMA 100/O WS1CK Mono LW	two elements device, pressure tank 14x65, brine tank 145l, 100l resin, max efficiency 4,2m3/h	\$1 569,00
EKO-OPTIMA 125/O WS1CK Mono LW	two elements device, pressure tank 16x65, brine tank 145l, 125l resin, max efficiency 4,5m3/h	\$1 847,00
EKO-OPTIMA 150/O WS1CK Mono LW	two elements device, pressure tank 18x65, brine tank 200l, 150l resin, max efficiency 4,8m3/h	\$2 129,00

mixing - 35,00 USD
upflow valve - 18,00 USD
bypass - 41,00 USD



DUPLEX SOFTENERS WITH CLACK WS1CI-TT TWIN ALTERNATING VALVE

Devices with Clack WS1CI-TT twin alternating valve		
Model:	Description:	Price:
EKO-OPTIMA DUET 15 WS1CI-TT	2 pressure tanks 7x35, brine tank 70l, 2 x 15l resin, nominal efficiency 0,7m3/h; max efficiency 1,5* m3/h	\$1 220,00
EKO-OPTIMA DUET 20 WS1CI-TT	2 pressure tanks 8x35, brine tank 70l, 2 x 20l resin, nominal efficiency 0,9m3/h; max efficiency 1,7* m3/h	\$1 264,00
EKO-OPTIMA DUET 25 WS1CI-TT	2 pressure tanks 9x35, brine tank 70l, 2 x 25l resin, nominal efficiency 1,0m3/h; max efficiency 1,8* m3/h	\$1 310,00
EKO-OPTIMA DUET 30 WS1CI-TT	2 pressure tanks 10x35, brine tank 70l, 2 x 30l resin, nominal efficiency 1,2m3/h; max efficiency 1,9* m3/h	\$1 336,00
EKO-OPTIMA DUET 35 WS1CI-TT	2 pressure tanks 10x44, brine tank 70l, 2 x 35l resin, nominal efficiency 1,2m3/h; max efficiency 2,0* m3/h	\$1 390,00
EKO-OPTIMA DUET 45 WS1CI-TT	2 pressure tanks 10x54, brine tank 100l, 2 x 45l resin, nominal efficiency 1,6m3/h; max efficiency 2,3* m3/h	\$1 470,00
EKO-OPTIMA DUET 50 WS1CI-TT	2 pressure tanks 12x48, brine tank 100l, 2 x 50l resin, nominal efficiency 1,8m3/h; max efficiency 2,4* m3/h	\$1 564,00
EKO-OPTIMA DUET 60 WS1CI-TT	2 pressure tanks 12x52, brine tank 100l, 2 x 60l resin, nominal efficiency 1,8m3/h; max efficiency 2,4* m3/h	\$1 642,00
EKO-OPTIMA DUET 65 WS1CI-TT	2 pressure tanks 13x44, brine tank 100l, 2 x 65l resin, nominal efficiency 2,0m3/h; max efficiency 2,5* m3/h	\$1 702,00
EKO-OPTIMA DUET 75 WS1CI-TT	2 pressure tanks 13x54, brine tank 145l, 2 x 75l resin, nominal efficiency 2,2m3/h; max efficiency 3,0* m3/h	\$1 800,00
EKO-OPTIMA DUET 100 WS1CI-TT	2 pressure tanks 14x65, brine tank 200 l, 2 x 100 l resin, nominal efficiency 3,0m3/h, max efficiency 4,2* m3/h	\$2 168,00
EKO-OPTIMA DUET 125 WS1CI-TT	2 pressure tanks 16x65, brine tank 200 l, 2 x 125 l resin, nominal efficiency 3,2m3/h, max efficiency 4,5* m3/h	\$2 492,00
EKO-OPTIMA DUET 150 WS1CI-TT	2 pressure tanks 18x65, brine tank 350 l, 2 x 150 l resin, nominal efficiency 3,8m3/h, max efficiency 4,8* m3/h	\$2 930,00

*efficiency of one column
bypass - 41 USD



DUPLEX SOFTENERS WITH CLACK WS1CK-TT TWIN ALTERNATING VALVE

Devices with Clack WS1CK-TT twin alternating valve		
Model:	Description:	Price:
EKO-OPTIMA DUET 15 WS1CK-TT	2 pressure tanks 7x35, brine tank 70l, 2 x 15l resin, nominal efficiency 0,7m3/h; max efficiency 1,5* m3/h	\$1 266,00
EKO-OPTIMA DUET 20 WS1CK-TT	2 pressure tanks 8x35, brine tank 70l, 2 x 20l resin, nominal efficiency 0,9m3/h; max efficiency 1,7* m3/h	\$1 310,00
EKO-OPTIMA DUET 25 WS1CK-TT	2 pressure tanks 9x35, brine tank 70l, 2 x 25l resin, nominal efficiency 1,0m3/h; max efficiency 1,8* m3/h	\$1 356,00
EKO-OPTIMA DUET 30 WS1CK-TT	2 pressure tanks 10x35, brine tank 70l, 2 x 30l resin, nominal efficiency 1,2m3/h; max efficiency 1,9* m3/h	\$1 382,00
EKO-OPTIMA DUET 35 WS1CK-TT	2 pressure tanks 10x44, brine tank 70l, 2 x 35l resin, nominal efficiency 1,2m3/h; max efficiency 2,0* m3/h	\$1 436,00
EKO-OPTIMA DUET 45 WS1CK-TT	2 pressure tanks 10x54, brine tank 100l, 2 x 45l resin, nominal efficiency 1,6m3/h; max efficiency 2,3* m3/h	\$1 516,00
EKO-OPTIMA DUET 50 WS1CK-TT	2 pressure tanks 12x48, brine tank 100l, 2 x 50l resin, nominal efficiency 1,8m3/h; max efficiency 2,4* m3/h	\$1 610,00
EKO-OPTIMA DUET 60 WS1CK-TT	2 pressure tanks 12x52, brine tank 100l, 2 x 60l resin, nominal efficiency 1,8m3/h; max efficiency 2,4* m3/h	\$1 688,00
EKO-OPTIMA DUET 65 WS1CK-TT	2 pressure tanks 13x44, brine tank 100l, 2 x 65l resin, nominal efficiency 2,0m3/h; max efficiency 2,5* m3/h	\$1 748,00
EKO-OPTIMA DUET 75 WS1CK-TT	2 pressure tanks 13x54, brine tank 145l, 2 x 75l resin, nominal efficiency 2,2m3/h; max efficiency 3,0* m3/h	\$1 846,00
EKO-OPTIMA DUET 100 WS1CK-TT	2 pressure tanks 14x65, brine tank 200 l, 2 x 100 l resin, nominal efficiency 3,0m3/h, max efficiency 4,2* m3/h	\$2 214,00
EKO-OPTIMA DUET 125 WS1CK-TT	2 pressure tanks 16x65, brine tank 200 l, 2 x 125 l resin, nominal efficiency 3,2m3/h, max efficiency 4,5* m3/h	\$2 538,00
EKO-OPTIMA DUET 150 WS1CK-TT	2 pressure tanks 18x65, brine tank 350 l, 2 x 150 l resin, nominal efficiency 3,8m3/h, max efficiency 4,8* m3/h	\$2 976,00

*efficiency of one column
bypass - 41 USD



IRON REMOVAL

Model:		Description:	Articel item:	Price:
	OXYLINE 28 BIRM	Resin BIRM, 28L, valve Clack impression with aeration	ODZ-OXYLINE28	906 USD
	OXYLINE 42 BIRM	Resin BIRM, 42L, valve Clack impression with aeration	ODZ-OXYLINE42	984 USD
	OXYLINE 56 BIRM	Resin BIRM, 45L, valve Clack impression with aeration	ODZ-OXYLINE56	1 064 USD

Model:		Description:	Articel item:	Price:
	OXYLINE PLUS 28 KATALOX PLUS	Resin KATALOX PLUS, 28L, valve Clack impression with aeration	ODZ-OXYLINEPLUS28	934 USD
	OXYLINE PLUS 42 KATALOX PLUS	Resin KATALOX PLUS, 42L, valve Clack impression with aeration	ODZ-OXYLINEPLUS42	1 024 USD
	OXYLINE PLUS 56 KATALOX PLUS	Resin KATALOX PLUS, 56L, valve Clack impression with aeration	ODZ-OXYLINEPLUS56	1 116 USD
	OXYLINE PLUS 85 KATALOX PLUS	Resin KATALOX PLUS, 85L, valve Clack impression with aeration		1 340 USD
	OXYLINE PLUS 112 KATALOX PLUS	Resin KATALOX PLUS, 112L, valve Clack impression with aeration		1 620 USD

Model:		Description:	Articel item:	Price:
	OXYLINE PLUS 28 MDOX	Resin MDOX, 28L, valve Clack impression with aeration	ODZ-OXYLINEPLUSTM28	1 034 USD
	OXYLINE PLUS 42 MDOX	Resin MDOX, 42L, valve Clack impression with aeration	ODZ-OXYLINEPLUSTM42	1 160 USD
	OXYLINE PLUS 56 MDOX	Resin MDOX, 56L, valve Clack impression with aeration	ODZ-OXYLINEPLUSTM56	1 286 USD



BYPASS FOR IRON REMOVAL		41 USD
FUNNEL	CU1006	7,2 EUR
ELBOW FITTING		18 EUR

**Station with multifunctional resin PURE MIX and ECOMIX® A
they remove: hardness, iron, manganese, ammonia, organic
compounds**



Original Product, powered by BWG Components
PURE MIX

Device in compact housing with volumetric controller BNT 1650			
Model:	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 25/O BNT7650 EC-A CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin	534,00 €	582,00 €
EKO-OPTIMA 25/O BNT7650 EC-A OCEAN	Ocean Maxi; pressure tank 10x35, 24 l resin	544,00 €	592,00 €

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller BNT1650			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 25/O BNT7650 EC-A	pressure tank 10x35, brine tank 70 l, 24 l resin	424,00 €	470,00 €
EKO-OPTIMA 30/O BNT7650 EC-A	pressure tank 10x44, brine tank 100 l, 30 l resin	482,00 €	536,00 €
EKO-OPTIMA 35/O BNT7650 EC-A	pressure tank 10x54, brine tank 100 l, 35 l resin	526,00 €	590,00 €
EKO-OPTIMA 50/O BNT7650 EC-A	pressure tank 13x44, brine tank 100 l, 50 l resin	650,00 €	742,00 €
EKO-OPTIMA 60/O BNT7650 EC-A	pressure tank 13x54, brine tank 145, 60 l resin	762,00 €	866,00 €

Valve with bypass brass connectors.



Station with multifunctional resin PURE MIX PLUS ECOMIX® C they remove: hardness, iron, manganese, ammonia, organic compounds



Original Product, powered by BWG Components
PURE MIX

Device in compact housing with volumetric controller BNT1650

Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 25/O BNT7650 EC-C CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin	544,00 €	608,00 €
EKO-OPTIMA 25/O BNT7650 EC-C OCEAN	Ocean Maxi; pressure tank 10x35, 24 l resin	554,00 €	618,00 €

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller BNT1650

Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 25/O BNT7650 EC-C	pressure tank 10x35, brine tank 70 l, 24 l resin	434,00 €	496,00 €
EKO-OPTIMA 30/O BNT7650 EC-C	pressure tank 10x44, brine tank 100 l, 30 l resin	492,00 €	570,00 €
EKO-OPTIMA 35/O BNT7650 EC-C	pressure tank 10x54, brine tank 100 l, 35 l resin	538,00 €	630,00 €
EKO-OPTIMA 50/O BNT7650 EC-C	pressure tank 13x44, brine tank 100 l, 50 l resin	670,00 €	796,00 €
EKO-OPTIMA 60/O BNT7650 EC-C	pressure tank 13x54, brine tank 145, 60 l resin	784,00 €	932,00 €

Valve with bypass brass connectors.



Station with multifunctional resin PURE MIX
they remove: hardness, iron, manganese, ammonia, organic compounds

Original Product, powered by BWG Components
PURE MIX

ECOMIX®

Device in compact housing with volumetric controller RX63C-3+B			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA 25/O RX63C-3+B PM-A CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin	648,00 €	688,00 €
EKO-OPTIMA 25/O RX63C-3+B PM-A OCEAN	Ocean Maxi; pressure tank 10x35, 24 l resin	664,00 €	704,00 €

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller RX63C-3+B			
Model::	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA 25/O RX63C-3+B PM-A	pressure tank 10x35, brine tank 70 l, 24 l resin	456,00 €	504,00 €
EKO-OPTIMA 30/O RX63C-3+B PM-A	pressure tank 10x44, brine tank 100 l, 30 l resin	512,00 €	570,00 €
EKO-OPTIMA 35/O RX63C-3+B PM-A	pressure tank 10x54, brine tank 100 l, 36 l resin	556,00 €	624,00 €
EKO-OPTIMA 50/O RX63C-3+B PM-A	pressure tank 13x44, brine tank 100 l, 50 l resin	678,00 €	774,00 €
EKO-OPTIMA 60/O RX63C-3+B PM-A	pressure tank 13x54, brine tank 145, 60 l resin	788,00 €	896,00 €

Device with valve brine and bypass with brass connectors 1".



Station with multifunctional resin PURE MIX PLUS
they remove: hardness, iron, manganese, ammonia, organic compounds

Original Product, powered by BWG Components

PURE MIX

ECOMIX

Device in compact housing with volumetric controller RX63C-3+B			
Model::	Description:	Pure Mix plus	Ecomix C
EKO-OPTIMA 25/O RX63C-3+B PM-C CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin	658,00 €	722,00 €
EKO-OPTIMA 25/O RX63C-3+B PM-C OCEAN	Ocean Maxi; pressure tank 10x35, 24 l resin	674,00 €	738,00 €

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller RX63C-3+B			
Model::	Description:	Price:	Ecomix C
EKO-OPTIMA 25/O RX63C-3+B PM-C	pressure tank 10x35, brine tank 70 l, 24 l resin	466,00 €	530,00 €
EKO-OPTIMA 30/O RX63C-3+B PM-C	pressure tank 10x44, brine tank 100 l, 30 l resin	524,00 €	604,00 €
EKO-OPTIMA 35/O RX63C-3+B PM-C	pressure tank 10x54, brine tank 100 l, 36 l resin	570,00 €	664,00 €
EKO-OPTIMA 50/O RX63C-3+B PM-C	pressure tank 13x44, brine tank 100 l, 50 l resin	696,00 €	828,00 €
EKO-OPTIMA 60/O RX63C-3+B PM-C	pressure tank 13x54, brine tank 145, 60 l resin	808,00 €	926,00 €

Device with valve brine and bypass with brass connectors 1".



Station with multifunctional resin PURE MIX and Eco Mix they remove: hardness, iron, manganese, ammonia, organic compounds

Device in compact housing with volumetric controller 255 EASY IQ V

Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 25/O EIQ-V PM-A/EC-A CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin	830,00 €	872,00 €
EKO-OPTIMA 25/O EIQ-V PM-A/EC-A Easy	Easy Maxi; pressure tank 10x35, 24 l resin	902,00 €	946,00 €

brine valve - 6 euro

bypass with brass connectors : 47 EUR

Original Product, powered by BWG Components

PURE MIX

ECOMIX



Two-element device with volumetric controller 255 EASY IQ V

Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 25/O EIQ-V PM-A/EC-A	pressure tank 10x35, brine tank 70 l, 24 l resin	668,00 €	722,00 €
EKO-OPTIMA 30/O EIQ-V PM-A/EC-A	pressure tank 10x44, brine tank 100 l, 30 l resin	724,00 €	788,00 €
EKO-OPTIMA 35/O EIQ-V PM-A/EC-A	pressure tank 10x54, brine tank 100 l, 36 l resin	768,00 €	842,00 €
EKO-OPTIMA 50/O EIQ-V PM-A/EC-A	pressure tank 13x44, brine tank 100 l, 50 l resin	890,00 €	992,00 €
EKO-OPTIMA 60/O EIQ-V PM-A/EC-A	pressure tank 13x54, brine tank 145* l,	998,00 €	1 114,00 €

bypass with brass connectors : 47 EUR

* brine tank 140 l Eurotrol: 96 EUR



Two-element device with volumetric controller 278 EASY - IQ V

Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 85/O EIQ-V PM-A/EC-A	pressure tank 14x65, brine tank 200** l, 84 l resin	1 438,00 €	1 600,00 €
EKO-OPTIMA 125/O EIQ-V PM-A/EC-A	pressure tank 16x65, brine tank 350*** l, 125 l resin	1 838,00 €	2 082,00 €
EKO-OPTIMA 155/O EIQ-V PM-A/EC-A	pressure tank 18x65, brine tank 350*** l, 150 l resin	2 072,00 €	2 360,00 €

bypass: 68,1 EUR

** brine tank 190 l Eurotrol: 110 EUR

*** brine tank 340 l Eurotrol: 330 EUR



Two-element device with volumetric controller Magnum 762 HWB			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA 150/O 762 PM-A/EC-A	pressure tank 18x65, brine tank 350l***, 150 l resin, valve	3 052,00 €	3 354,00 €
EKO-OPTIMA 200/O 762 PM-A/EC-A	pressure tank 21x62, brine tank 500l****, 200 l resin, valve	3 540,00 €	3 932,00 €
EKO-OPTIMA 300/O 762 PM-A/EC-A	pressure tank 24x72, brine tank 500l****, 300 l resin, valve	4 292,00 €	4 852,00 €
EKO-OPTIMA 425/O 762 PM-A/EC-A	pressure tank 30x72, brine tank 750l*****, 425 l resin, valve	5 592,00 €	6 372,00 €
EKO-OPTIMA 600/O 762 PM-A/EC-A	pressure tank 36x72, brine tank 1000l***** l, 600 l resin, valve	7 178,00 €	8 260,00 €

NHB Cv 1,5": 88,00 €

NHB IT 2": 88,00 €

764 Multi TEL.



Two-column stations TWIN for continuous alternating operation with controller Logix 255/764TW			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA DUET 25 PM-A/EC-A	pressure tank 10x35, two brine tank 70l, 2 x 24l resin, 1,0	1 212,00 €	1 314,00 €
EKO-OPTIMA DUET 30 PM-A/EC-A	pressure tank 10x44, two brine tank 100l, 2 x 30l resin, 1,	1 324,00 €	1 448,00 €
EKO-OPTIMA DUET 35 PM-A/EC-A	pressure tank 10x54, two brine tank 100l, 2 x 36l resin, 1,	1 410,00 €	1 554,00 €
EKO-OPTIMA DUET 50 PM-A/EC-A	pressure tank 13x44, two brine tank 100l, 2 x 50l resin, 1,	1 656,00 €	1 856,00 €
EKO-OPTIMA DUET 60 PM-A/EC-A	pressure tank 13x54, two brine tank 145l*, 2 x 60l resin, 1	1 872,00 €	2 100,00 €

bypass with brass connectors: 94 EUR



Two-column stations TWIN for continuous parallel operation with controller Logix 255/764			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA DUET 25 PM-A/EC-A Parallel	pressure tank 10x35, two brine tank 70l, 2 x 24l resin, 1,0	1 634,00 €	1 748,00 €
EKO-OPTIMA DUET 30 PM-A/EC-A Parallel	pressure tank 10x44, two brine tank 100l, 2 x 30l resin, 1,	1 746,00 €	1 882,00 €
EKO-OPTIMA DUET 35 PM-A/EC-A Parallel	pressure tank 10x54, two brine tank 100l, 2 x 36l resin, 1,	1 834,00 €	1 988,00 €
EKO-OPTIMA DUET 50 PM-A/EC-A Parallel	pressure tank 13x44, two brine tank 100l, 2 x 50l resin, 1,	2 078,00 €	2 290,00 €
EKO-OPTIMA DUET 60 PM-A/EC-A Parallel	pressure tank 13x54, two brine tank 145l*, 2 x 60l resin, 1	2 296,00 €	2 534,00 €

bypass with brass connectors: 94 EUR



Two-column stations TWIN for continuous alternating operation with controller Logix 278/764TW			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA DUET 85 PM-A/EC-A	pressure tank 14x65, two brine tank 200l**, 2 x 84l resin,	2 744,00 €	3 066,00 €
EKO-OPTIMA DUET 125 PM-A/EC-A	pressure tank 16x65, two brine tank 350l***, 2 x 125l resin,	3 544,00 €	4 028,00 €
EKO-OPTIMA DUET 155 PM-A/EC-A	pressure tank 18x65, two brine tank 350l***, 2 x 150l resin,	4 012,00 €	4 586,00 €

bypass: 136,2 EUR



Two-column stations TWIN for continuous parallel operation with controller Logix 278/764			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA DUET 85 PM-A/EC-A Parallel	pressure tank 14x65, two brine tank 200l**, 2 x 84l resin,	2 954,00 €	3 282,00 €
EKO-OPTIMA DUET 125 PM-A/EC-A Parallel	pressure tank 16x65, two brine tank 350l***, 2 x 125l resin,	3 754,00 €	4 242,00 €
EKO-OPTIMA DUET 155 PM-A/EC-A Parallel	pressure tank 18x65, two brine tank 350l***, 2 x 150l resin,	4 222,00 €	4 802,00 €

bypass: 136,2 EUR



Two-column stations TWIN for continuous alternating operation with controller Magnum 764 TWIN IT 2"			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA DUET 150 PM-A/EC-A	pressure tank 16x65, two brine tank 350l***, 2 x 150l resin, 2.3* m ³ /h	6 470,00 €	7 108,00 €
EKO-OPTIMA DUET 200 PM-A/EC-A	pressure tank 21x62, two brine tank 500l***, 2 x 200l resin, 4.4* m ³ /h	7 426,00 €	8 246,00 €
EKO-OPTIMA DUET 300 PM-A/EC-A	pressure tank 24x72, two brine tank 500l***, 2 x 300l resin, 5.8* m ³ /h	8 916,00 €	10 088,00 €
EKO-OPTIMA DUET 425 PM-A/EC-A	pressure tank 30x72, two brine tank 750l***, 2 x 425l resin, 9.1* m ³ /h	11 262,00 €	12 888,00 €
EKO-OPTIMA DUET 600 PM-A/EC-A	pressure tank 36x72, two brine tank 1000l***, 2 x 600l resin, 12.1* m ³ /h	14 376,00 €	16 630,00 €



Two-column station TWIN for continuous parallel operation with controller Magnum 764 IT 2"			
Model::	Description:	PURE MIX	ECOMIX A
EKO-OPTIMA DUET 150 PM-A/EC-A Parallel	pressure tank 10x65, two brine tank 550l resin, 2.2/6.6* m ³ /h	6 714,00 €	7 358,00 €
EKO-OPTIMA DUET 200 PM-A/EC-A Parallel	pressure tank 21x62, two brine tank 500l resin, 4.4/8.8* m ³ /h	7 668,00 €	8 494,00 €
EKO-OPTIMA DUET 300 PM-A/EC-A Parallel	pressure tank 24x72, two brine tank 500l resin, 5.8/11.6* m ³ /h	9 158,00 €	10 336,00 €
EKO-OPTIMA DUET 425 PM-A/EC-A Parallel	pressure tank 30x72, two brine tank 750l resin, 8.1/16.2* m ³ /h	11 506,00 €	13 136,00 €
EKO-OPTIMA DUET 600 PM-A/EC-A Parallel	pressure tank 36x72, two brine tank 1000l resin, 12.1/26.2* m ³ /h	14 618,00 €	16 880,00 €



Station with multifunctional resin PURE MIX PLUS and ECOMIX C they remove: hardness, iron, manganese, ammonia, organic compounds

Original Product, powered by BWG Components
PURE MIX

ECOMIX

Device in compact housing with volumetric controller Logix 255 Easy-iQ V			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA 25/O 760 PM-C EC-C CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin, 1,0 m3/h	840,00 €	906,00 €
EKO-OPTIMA 25/O 760 PM-C EC-C Easy	Easy Maxi; pressure tank 10x35, 24 l resin, 1,0 m3/h	912,00 €	980,00 €

bypass with brass connectors: 47 EUR
brine valve - 6 euro



Two-element device with volumetric controller Logix 255 Easy IQ V			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA 25/O EiQ-V PM-C/EC-C	pressure tank 10x35, brine tank 70 l, 24 l resin, 1,0 m3/h	676,00 €	748,00 €
EKO-OPTIMA 30/O EiQ-V PM-C/EC-C	pressure tank 10x44, brine tank 100 l, 30 l resin, 1,0 m3/h	736,00 €	820,00 €
EKO-OPTIMA 35/O EiQ-V PM-C/EC-C	pressure tank 10x54, brine tank 100 l, 36 l resin, 1,0 m3/h	780,00 €	880,00 €
EKO-OPTIMA 50/O EiQ-V PM-C/EC-C	pressure tank 13x44, brine tank 100 l, 50 l resin, 1,7 m3/h	908,00 €	1 046,00 €
EKO-OPTIMA 60/O EiQ-V PM-C/EC-C	pressure tank 13x54, brine tank 145* l, 60 l resin, 1,7 m3/h	1 020,00 €	1 180,00 €

bypass with brass connectors: 47 EUR



Two-element device with volumetric controller Logix 278 Easy - IQ V			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA 85/O EiQ-V PM-C/EC-C	pressure tank 14x65, brine tank 200** l, 84 l resin, 1,9 m3/h	1 468,00 €	1 692,00 €
EKO-OPTIMA 125/O EiQ-V PM-C/EC-C	pressure tank 16x65, brine tank 350*** l, 125 l resin, 2,6 m3/h	1 884,00 €	2 216,00 €
EKO-OPTIMA 155/O EiQ-V PM-C/EC-C	pressure tank 18x65, brine tank 350*** l, 150 l resin, 3,3 m3/h	2 126,00 €	2 524,00 €

bypass: 68,1 EUR



Two-element device with volumetric controller Magnum 762 HWB			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA 150/O 762 PM-C/EC-C	pressure tank 18x65, brine tank 350l***, 150 l resin, valve Magnum 1 1/2", /maks. 3,3/4,1 m3/h	3 332,00 €	3 760,00 €
EKO-OPTIMA 200/O 762 PM-C/EC-C	pressure tank 21x62, brine tank 500l****, 200 l resin, valve Magnum 1 1/2", /maks. 4,4/5,5 m3/h	3 826,00 €	4 382,00 €
EKO-OPTIMA 300/O 762 PM-C/EC-C	pressure tank 24x72, brine tank 500l****, 300 l resin, valve Magnum 1 1/2", /maks. 5,8/7,3 m3/h	4 608,00 €	5 412,00 €
EKO-OPTIMA 425/O 762 PM-C/EC-C	pressure tank 30x72, brine tank 750l*****, 425 l resin, valve Magnum 2", /maks. 9,1/11,4 m3/h	5 962,00 €	7 086,00 €
EKO-OPTIMA 600/O 762 PM-C/EC-C	pressure tank 36x72, brine tank 1000l*****, 600 l resin, valve Magnum 2", /maks. 13,1/16,4 m3/h	7 584,00 €	9 148,00 €

NHB Cv 1,5": 88,00 €

NHB IT 2": 88,00 €

764 Multi TEL.



Two-column stations TWIN for continuous alternating operation with controller Logix 255/764TW			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA DUET 25 PM-C/EC-C	pressure tank 10x35, two brine tank 70l, 2 x 24l resin, 1,0	1 228,00 €	1 366,00 €
EKO-OPTIMA DUET 30 PM-C/EC-C	pressure tank 10x44, two brine tank 100l, 2 x 30l resin, 1,	1 346,00 €	1 512,00 €
EKO-OPTIMA DUET 35 PM-C/EC-C	pressure tank 10x54, two brine tank 100l, 2 x 36l resin, 1,	1 436,00 €	1 632,00 €
EKO-OPTIMA DUET 50 PM-C/EC-C	pressure tank 13x44, two brine tank 100l, 2 x 50l resin, 1,	1 692,00 €	1 964,00 €
EKO-OPTIMA DUET 60 PM-C/EC-C	pressure tank 13x54, two brine tank 145l*, 2 x 60l resin, 1	1 916,00 €	2 230,00 €

bypass with brass connectors: 94 EUR



Two-column stations TWIN for continuous parallel operation with controller Logix 255/764			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA DUET 25 PM-C/EC-C Parallel	pressure tank 10x35, two brine tank 70l, 2 x 24l resin, 1,0	1 652,00 €	1 800,00 €
EKO-OPTIMA DUET 30 PM-C/EC-C Parallel	pressure tank 10x44, two brine tank 100l, 2 x 30l resin, 1,	1 820,00 €	2 000,00 €
EKO-OPTIMA DUET 35 PM-C/EC-C Parallel	pressure tank 10x54, two brine tank 100l, 2 x 36l resin, 1,	1 912,00 €	2 120,00 €
EKO-OPTIMA DUET 50 PM-C/EC-C Parallel	pressure tank 13x44, two brine tank 100l, 2 x 50l resin, 1,	2 168,00 €	2 452,00 €

EKO-OPTIMA DUET 60 PM-C/EC-C Parallel	pressure tank 13x54, two brine tank 145l*, 2 x 60l resin, 1	2 340,00 €	2 664,00 €
--	---	------------	------------

bypassy with brass connectors: 94 EUR



Two-column stations TWIN for continuous alternating operation with controller Logix 278/764TW

Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA DUET 85 PM-C/EC-C	pressure tank 14x65, two brine tank 200l**, 2 x 84l resin,	2 806,00 €	3 248,00 €
EKO-OPTIMA DUET 125 PM-C/EC-C	pressure tank 16x65, two brine tank 350l***, 2 x 125l resin,	3 634,00 €	4 298,00 €
EKO-OPTIMA DUET 155 PM-C/EC-C	pressure tank 18x65, two brine tank 350l***, 2 x 150l resin,	4 120,00 €	4 912,00 €

bypassy: 136,2 EUR



Two-column stations TWIN for continuous parallel operation with controller Logix 278/764

Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA DUET 85 PM-C/EC-C Parallel	pressure tank 14x65, two brine tank 200l**, 2 x 84l resin,	3 016,00 €	3 464,00 €
EKO-OPTIMA DUET 125 PM-C/EC-C Parallel	pressure tank 16x65, two brine tank 350l***, 2 x 125l resin,	3 844,00 €	4 514,00 €
EKO-OPTIMA DUET 155 PM-C/EC-C Parallel	pressure tank 18x65, two brine tank 350l***, 2 x 150l resin,	4 330,00 €	5 126,00 €

bypassy: 136,2 EUR



Two-column stations TWIN for continuous alternating operation with controller Magnum 764 TWIN IT 2"

Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA DUET 150 PM-C/EC-C	pressure tank 18x65, two brine tank 350l***, 2 x 150l resin,	6 580,00 €	7 434,00 €
EKO-OPTIMA DUET 200 PM-C/EC-C	pressure tank 21x62, two brine tank 500l****, 2 x 200l resin,	7 572,00 €	8 680,00 €
EKO-OPTIMA DUET 300 PM-C/EC-C	pressure tank 24x72, two brine tank 500l****, 2 x 300l resin,	9 134,00 €	10 738,00 €
EKO-OPTIMA DUET 425 PM-C/EC-C	pressure tank 30x72, two brine tank 750l****, 2 x 425l resin,	11 572,00 €	13 810,00 €
EKO-OPTIMA DUET 600 PM-C/EC-C	pressure tank 36x72, two brine tank 1000l*****, 2 x 600l resin,	14 812,00 €	17 932,00 €



Two-column stations TWIN for continuous parallel operation with controller Magnum 764 IT 2"			
Model::	Description:	PURE MIX +	ECOMIX C
EKO-OPTIMA DUET 150 PM-C/EC-C Parallel	pressure tank 18x65, two brine tank 350l***, 2 x 150l resin	6 824,00 €	7 684,00 €
EKO-OPTIMA DUET 200 PM-C/EC-C Parallel	pressure tank 21x62, two brine tank 500l****, 2 x 200l resin	7 814,00 €	8 928,00 €
EKO-OPTIMA DUET 300 PM-C/EC-C Parallel	pressure tank 24x72, two brine tank 500l****, 2 x 300l resin	9 376,00 €	10 988,00 €
EKO-OPTIMA DUET 425 PM-C/EC-C Parallel	pressure tank 30x72, two brine tank 750l*****, 2 x 425l resin	11 814,00 €	14 058,00 €
EKO-OPTIMA DUET 600 PM-C/EC-C Parallel	pressure tank 36x72, two brine tank 1000l*****, 2 x 600l resin	15 056,00 €	18 182,00 €



Station with multifunctional resin PURE MIX A they remove: hardness, iron, manganese, ammonia, organic compounds

Original Product, powered by BWG Components
PURE MIX

ECOMIX

Device in compact housing with volumetric controller Clack WS1CI			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA 25/O WS1CI PM-A CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin,	\$1 044,00	\$1 096,00
EKO-OPTIMA 25/O WS1CI PM-A OCEAN	Ocean or Logix Maxi; pressure tank 10x35, 24 l resin,	\$1 060,00	\$1 112,00
EKO-OPTIMA 25/O WS1CI PM-A Bonnie	Bonnie; pressure tank 10x35, 24 l resin,	\$950,00	\$998,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Device in compact housing with volumetric controller Clack WS1CI			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA 25/O WS1CI PM-A	pressure tank 10x35, brine tank 70 l, 24 l resin,	\$846,00	\$910,00
EKO-OPTIMA 30/O WS1CI PM-A	pressure tank 10x44, brine tank 100 l, 30 l resin,	\$912,00	\$986,00
EKO-OPTIMA 35/O WS1CI PM-A	pressure tank 10x54, brine tank 100 l, 36 l resin,	\$962,00	\$1 050,00
EKO-OPTIMA 50/O WS1CI PM-A	pressure tank 13x44, brine tank 100 l, 50 l resin,	\$1 104,00	\$1 224,00
EKO-OPTIMA 60/O WS1CI PM-A	pressure tank 13x54, brine tank 145 l, 60 l resin,	\$1 230,00	\$1 366,00
EKO-OPTIMA 85/O WS1CI PM-A	pressure tank 14x65, brine tank 200 l, 84 l resin,	\$1 474,00	\$1 658,00
EKO-OPTIMA 125/O WS1CI PM-A	pressure tank 16x65, brine tank 350 l, 125 l resin,	\$1 938,00	\$2 216,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Device in compact housing with volumetric controller Clack WS1CK			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA 25/O WS1CK PM-A CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin,	\$1 090,00	\$1 142,00
EKO-OPTIMA 25/O WS1CK PM-A Bonnie	Bonnie pressure tank 10x35, 24 l resin,	\$996,00	\$1 044,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device in compact housing with volumetric controller Clack WS1CK			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA 25/O WS1CK PM-A	pressure tank 10x35, brine tank 70 l, 24 l resin,	\$891,00	\$955,00

EKO-OPTIMA 30/O WS1CK PM-A	pressure tank 10x44, brine tank 100 l, 30 l resin,	\$957,00	\$1 031,00
EKO-OPTIMA 35/O WS1CK PM-A	pressure tank 10x54, brine tank 100 l, 36 l resin,	\$1 007,00	\$1 095,00
EKO-OPTIMA 50/O WS1CK PM-A	pressure tank 13x44, brine tank 100 l, 50 l resin,	\$1 149,00	\$1 269,00
EKO-OPTIMA 60/O WS1CK PM-A	pressure tank 13x54, brine tank 145 l, 60 l resin,	\$1 275,00	\$1 411,00
EKO-OPTIMA 85/O WS1CK PM-A	pressure tank 14x65, brine tank 200 l, 84 l resin,	\$1 519,00	\$1 703,00
EKO-OPTIMA 125/O WS1CK PM-A	pressure tank 16x65, brine tank 350 l, 125 l resin,	\$1 983,00	\$2 261,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device TWIN for continuous alternating working with Clack WS1CI-TT valve			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA DUET 25 WS1CI-TT PM-A	pressure tanks 10x35, brine tank 70l, 2 x 24l resin,	\$1 530,00	\$1 652,00
EKO-OPTIMA DUET 30 WS1CI-TT PM-A	pressure tanks 10x44, brine tank 100l, 2 x 30l resin,	\$1 646,00	\$1 792,00
EKO-OPTIMA DUET 35 WS1CI-TT PM-A	pressure tanks 10x54, brine tank 100l, 2 x 36l resin,	\$1 748,00	\$1 918,00
EKO-OPTIMA DUET 50 WS1CI-TT PM-A	pressure tanks 13x44, brine tank 100l, 2 x 50l resin,	\$2 066,00	\$2 302,00
EKO-OPTIMA DUET 60 WS1CI-TT PM-A	pressure tanks 13x54, brine tank 145l, 2 x 60l resin,	\$2 280,00	\$2 548,00
EKO-OPTIMA DUET 85 WS1CI-TT PM-A	pressure tanks 14x65, brine tank 200l, 2 x 84l resin,	\$2 746,00	\$3 110,00
EKO-OPTIMA DUET 125 WS1CI-TT PM-A	pressure tanks 16x65, brine tank 350l, 2 x 125l resin,	\$3 578,00	\$4 126,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device TWIN for continuous alternating working with Clack WS1CK-TT controller			
Model:	Description:	Pure Mix	Eco Mix A
EKO-OPTIMA DUET 25 WS1CK-TT PM-A	pressure tanks 10x35, brine tank 70l, 2 x 24l resin,	\$1 576,00	\$1 698,00
EKO-OPTIMA DUET 30 WS1CK-TT PM-A	pressure tanks 10x44, brine tank 100l, 2 x 30l resin,	\$1 692,00	\$1 838,00
EKO-OPTIMA DUET 35 WS1CK-TT PM-A	pressure tanks 10x54, brine tank 100l, 2 x 36l resin,	\$1 794,00	\$1 964,00
EKO-OPTIMA DUET 50 WS1CK-TT PM-A	pressure tanks 13x44, brine tank 100l, 2 x 50l resin,	\$2 112,00	\$2 348,00
EKO-OPTIMA DUET 60 WS1CK-TT PM-A	pressure tanks 13x54, brine tank 145l, 2 x 60l resin,	\$2 326,00	\$2 594,00
EKO-OPTIMA DUET 85 WS1CK-TT PM-A	pressure tanks 14x65, brine tank 200l, 2 x 84l resin,	\$2 792,00	\$3 156,00
EKO-OPTIMA DUET 125 WS1CK-TT PM-A	pressure tanks 16x65, brine tank 350l, 2 x 125l resin,	\$3 624,00	\$4 172,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



**Station with multifunctional resin PURE MIX C
they remove: hardness, iron, manganese, ammonia, organic
compounds**

Original Product, powered by BWG Components
PURE MIX **ECOMIX**®

Device in compact housing with volumetric controller Clack WS1CI			
Model:	Description:	Pure Mix Plus	ECOMIX C
EKO-OPTIMA 25/O WS1CI PM-C CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin,	\$1 054,00	\$1 134,00
EKO-OPTIMA 25/O WS1CI PM-C OCEAN	Ocean lub Logix Maxi; pressure tank 10x35, 24 l resin,	\$1 070,00	\$1 150,00
EKO-OPTIMA 25/O WS1CI PM-C Bonnie	Bonnie pressure tank 10x35, 24 l resin,	\$960,00	\$1 038,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device in compact housing with volumetric controller Clack WS1CI			
Model:	Description:	Pure Mix	ECOMIX C
EKO-OPTIMA 25/O WS1CI PM-C	pressure tank 10x35, brine tank 70 l, 24 l resin,	\$856,00	\$940,00
EKO-OPTIMA 30/O WS1CI PM-C	pressure tank 10x44, brine tank 100 l, 30 l resin,	\$924,00	\$1 024,00
EKO-OPTIMA 35/O WS1CI PM-C	pressure tank 10x54, brine tank 100 l, 36 l resin,	\$978,00	\$1 094,00
EKO-OPTIMA 50/O WS1CI PM-C	pressure tank 13x44, brine tank 100 l, 50 l resin,	\$1 126,00	\$1 288,00
EKO-OPTIMA 60/O WS1CI PM-C	pressure tank 13x54, brine tank 145 l, 60 l resin,	\$1 256,00	\$1 442,00
EKO-OPTIMA 85/O WS1CI PM-C	pressure tank 14x65, brine tank 200 l, 84 l resin,	\$1 510,00	\$1 764,00
EKO-OPTIMA 125/O WS1CI PM-C	pressure tank 16x65, brine tank 350 l, 125 l resin,	\$1 992,00	\$2 374,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Device in compact housing with volumetric controller Clack WS1CK			
Model:	Description:	Pure Mix	ECOMIX C
EKO-OPTIMA 25/O WS1CK PM-C CRYSTAL	Crystal Maxi; pressure tank 10x35, 24 l resin,	\$1 100,00	\$1 180,00
EKO-OPTIMA 25/O WS1CK PM-C Bonnie	Bonnie pressure tank 10x35, 24 l resin,	\$1 006,00	\$1 084,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device in compact housing with volumetric controller Clack WS1CK			
Model:	Description:	Pure Mix	ECOMIX C
EKO-OPTIMA 25/O WS1CK PM-C	pressure tank 10x35, brine tank 70 l, 24 l resin,	\$901,00	\$985,00
EKO-OPTIMA 30/O WS1CK PM-C	pressure tank 10x44, brine tank 100 l, 30 l resin,	\$969,00	\$1 069,00
EKO-OPTIMA 35/O WS1CK PM-C	pressure tank 10x54, brine tank 100 l, 36 l resin,	\$1 023,00	\$1 139,00
EKO-OPTIMA 50/O WS1CK PM-C	pressure tank 13x44, brine tank 100 l, 50 l resin,	\$1 171,00	\$1 333,00
EKO-OPTIMA 60/O WS1CK PM-C	pressure tank 13x54, brine tank 145 l, 60 l resin,	\$1 301,00	\$1 487,00
EKO-OPTIMA 85/O WS1CK PM-C	pressure tank 14x65, brine tank 200 l, 84 l resin,	\$1 555,00	\$1 809,00
EKO-OPTIMA 125/O WS1CK PM-C	pressure tank 16x65, brine tank 350 l, 125 l resin,	\$2 037,00	\$2 419,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device TWIN for continuous alternating working with Clack WS1CI-TT controller			
Model:	Description:	Pure Mix	ECOMIX C
EKO-OPTIMA DUET 25 WS1CI-TT PM-C	pressure tanks 10x35, brine tank 70l, 2 x 24l resin,	\$1 550,00	\$1 712,00
EKO-OPTIMA DUET 30 WS1CI-TT PM-C	pressure tanks 10x44, brine tank 100l, 2 x 30l resin,	\$1 672,00	\$1 868,00
EKO-OPTIMA DUET 35 WS1CI-TT PM-C	pressure tanks 10x54, brine tank 100l, 2 x 36l resin,	\$1 778,00	\$2 008,00
EKO-OPTIMA DUET 50 WS1CI-TT PM-C	pressure tanks 13x44, brine tank 100l, 2 x 50l resin,	\$2 108,00	\$2 428,00
EKO-OPTIMA DUET 60 WS1CI-TT PM-C	pressure tanks 13x54, brine tank 145l, 2 x 60l resin,	\$2 332,00	\$2 700,00
EKO-OPTIMA DUET 85 WS1CI-TT PM-C	pressure tanks 14x65, brine tank 200l, 2 x 84l resin,	\$2 818,00	\$3 322,00
EKO-OPTIMA DUET 125 WS1CI-TT PM-C	pressure tanks 16x65, brine tank 350l, 2 x 125l resin,	\$3 684,00	\$4 442,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Two-elements device TWIN for continuous alternating working with Clack WS1CK-TT controller			
Model:	Description:	Pure Mix	ECOMIX C
EKO-OPTIMA DUET 25 WS1CK-TT PM-C	pressure tanks 10x35, brine tank 70l, 2 x 24l resin,	\$1 596,00	\$1 758,00
EKO-OPTIMA DUET 30 WS1CK-TT PM-C	pressure tanks 10x44, brine tank 100l, 2 x 30l resin,	\$1 718,00	\$1 914,00
EKO-OPTIMA DUET 35 WS1CK-TT PM-C	pressure tanks 10x54, brine tank 100l, 2 x 36l resin,	\$1 824,00	\$2 054,00
EKO-OPTIMA DUET 50 WS1CK-TT PM-C	pressure tanks 13x44, brine tank 100l, 2 x 50l resin,	\$2 154,00	\$2 474,00
EKO-OPTIMA DUET 60 WS1CK-TT PM-C	pressure tanks 13x54, brine tank 145l, 2 x 60l resin,	\$2 378,00	\$2 746,00

EKO-OPTIMA DUET 85 WS1CK-TT PM-C	pressure tanks 14x65, brine tank 200l, 2 x 84l resin,	\$2 864,00	\$3 368,00
EKO-OPTIMA DUET 125 WS1CK-TT PM-C	pressure tanks 16x65, brine tank 350l, 2 x 125l resin,	\$3 730,00	\$4 488,00

Device with brine valve and 1" male straight fittings
bypass - 41 USD



Station with multifunctional resin Crystal Right CR-100 they remove: hardness, iron, manganese, ammonia, organic compounds

Crystal-Right™



Device in compact housing with volumetric controller BNT 1650		
Model:	Description:	Price:
EKO-OPTIMA 30/O BNT1650 CR-100 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$812,00
EKO-OPTIMA 30/O BNT1650 CR-100 OCEAN	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$822,00

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller BNT1650		
Model::	Description:	Price:
EKO-OPTIMA 30/O BNT1650 CR-100	pressure tank 10x44, brine tank 100 l, 28,3 l resin	\$698,00
EKO-OPTIMA 40/O BNT1650 CR-100	pressure tank 10x54, brine tank 100 l, 42,5 l resin	\$892,00
EKO-OPTIMA 55/O BNT1650 CR-100	pressure tank 13x44, brine tank 100 l, 56,6 l resin	\$1 120,00
EKO-OPTIMA 70/O BNT1650 CR-100	pressure tank 13x54, brine tank 145 l, 70,7 l resin	\$1 352,00

Device with valve brine and bypass with brass connectors 1".



Station with multifunctional resin Crystal Right CR-200 they remove: hardness, iron, manganese, ammonia, organic compounds

Crystal-Right™



Device in compact housing with volumetric controller BNT1650		
Model::	Description:	Price:
EKO-OPTIMA 30/O BNT1650 CR-200 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$852,00
EKO-OPTIMA 30/O BNT1650 CR-200 OCEAN	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$862,00

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller BNT1650		
Model::	Description:	Price:
EKO-OPTIMA 30/O BNT1650 CR-200	pressure tank 10x44, brine tank 100 l, 28,3 l resin	\$738,00
EKO-OPTIMA 40/O BNT1650 CR-200	pressure tank 10x54, brine tank 100 l, 42,5 l resin	\$952,00
EKO-OPTIMA 55/O BNT1650 CR-200	pressure tank 13x44, brine tank 100 l, 56,6 l resin	\$1 200,00
EKO-OPTIMA 70/O BNT1650 CR-200	pressure tank 13x54, brine tank 145 l, 70,7 l resin	\$1 452,00

Device with valve brine and bypass with brass connectors 1".



Station with multifunctional resin Crystal Right CR-100 they remove: hardness, iron, manganese, ammonia, organic compounds

Crystal-Right™



Device in compact housing with volumetric controller RX63C-3+B		
Model:	Description:	Price:
EKO-OPTIMA 30/O RX63C-3+B CR-100 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$952,00
EKO-OPTIMA 30/O RX63C-3+B CR-100 OCEAN	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$968,00

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller RX63C-3+B		
Model::	Description:	Price:
EKO-OPTIMA 30/O RX63C-3+B CR-100	pressure tank 10x44, brine tank 100 l, 28,3 l resin	\$752,00
EKO-OPTIMA 40/O RX63C-3+B CR-100	pressure tank 10x54, brine tank 100 l, 42,5 l resin	\$944,00
EKO-OPTIMA 55/O RX63C-3+B CR-100	pressure tank 13x44, brine tank 100 l, 56,6 l resin	\$1 172,00
EKO-OPTIMA 70/O RX63C-3+B CR-100	pressure tank 13x54, brine tank 145 l, 70,7 l resin	\$1 406,00

Device with valve brine and bypass with brass connectors 1".



Station with multifunctional resin Crystal Right CR-200 they remove: hardness, iron, manganese, ammonia, organic compounds

Crystal-Right™



Device in compact housing with volumetric controller RX63C-3+B		
Model::	Description:	Price:
EKO-OPTIMA 30/O RX63C-3+B CR-200 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$992,00
EKO-OPTIMA 30/O RX63C-3+B CR-200 OCEAN	Crystal Maxi; pressure tank 10x35, 28,3 l resin	\$1 008,00

Device with valve brine and bypass with brass connectors 1".

Two-element device with volumetric controller RX63C-3+B		
Model::	Description:	Price:
EKO-OPTIMA 30/O RX63C-3+B CR-200	pressure tank 10x44, brine tank 100 l, 28,3 l resin	\$792,00
EKO-OPTIMA 40/O RX63C-3+B CR-200	pressure tank 10x54, brine tank 100 l, 42,5 l resin	\$1 004,00
EKO-OPTIMA 55/O RX63C-3+B CR-200	pressure tank 13x44, brine tank 100 l, 56,6 l resin	\$1 254,00
EKO-OPTIMA 70/O RX63C-3+B CR-200	pressure tank 13x54, brine tank 145 l, 70,7 l resin	\$1 508,00

Device with valve brine and bypass with brass connectors 1".



Station with multifunctional resin Crystal Right CR-100 they remove: hardness, iron, manganese, ammonia and increase the pH.

Crystal-Right™



Station with multifunctional resin Crystal Right CR-100

Crystal-Right™



Cabinet softener with time controller Logix Easy-iQ TC		
Model:	Description:	Price:
EKO-OPTIMA 30/C EIQ TC CR-100 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	948,00 €
EKO-OPTIMA 30/C EIQ TC CR-100 Easy	Easy Maxi; pressure tank 10x35, 28,3 l resin,	1 020,00 €
Cabinet softener with volume controller Easy IQ V		
EKO-OPTIMA 30/O EIQ VCR-100 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	1 016,00 €
EKO-OPTIMA 30/O EIQ VCR-100 Easy	Easy Maxi; pressure tank 10x35, 28,3 l resin,	1 090,00 €

Device with brine filter and Noryl 1" male fittings

Brain valve - 6 EUR

Bypass with brass fittings: 47 EUR



Two-elements device with time controller Easy IQ TC		
Model:	Description:	Price:
EKO-OPTIMA 30/C EIQ-TC CR-100	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	784,00 €
EKO-OPTIMA 40/C EIQ-TC CR-100	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	944,00 €
EKO-OPTIMA 55/C EIQ-TC CR-100	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	1 136,00 €
EKO-OPTIMA 70/C EIQ-TC CR-100	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	1 332,00 €

Device with Noryl 1" male fittings

Bypass with brass fittings: 47 EUR



Two-elements device with volume controller Easy IQ V		
Model:	Description:	Price:
EKO-OPTIMA 30/O Easy IQ V CR-100	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	854,00 €
EKO-OPTIMA 40/O Easy IQ V CR-100	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	1 014,00 €
EKO-OPTIMA 55/O Easy IQ V CR-100	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	1 208,00 €
EKO-OPTIMA 70/O Easy IQ V CR-100	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	1 404,00 €

Device with Noryl 1" male fittings

Bypass with brass fittings: 47 EUR



Two-elements device with time controller Logix 278 Easy-iQ TC		
Model:	Description:	Price:
EKO-OPTIMA 105/C 742 CR-100	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	1 850,00 €

EKO-OPTIMA 125/C 742 CR-100	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	2 324,00 €
EKO-OPTIMA 175/C 742 CR-100	pressure tank 18x65, brine tank 350 l, 169,8 l resin,	2 876,00 €
Two-elements device with volume controller Logix 278 Easy-iQ V		
EKO-OPTIMA 105/O 762 CR-100	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	2 006,00 €
EKO-OPTIMA 125/O 762 CR-100	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	2 482,00 €
EKO-OPTIMA 175/O 762 CR-100	pressure tank 18x65, brine tank 350 l, 169,8 l resin,	3 032,00 €

Device with Noryl 1" male fittings
Bypass 68,1 EUR

Station with multifunctional resin Crystal Right CR-200 they remove: hardness, iron, manganese.

Crystal-Right™



Station with multifunctional resin Crystal Right CR-200

Crystal-Right™



Cabinet softener with time controller Logix Easy-iQ TC		
Model:	Description:	Price:
EKO-OPTIMA 30/C EIQ TC CR-200 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	982,00 €
EKO-OPTIMA 30/C EIQ TC CR-200 Easy	Easy Maxi; pressure tank 10x35, 28,3 l resin,	1 056,00 €
Cabinet softener with volume controller Easy IQ V		
EKO-OPTIMA 30/O EIQ VCR-200 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	1 052,00 €
EKO-OPTIMA 30/O EIQ VCR-200 Easy	Easy Maxi; pressure tank 10x35, 28,3 l resin,	1 126,00 €

Device with brine filter and Noryl 1" male fittings
Brain valve - 9 EUR
Bypass with brass fittings: 47 EUR



Two-elements device with time controller Easy IQ TC

Model:	Description:	Price:
EKO-OPTIMA 30/C EIQ-TC CR-200	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	818,00 €
EKO-OPTIMA 40/C EIQ-TC CR-200	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	994,00 €
EKO-OPTIMA 55/C EIQ-TC CR-200	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	1 204,00 €
EKO-OPTIMA 70/C EIQ-TC CR-200	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	1 418,00 €

Device with Noryl 1" male fittings
Bypass with brass fittings: 47 EUR



Two-elements device with volume controller Easy IQ V		
Model:	Description:	Price:
EKO-OPTIMA 30/O Easy IQ V CR-200	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	888,00 €
EKO-OPTIMA 40/O Easy IQ V CR-200	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	1 066,00 €
EKO-OPTIMA 55/O Easy IQ V CR-200	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	1 276,00 €
EKO-OPTIMA 70/O Easy IQ V CR-200	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	1 490,00 €

Device with Noryl 1" male fittings
Bypass with brass fittings: 47 EUR



Two-elements device with time controller Logix 278 Easy-iQ TC		
Model:	Description:	Price:
EKO-OPTIMA 105/C 742 CR-200	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	1 968,00 €
EKO-OPTIMA 125/C 742 CR-200	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	2 458,00 €
EKO-OPTIMA 175/C 742 CR-200	pressure tank 18x65, brine tank 350 l, 169,8 l resin,	3 080,00 €
Two-elements device with volume controller Logix 278 Easy-iQ V		
EKO-OPTIMA 105/O 762 CR-200	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	2 126,00 €
EKO-OPTIMA 125/O 762 CR-200	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	2 616,00 €
EKO-OPTIMA 175/O 762 CR-200	pressure tank 18x65, brine tank 350 l, 169,8 l resin,	3 236,00 €

Device with Noryl 1" male fittings
Bypass 68,1 EUR

Station with multifunctional resin Crystal Right CR-100 they remove: hardness, iron, manganese, ammonia and increase the pH.

Crystal-Right™



Cabinet softener with volume controller Clack WS1CI		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CI CR100 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	\$1 260,00
EKO-OPTIMA 30/O WS1CI CR100 OCEAN	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	\$1 276,00
EKO-OPTIMA 30/O WS1CI CR100 BONNIE	Bonnie pressure tank 10x35, 28,3 l resin,	\$1 162,00

Device with straight 1" male fittings

Bypass - 41 USD



Two-elements device with volume controller Clack WS1CI		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CI CR100	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	\$1 076,00
EKO-OPTIMA 40/O WS1CI CR100	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	\$1 268,00
EKO-OPTIMA 55/O WS1CI CR100	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	\$1 498,00
EKO-OPTIMA 70/O WS1CI CR100	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	\$1 730,00
EKO-OPTIMA 100/O WS1CI CR100	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	\$2 168,00
EKO-OPTIMA 125/O WS1CI CR100	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	\$2 736,00

Device with straight 1" male fittings

Bypass - 41 USD



Cabinet softener with volume controller Clack WS1CK		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CK CR100 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	\$1 306,00
EKO-OPTIMA 30/O WS1CK CR100 BONNIE	Bonnie pressure tank 10x35, 28,3 l resin,	\$1 208,00

Device with straight 1" male fittings and float valve

Bypass - 41 USD



Two-elements device with volume controller Clack WS1CK		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CK CR100	pressure tank 10x44, brine tank 100 l, 28,3 l resin	\$1 121,00
EKO-OPTIMA 40/O WS1CK CR100	pressure tank 10x54, brine tank 100 l, 42,5 l resin	\$1 313,00
EKO-OPTIMA 55/O WS1CK CR100	pressure tank 13x44, brine tank 100 l, 56,6 l resin	\$1 543,00
EKO-OPTIMA 70/O WS1CK CR100	pressure tank 13x54, brine tank 145 l, 70,7 l resin	\$1 775,00
EKO-OPTIMA 100/O WS1CK CR100	pressure tank 14x65, brine tank 200 l, 99,0 l resin	\$2 213,00
EKO-OPTIMA 125/O WS1CK CR100	pressure tank 16x65, brine tank 350 l, 127,3 l resin	\$2 781,00

Device with straight 1" male fittings and float valve

Bypass - 41 USD



Station with multifunctional resin Crystal Right CR-200 they remove: hardness, iron, manganese.

Crystal-Right™



Cabinet softener with volume controller Clack WS1CI		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CI CR200 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	\$1 300,00
EKO-OPTIMA 30/O WS1CI CR200 OCEAN	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	\$1 316,00
EKO-OPTIMA 30/O WS1CI CR100 BONNIE	Bonnie pressure tank 10x35, 28,3 l resin,	\$1 204,00

Device with straight 1" male fittings and float valve
Bypass - 41 USD



Two-elements device with volume controller Clack WS1CI		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CI CR200	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	\$1 116,00
EKO-OPTIMA 40/O WS1CI CR200	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	\$1 330,00
EKO-OPTIMA 55/O WS1CI CR200	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	\$1 580,00
EKO-OPTIMA 70/O WS1CI CR200	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	\$1 834,00
EKO-OPTIMA 100/O WS1CI CR200	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	\$2 314,00
EKO-OPTIMA 125/O WS1CI CR200	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	\$2 896,00

Device with straight 1" male fittings and float valve
Bypass - 41 USD



Cabinet softener with volume controller Clack WS1CK		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CK CR200 CRYSTAL	Crystal Maxi; pressure tank 10x35, 28,3 l resin,	\$1 346,00
EKO-OPTIMA 30/O WS1CK CR200 BONNIE	Bonnie pressure tank 10x35, 28,3 l resin,	\$1 250,00

Device with straight 1" male fittings and float valve
Bypass - 41 USD



Two-elements device with volume controller Clack WS1CK		
Model:	Description:	Price:
EKO-OPTIMA 30/O WS1CK CR200	pressure tank 10x44, brine tank 100 l, 28,3 l resin,	\$1 161,00
EKO-OPTIMA 40/O WS1CK CR200	pressure tank 10x54, brine tank 100 l, 42,5 l resin,	\$1 375,00
EKO-OPTIMA 55/O WS1CK CR200	pressure tank 13x44, brine tank 100 l, 56,6 l resin,	\$1 625,00
EKO-OPTIMA 70/O WS1CK CR200	pressure tank 13x54, brine tank 145 l, 70,7 l resin,	\$1 879,00
EKO-OPTIMA 100/O WS1CK CR200	pressure tank 14x65, brine tank 200 l, 99,0 l resin,	\$2 359,00
EKO-OPTIMA 125/O WS1CK CR200	pressure tank 16x65, brine tank 350 l, 127,3 l resin,	\$2 941,00

Device with straight 1" male fittings and float valve
Bypass - 41 USD



IRON REMOVERS AND FILTERS

Filters, Iron removers, manganese removers with Easy-iQ 263T

Model:	Description:	Articel item:	Price:
EKO-OPTIMO 100	28l of media; pressure vessel 10x54	FILEKO100	518 EUR
EKO-OPTIMO 120	44l of media; pressure vessel 13x44	FILEKO120-1344	554 EUR
EKO-OPTIMO 130	56l of media; pressure vessel 13x54	FILEKO130	562 EUR
EKO-OPTIMO 140	84l of media; pressure vessel 14x65	FILEKO140	
EKO-OPTIMO 155	112l of media; pressure vessel 16x65	FILEKO155	648 EUR

NOTICE!

For the cost of the equipment there must be added the price corresponding media in the amount shown in the table.
The price of the media should be adjusted for the granted discount

Surcharge for bypass: 73,14 EUR

Filters, Iron removers, manganese removers with Magnum head 293/742

Model:	Description:	Articel item:	Price:
EKO-OPTIMO 160	112l of media; pressure vessel 16x65; Magnum head 1 1/2" UWB	FILEKO160-MGCV-UWB	1 656 EUR
EKO-OPTIMO 180	168l of media; pressure vessel 18x65; Magnum head 1 1/2" UWB	FILEKO180-MGCV-UWB	1 724 EUR
EKO-OPTIMO 210	196l of media; pressure vessel 21x62; Magnum head 1 1/2" UWB	FILEKO210-MGCV-UWB	1 826 EUR
EKO-OPTIMO 240	308l of media; pressure vessel 24x72; Magnum head 1 1/2" UWB	FILEKO240-MGCV-UWB	1 984 EUR
EKO-OPTIMO 300	420l of media; pressure vessel 30x72; Magnum head 2" UWB	FILEKO300-MGIT-UWB	2 610 EUR
EKO-OPTIMO 360	588l of media; pressure vessel 36x72; Magnum head 2" UWB	FILEKO360-MGIT-UWB	2 810 EUR

NOTICE!

For the cost of the equipment there must be added the price corresponding deposit in the amount shown in the table.
The price of the media should be adjusted for the granted discount

Surcharge for version NUB: 38,00 EUR (for heads 1 1/2 ") or 64,00 EUR (for heads 2")

Iron removers on "Greensand Plus" media with Logix controller 268/742FA

Model:	Description:	Articel item:	Price:
EKO-OPTIMO 100/FA	Greensand Plus media regenerated KMnO4 - 28l; pressure vessel 10x54	ODZEKO100/FA	request
EKO-OPTIMO 120/FA	Greensand Plus media regenerated KMnO4 - 44l; pressure vessel 13x44	ODZEKO120/FA	request
EKO-OPTIMO 130/FA	Greensand Plus media regenerated KMnO4 - 56l; pressure vessel 13x54	ODZEKO130/FA	request
EKO-OPTIMO 140/FA	Greensand Plus media regenerated KMnO4 - 84l; pressure vessel 14x65	ODZEKO140/FA	request
EKO-OPTIMO 155/FA	Greensand Plus media regenerated KMnO4 - 112l; pressure vessel 16x65	ODZEKO155/FA	request

Surcharge for bypass: 73,14 EUR

Iron removers on "Greensand Plus" media with Magnum head 298/742			
Model:	Description:	Articel item:	Price:
EKO-OPTIMO 160/FA	Greensand Plus media regenerated KMnO ₄ - 112l; pressure vessel 16x65	ODZEKO160/FA-MGCV	1 920 EUR
EKO-OPTIMO 180/FA	Greensand Plus media regenerated KMnO ₄ - 168l; pressure vessel 18x65	ODZEKO180/FA-MGCV	2 050 EUR
EKO-OPTIMO 210/FA	Greensand Plus media regenerated KMnO ₄ - 196l; pressure vessel 21x62	ODZEKO210/FA-MGCV	2 260 EUR
EKO-OPTIMO 240/FA	Greensand Plus media regenerated KMnO ₄ - 308l; pressure vessel 24x72	ODZEKO240/FA MGIT	2 768 EUR

Surcharge for version NHB: 74,00 EUR (for heads 1 1/2 ") or 70,00 EUR (for heads 2")

STERILIGHT AND UV MAX SYSTEMS



Model:	Description:	Article item:	Price:
VT1/2 Sterilight replacement: SC1/2	 Flow rate 0,25 m³/h for 30 mJ/cm² Connection size 3/8" FNPT / 1/2" MNPT combo Power consumption: 13 W Lamp power: 9 W Max preassure: 8,62 bar Weight: 1,8 kg. 304 SS Dimensins: 31,8 x 6,5 cm 200-250V/50-60Hz. Temperature 2-40°C Parts: Lamp: S212RL , sleeve: QS-212 , Ballast: BA-VT/2	U210VT1/2	\$414,00
VT4/2 Sterilight replacement: SC2,5/2 oraz SC4/2	 Flow rate 0,8 m³/h for 30 mJ/cm² Connection size: 1/2" MNPT Power consumption: 20 W Lamp power: 15 W Max preassure: 8,62 bar Weight: 2,9 kg. 304 SS Dimension: 43,6 x 6,5 cm 200-250V/50-60Hz. Temperature: 2-40°C Parts: Lamp: S330RL , sleeve: QS-330 , Ballast: BA-VT/2	U210VT4/2	\$458,00
S2Q-PA/2 Sterilight	 Flow rate: 0,7 m³/h for 30 mJ/cm² Connection size: 1/2" MNPT Power consumption: 22 W Lamp power: 17 W Max preassure: 8,62 bar Weigt: 3,2 kg. 304 SS Dimension: 43,6 x 6,5 cm Ballast dimension: 18,6 x 8,1 x 6,4 cm 220V/50-60Hz. Temperature 2-40°C Parts: Lamp: S330RL , sleeve: QS-330 , Ballast: BA-ICE-S	U21002	\$606,00

Model:	Description:	Article item:	Price:
VH150/2	 Flow rate1,1 m³/h for 30 mJ/cm² Connection size 3/4" FNPT / 1" MNPT combo Power consumption:: 32 W Lamp power:22 W Max preassure: 8,62 bar 304 SS Parts: Lamp: S150RL-HO, sleeve: QSO-150, Ballast: BA-ICE-CL	U210VH150	610 USD
VH200/2	 Flow rate:2,m³/h for 30 mJ/cm² Connection size: 3/4" FNPT / 1" MNPT combo Power consumption: 60 W Lamp power: 46 W Max preassure: 8,62 bar 304 SS Parts: Lamp: S200RL-HO, quartz sleeve: QSO-001, Ballast: BA-ICE-CL	U210VH200	828 USD
VH410/2 replacement: S12Q-PA/2	 Flow rate:4,2 m³/h for 30 mJ/cm² Connection size: 3/4" FNPT / 1" MNPT combo Power consumption: 60 W Lamp power: 46 W Max preassure: 8,62 bar Weight: 7,7 kg. Materiał komory: 304 SS Dimension: 59,6 x 8,9 cm Ballast dimension: 17,2 x 8,1 x 6,4 cm 220V/50-60Hz. Temperature 2-40°C Parts: Lamp: S410RL-HO, sleeve: QSO-410, Ballast: BA-ICE-CL	U210VH410/2	1 156 USD

Model:	Description:	Article item:	Price:
VP600/2 replacement: SC600/2	 Flow rate: 6,7 m³/h for 30 mJ/cm² Connection size: 1" MNPT Power consumption: 78 W Lamp power: 58 W Max preassure: 8,62 bar Weight: 8,6 kg. Materiał komory: 304 SS Dimension: 78,0 x 8,9 cm Ballast dimension: 22,3 x 8,1 x 6,4 cm 240V/50-60Hz. Temperature 2-40°C Parts: Lamp: S600RL-HO, Osł. kwarc.: QSO-600, Ballast: BA-ICE-C	U210VP600	1 586,00 USD
VP950/2 replacement: SC740/2	 Flow rate: 10,5 m³/h for 30 mJ/cm² Connection size: 1,5" MNPT Power consumption: 110 W Lamp power: 90 W Max preassure: 8,62 bar Weight: 13,1 kg. Materiał komory: 304 SS Dimension: 114,0 x 8,9 cm Ballast dimension: 22,3 x 8,1 x 6,4 cm 240V/50-60Hz. Temperature 2-40°C Parts: Lamp: S950RL-HO, Osł. kwarc.: QSO-950, Ballast: BA-ICE-C	U210VP950	1 994,00 USD
K (660004-R)*  replacement: S80	 Flow rate: 18,0 m³/h for 30 mJ/cm² Connection size: 2" MNPT Power consumption: 230 W Lamp power: 200 W Max preassure: 8,62 bar Weight: 14,0 kg. Materiał komory: 316L SST Dimension: 103,0 x 10,0 cm Ballast dimension: 16,5 x 33,0 x 11,5 cm 220V/50-60Hz. Temperature: 2-40°C Parts: Lamp: 602856, sleeve.: 602976, Ballast: 660018-R	U210S80	on request
*on special order			

System parts



Model:	Description:	Article item:	Price:
Lamps			
	S212RL - Lamp for systems VT1/2 oraz SC1/2	C210S212RL	\$94,10
	S287RL - Lamp for systems S1Q-PA/2 oraz SC2,5/2	C210S287RL	\$108,90
	S330RL - Lamp for systems S2Q-PA/2; VT4/2; SC4/2	C210S330RL	\$110,00
	S463RL - Lamp for systemsy S5Q-PA/2	C210S463RL	\$110,30
	S810RL - Lamp for systemsy S8Q-PA/2	C210S810RL	\$147,00
	S36RL - Lamp for systemsy S12Q-PA/2	C210S36RL	\$155,00
	S150RL-HO Lamp for system VH150	C210S150RL-HO	\$123,60
	S200RL-HO Lamp for system VH200	C210S200RL-HO	\$152,00
	S410RL-HO - Lamp for systemsy VH410/2	C210S410RL-HO	\$178,00
	S600RL-HO - Lamp for systems VP600/2; SC600/2; SCM600/2	C210S600RL-HO	\$190,00
	S740RL-HO - Lamp for systems SC740/2; SCM740/2	C210S740RL-HO	\$209,00
	S950RL-HO - Lamp for systems VP950/2	C210S950RL-HO	\$218,00
Sleeves			
	QS-212 - quartz sleeve for systemsy VT1/2	C210QS-212	\$58,90
	QS-212D - quartz sleeve for systemsy SC1/2	QS210QS-212D	\$77,00
	QS-287D - quartz sleeve for systemsy SC2,5/2	C210QS-287D	\$86,00
	QS-330D - quartz sleeve for systemsy SC4/2	C210QS-330D	\$86,00
	QS-001 - quartz sleeve for systemsy S1Q-PA/2	C210QS-001	\$65,60
	QS-330 - quartz sleeve for systems S2Q-PA/2 and VT4/2	C210QS-330	\$75,80
	QS-463 - quartz sleeve for systemsy S5Q-PA/2	C210QS-463	\$78,00
	QS-810 - quartz sleeve for systemsy S8Q-PA/2	C210QS-810	\$81,40
	QS-012 - quartz sleeve for systemsy S12Q-PA/2	C210QS-012	\$129,00
	QSO-150 - quartz sleeve for systems VH150	C210QSO-150	\$62,20
	QSO-410 - quartz sleeve for systemsy VH410/2	C210QSO-410	\$113,10
	QSO-600 - quartz sleeve for systemsy VP600/2	C210QSO-600	\$115,40
	QSO-950 - quartz sleeve for systemsy VP950/2	C210QSO-950	\$172,00
	QS-600 - quartz sleeve for systems SC600/2; SCM600/2	C210QS-600	\$120,00
	QS-740 - quartz sleeve for systems SC740/2; SCM740/2	C210QS-740	\$146,00

Ballast (controllers)			
	BA-VT/2 - ballast for systems: VT1/2 oraz VT4/2; SC1/2; SC2,5/2; SC4/2	C210BA-VT/2	\$276,00
	BA-ICE-S - ballast for systems: S1Q-PA/2; S2Q-PA/2; S5Q-PA/2; S8Q-PA/2; S12Q-PA/2	C210BA-ICE-S	\$372,00
	BA-ICE-CL - ballast for systemsy VH410/2	C210BA-ICE-CL	\$446,00
	BA-ICE-C - ballast for systems VP600/2; VP950/2 and serie`s SC200-740	C210BA-ICE-C	\$654,00

Other systems for request.

CINTROPUR UV SYSTEMS

Model:	Description:	Price:
UV Sterylizers		
2100	for pipe ¾" + 1"	561 EUR
4100	for pipe ¾" + 1"	608 EUR
DUO-UV (25W)	for pipe ¾" + 1"	666 EUR
TRIO-UV 25W	for pipe ¾" + 1"	773 EUR
TRIO-UV 40W	for pipe ¾" + 1"	816 EUR
TRIO-UV 6100	for pipe 1"	3 574 EUR
UV 6100	for pipe 1"	2 827 EUR
UV 10100	for pipe 2"	3 837 EUR
TRIO-UV 10100	for pipe 2"	4 916 EUR
Lamps for UV Sterylizers		
FWUVLAMP2100	lamp for UV 2100	125 EUR
FWUVLAMP4100	lamp for UV 4100 and TRIO-UV 40W	147 EUR
FWUVLAMP25	lamp for UV 2000 and TIO-UV	61 EUR
Other lamps, quartz sleeves and spare parts for UV systems are available upon request		



TMA UV SYSTEMS



	UV system serie D - replace serie V	
	Model:	Price:
	D2 - flow: 0,75 m³/h for dose 40 mJ/cm² SS304L	247,00 €
	D4 - flow: 1,3 m³/h for dose 40 mJ/cm² SS304L	307,00 €
	D8 - flow: 2,1 m³/h for dose 40 mJ/cm² SS304L	344,00 €
	D8-S - flow: 2,1 m³/h for dose 40 mJ/cm² SS304L	494,00 €
	D6 - flow: 2,3 m³/h for dose 40 mJ/cm² SS304L	449,00 €
	D6 - flow: 2,3 m³/h for dose 40 mJ/cm² SS316L	516,00 €
	D6-S - flow: 2,3 m³/h for dose 40 mJ/cm² SS304L	591,00 €
	D6-S - flow: 2,3 m³/h for dose 40 mJ/cm² SS316L	658,00 €
	D10 - flow: 3,9 m³/h for dose 40 mJ/cm² SS304L	524,00 €
	D10 - flow: 3,9 m³/h for dose 40 mJ/cm² SS316L	613,00 €
	D12 - flow: 3,9 m³/h for dose 40 mJ/cm² SS304L	688,00 €
	D12 - flow: 3,9 m³/h for dose 40 mJ/cm² SS316L	755,00 €
	D14 - flow: 7,2 m³/h for dose 40 mJ/cm² SS304L	882,00 €
	D14 - flow: 7,2 m³/h for dose 40 mJ/cm² SS316L	964,00 €
	D16 - flow: 12 m³/h for dose 40 mJ/cm² SS304L	1 480,00 €
	D16 - flow: 12 m³/h for dose 40 mJ/cm² SS316L	1 577,00 €
	Sensor UVC-02	970,00 €
	UV system serie TM - replace serie AM	
	Model:	Price:
	TM0 - flow: 16,60 m³/h for dose 40 mJ/cm² SS316	on request
	TM1 - flow: 24,40 m³/h for dose 40 mJ/cm² SS316	on request
	TM2 - flow: 46,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM3 - flow: 85,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM4 - flow: 138,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM5 - flow: 183,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM6 - flow: 227,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM8 - flow: 300,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM10 - flow: 457,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM12 - flow: 558,00 m³/h for dose 40 mJ/cm² SS316	on request
	TM14 - flow: 646,00 m³/h for dose 40 mJ/cm² SS316	on request
	Sensor UVC-02	on request
	UV system serie AMX	
	AMX 0 - flow: 28,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 1 - flow: 40,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 2 - flow: 73,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 3 - flow: 131,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 4 - flow: 211,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 5 - flow: 277,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 6 - flow: 380,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 8 - flow: 585,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 10 - flow: 767,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 12 - flow: 930,0 m³/h for dose 40 mJ/cm² SS316L	on request
	AMX 16 - flow: 1400,0 m³/h for dose 40 mJ/cm² SS316L	on request
	Sensor UVC-02/digital/analog version	on request

SPARE PARTS

	Lamps for UV system	
	Model:	Price:
	V9	38,00 €
	V12, V20, V20LA	43,90 €
	V25, V25LA, V35, V40	54,30 €
	V80	65,70 €
	V120	204,50 €
	D2	56,10 €
	D4, D6, D6-S	65,60 €
	D8, D8-S, D10, D12	78,90 €
	D14	120,70 €
	D16	241,40 €
	TM	300,00 €
	AM1-AM15	204,00 €
	Quartz sleeve	
	V9	66,50 €
	V12, V20, V20LA	57,00 €
	V25, V25LA, V35, V40, V80	79,80 €
	V120	210,00 €
	D2	66,50 €
	D4, D6, D6-S	57,00 €
	D8, D8-S, D10, D12, D14	79,80 €
	D16	210,00 €
	TM	254,00 €
	AM1-AM45	210,00 €
	O-rings	
	seria V	5,30 €
	seria D	5,30 €
	seria TM	5,30 €
	seria AM	5,30 €

Others models and spare parts on request.

BWG Membrane housings



Model	Description	Index	Price
	Stainless steel AISI 304 housings*		
	Seamless RO 2521 AISI housing	C3BN1-2521	\$68,00
	Seamless RO 2540 AISI housing	C3BN1-2540	\$100,00
	Seamless RO 4021 AISI housing	C3BN1-4021	\$106,00
	Seamless RO 4040 AISI housing	C3BN1-4040	\$130,00
	*Each housing is fitted with saddle bases and clamps		

	4" First Line membrane housings - 300 psi End Port, permeate 1/2" IT BSP connection*		
	RO First Line 4" membrane housing 1 el. 300psi end port	C3F40-300E-1W	\$140,00
	RO First Line 4" membrane housing 2 el. 300psi end port	C3F40-300E-2W	\$210,00
	RO First Line 4" membrane housing 3 el. 300psi end port	C3F40-300E-3W	\$288,00
	RO First Line 4" membrane housing 4 el. 300psi end port	C3F40-300E-4W	\$420,00
	8" First Line membrane housing - 300 psi Side Port		
	RO First Line 8" membrane housing 1 el. 300psi side port	C3F80-300S-1W	\$750,00
	RO First Line 8" membrane housing 2 el. 300psi side port	C3F80-300S-2W	\$860,00
	RO First Line 8" membrane housing 3 el. 300psi side port	C3F80-300S-3W	\$970,00
	*Each housing is fitted with saddle bases and clamps		

	Victualic connections for 8" membrane housings		
	Victualic AISI 316 1½" (48.3 mm) welding connector nipple	C3NYPZL316	\$26,80
	Victualic AISI 304 1½" (48.3 mm) coupling	C3ZLVICT304	\$38,90

Pumps / Motors for RO systems

NU.E.R.T.

rotary vane pumps
Volumetric rotary vane pumps production

Model	Description	Index	Price
	Brass pumps with bypass		
	PR 3 AS RO 300 pump, in/out 3/8"	C1PR3AS	96,00 €
	PR 4 AS RO 400 pump, in/out 3/8"	C1PR4AS	96,00 €
	PRG 6 AS RO 600 pump, in/out 1/2"	C1PR6AS	170,00 €
	PRG 10 AS RO 1080 pump, in/out 1/2"	C1PR10AS	170,00 €
	Stainless steel pumps with bypass		
	PR 3 ASX RO 300 AISI pump, in/out 3/8"	C1PR3ASX	142,00 €
	PR 4 ASX RO 400 AISI pump, in/out 3/8"	C1PR4ASX	142,00 €
	PRG 6 ASX RO 600 AISI pump, in/out 1/2"	C1PR6ASX	238,00 €
	PRG 10 ASX RO 1080 AISI pump, in/out 1/2"	C1PR10ASX	238,00 €
	Motors		
	0,37 kW motor, for adapter/coupling M71, single-phase	C1M123710	227,00 €
	0,55 kW motor, for adapter/coupling M80, single-phase	C1M9C080060PE	260,00 €
	0,75 kW motor, for adapter/coupling M80, single-phase	C19C80080PE	284,00 €
	Pump accessories		
	M71 adapter for the RO 300 pump	C1PR2196	12,70 €
	M80 adapter for RO 400, 600, 900 and 1080 pumps	C1PR2197	14,40 €
	M71 coupling for the RO 300 pump	C1PR2194	14,20 €
	M80 coupling for RO 400, 600, 900 and 1080 pumps	C1PR2195	28,40 €

Kontrolery i mierniki do odwróconej osmozy

Model	Description	Index	Price
	RO Controllers		
	RO PLUS LC – RO controller with conductivity meter (probes not included – sold separately); 2 conductivity measurement ranges: for feed water 0–9.99 mS/cm; for permeate 0–99.9 µS/cm; alarms: high conductivity, low pressure, high pressure, pump overheating, LCD display; 230V-50Hz power supply; dimensions: width 213mm, height 230mm, depth 106mm	C3DG101	748,00 €
	Probe for RO PLUS LC K=1 feed water 3/4" stainless steel	C3DG121	120,50 €
	Probe for RO PLUS LC K=0.1 permeate 3/4" stainless steel	C3DG122	120,50 €
	ROC-2315 - RO controller LED display, measurement range 0–20 µS/cm, 0–200 µS/cm, 0–2000 µS/cm (range adjusts automatically); power supply 230 V 50/60 Hz 3 W; 1/2" measuring probe, cable length 5 m; relay outputs 3 A/250 V; dimensions (W x H x D): 69 x 96 x 130 mm; cut-out dimensions (W x H): 91 x 91 mm; alarms: conductivity level exceeded, low supply pressure, low pump pressure, high pump pressure; autoflushing function.	ROC-2315	\$208,00
	Conductivity meters		
	CCT-3320V - conductivity meter LED display, measurement range 0–20 µS/cm, 0–200 µS/cm, 0–2000 µS/cm (range adjusts automatically); power supply 230 V 50/60 Hz 2.5 W; 1/2" measuring probe, cable length 5 m; dimensions (W x H x D): 96 x 48 x 80 mm; cut-out dimensions (W x H): 44 x 92 mm	CCT-3320V	\$70,00
	CCT-3320 - conductivity meter LED display, measurement range 0–20 µS/cm, 0–200 µS/cm, 0–2000 µS/cm (range adjusts automatically); power supply 230 V 50/60 Hz 2.5 W; 1/2" measuring probe, cable length 5 m; 4–20 mA analogue output; NO/NC relay output; dimensions (W x H x D): 96 x 48 x 80 mm; cut-out dimensions (W x H): 44 x 92 mm.	CCT-3320	\$160,00

Other RO components

Model	Description	Index	Price
	In-line Rotameters		
	0,25GPM - range: 6-60LPH, 1/2" IT connection	ROT660LPH	\$24,00
	1GPM - range: 0,1-1GPM; 0,5-4,0LPM, 1/2" IT connection	ROT01-1I	\$24,00
	2 GPM - range: 0,2-2GPM; 1-7,5LPM, 1/2" IT connection	ROT02-2I	\$24,00
	5 GPM - range: 0,5-5GPM; 1,8-18LPM, 1/2" IT connection	ROT05-5I	\$24,00
	10 GPM - range: 1-10GPM; 4-36LPM, 1" IT connection	ROT1-10I	\$30,00
	20 GPM - range: 2-20GPM; 10-75LPM, 1" IT connection	ROT2-20I	\$30,00
	40 GPM - range: 5-40GPM; 20-150LPM, 1" IT connection	ROT5-40I	\$30,00
	60 GPM - range: 20-60GPM; 80-220LPM, 1" IT connection	ROT20-60I	\$30,00
	60 GPM - range: 6-60GPM; 20-240LPM, 1,5" IT connection	ROT6-60I1,5	\$140,00
	80 GPM - range: 20-80GPM; 80-300LPM, 2" IT connection	ROT20-80I	\$160,00
	80 GPM - range: 8-80GPM; 50-300LPM, 1,5" IT connection	ROT8-80I1,5	\$140,00
	100 GPM - range: 20-100GPM; 80-380LPM, 2" IT connection	ROT20-100L2	\$160,00
	In-line rotameters - two alarms		
	2 GPM - range: 0,2-2GPM; 1-7,5LPM, 1/2" IT connection	ROT02-2I-2A	\$146,00
	5 GPM - range: 0,5-5GPM; 2-18LPM, 1/2" IT connection	ROT05-5I-2A	\$146,00
	Panel-mounted rotameters		
	1 GPM - range: 0,1-1GPM; 0,5-4LPM, 1/2" ET / 1/4" IT conn.	ROT01-1P	\$24,00
	2 GPM - range: 0,2-2GPM; 0,8-7,6LPM, 1/2" ET / 1/4" IT conn.	ROT02-2P	\$24,00
	5 GPM - range: 0,5-5GPM; 2-18LPM, 1/2" ET / 1/4" IT conn.	ROT05-5P	\$24,00
	10 GPM - range: 1-10GPM; 4-37LPM, 1" ET connection	ROT1-10P	\$30,00
	15 GPM - range: 1-15GPM; 5-56LPM, 1" ET connection	ROT1-15P	\$30,00
	16 GPM - range: 2-16GPM; 10-60LPM, 1" ET connection*	ROT2-16P	\$30,00
	20 GPM - range: 2-20GPM; 8-74LPM, 1" ET connection	ROT2-20P	\$30,00
	40 GPM - range: 5-40GPM; 10-150LPM, 1" ET connection	ROT5-40P	\$30,00
	*while supplies last		
	Panel-mounted rotameters - two alarms		
	Rotameter 40-400 LPH, (0,17-1,7 GPM), 1" ET connection	ROT40-400LHP-2A	\$68,00
	5 GPM - range: 0,5-5GPM; 2-18LPM, 1/2" ET connection	ROT05-5P-2A	\$146,00
	10 GPM - range: 1-10GPM; 4-37LPM, 1" ET connection	ROT01-10P-2A	\$198,00
	Panel-mounted rotameters with valves		
	1 GPM - range: 0,1-1GPM; 0,5-4LPM, 1/2" ET / 1/4" IT conn.	ROT1GPMZ	\$48,00
	2 GPM - range: 0,2-2GPM; 0,8-7,6LPM, 1/2" ET / 1/4" IT conn.	ROT2GPMZ	\$48,00
	5 GPM - range: 0,5-5GPM; 2-18LPM, 1/2" ET / 1/4" IT conn.	ROT5GPMZ	\$48,00
	10 GPM - range: 1-10GPM; 5-35LPM, 1" ET connection	ROT10GPMZ	\$65,00

Model	Description	Index	Price
	Inox needle valves		
	3/8" needle valve		260,00 zł
	1/2" needle valve		440,00 zł
	3/4" needle valve		request
	1" needle valve		request
 	Stainless-steel panel-mounted glycerine Manometers		
	0–10 bar panel-mounted glycerine Manometer, dial diameter 63 mm, 1/4" ET rear-mounted centric connection	MAN/0-10	74,00 zł
	0–250 bar panel-mounted glycerine Manometer, dial diameter 63 mm, 1/4" ET rear-mounted centric connection	MAN/0-25	74,00 zł
	Panel-mount bracket for a 63mm manometer		15,00 zł
	Solenoid valves for cold water, brass body		
	Solenoid valve 1/2"IT NC		request
	Solenoid valve 1/2"IT NO		request
	Solenoid valve 3/4"IT NC		request
	Solenoid valve 3/4"IT NO		request
	Solenoid valve 1"IT NC		request
	Solenoid valve 1"IT NO		request

FilmTec RO Membranes



Model	Description	Index	Price
High efficiency industrial membranes			
	Filmtec 4" Membrane		
	Filmtec TW30-4040	C3FT-TW30-4040	On request
	Filmtec BW30PRO-4040	C3FT-BW30PRO-4040	On request
	Filmtec XLEPRO4040	C3XLEPRO4040	On request
	Filmtec 8" Membrane		
	Filmtec BW30-400/34i	C3FT-BW30-400/34i	On request

Hydranautics RO Membranes



Model	Description	Index	Price
High efficiency industrial membranes			
	Hydranautics 4" Membrane		
	Hydranautics ESPA1-LD-4040	C3ESPA1LD-4040	On request
	Hydranautics ESPA2-LD-4040	C3ESPA2LD-4040	On request
			On request
	Hydranautics 8" Membrane		
	Hydranautics ESPA1-8040	C3ESPA1-8040	On request
	Hydranautics ESPA2-LD-8040	C3ESPA2LD-8040	On request

Any other FilmTec / Hydranautics membranes on request

Vontron RO Membranes



Model	Description	Index	Price
Lower efficiency membranes for home filtration systems			
			
	ULP 1812 - 50gpd output	C3DA020	\$9,70
	ULP 1812 - 75gpd output	C3DA021	\$10,82
	ULP 1812 - 100gpd output	C3DA023	\$11,40
	ULP 2012 - 150gpd output	C3ULP2012-150	\$21,40
	ULP 3012 - 300gpd output	C3ULP3012	\$37,20
	ULP 3012 - 400gpd output	C3ULP3012-400	\$40,00
	ULP 3012 - 600gpd output	C3ULP3012-600	\$45,80

Model	Description	Index	Price
High efficiency industrial membranes			
 	LP Membranes - Low Pressure 15,5bar - 41bar		
	LP21 - 4040; 9,10m ³ /d output	C3LP21-4040	\$180,00
	LP21 - 8040; 36,30m ³ /d output		\$756,00
	LP22 - 8040; 39,70m ³ /d output	C3LP22-8040	\$756,00
	ULP Membranes - Ultra Low Pressure 10,3bar - 41bar		
	ULP21 - 2521; 1,13m ³ /d output	C3ULP21-2521	\$129,00
	ULP21 - 2540; 2,84m ³ /d output	C3ULP21-2540	\$129,00
	ULP21 - 4021; 3,60m ³ /d output	C3ULP21-4021	\$124,00
	ULP21 - 4040; 9,10m ³ /d output	C3ULP21-4040	\$180,00
	ULP31 - 4040; 7,20m ³ /d output	C3ULP31-4040	\$180,00
	ULP32 - 8040; 39,70m ³ /d output	C3ULP32-8040	\$756,00
	ULP22 - 8040; 45,70m ³ /d output	C3ULP22-8040	\$756,00
	XLP Membranes - Extremely Low Pressure 6,9bar - 41bar		
	XLP11 - 4040; 9,8m ³ /d output	C3XLP11-4040	\$180,00
	Salt water membranes max. 69bar		
	SW11 - 2521; 0,76m ³ /d output		On request
	SW11 - 2540; 1,89m ³ /d output	C3SW11-2540	On request
	SW11 - 4021; 2,80m ³ /d output		On request
	SW21 - 4040; 5,30m ³ /d output	C3SW21-4040	On request
	SW22 - 8040; 22,70m ³ /d output		On request

Supreme RO Membranes



Model	Description	Index	Price
Lower efficiency membranes for home filtration systems			
	ULP 1812 Supreme - 75gpd output	C3181275S	\$8,86
	ULP 1812 Supreme - 100gpd output	C31812100S	\$11,00



Pentair RO Membranes

Model	Description	Index	Price
Lower efficiency membranes for home filtration systems			
	555693-00; 75gpd output	MEM75GPD-PENT	30,60 €
	655045-00; 100gpd output	MEM100GPD-PENT	39,00 €

Dosing Pumps



Model:	Description:		
Wall-mounted version DLX			
DLX-MA/AD (manual)	DLX MA/AD is an Analog manual dosing pump; manual flow rate adjustment from 0÷100%; double adjustment scale (supplied without probe)		
		Article item:	Price:
	01-15 - flow rate 1l/h ; counter pressure up to 15bar: PLX232225E - PVDF/FPM Viton	U6PLX2322201	282,00 €
	05-07 - flow rate 5l/h; counter pressure up to 7bar: PLX230385E - PVDF/FPM Viton PLX230385G - PVDF/EPDM Dutral		288,00 €
	08-10 - flow rate 8l/h; counter pressure up to 10bar: PLX232285E - PVDF/FPM Viton PLX232285G - PVDF/EPDM Dutral	PLX2322801 U6PLX2322805	MULTIFLOW - replacement
	15-04 - flow rate 15l/h; counter pressure up to 4bar: PLX232315E - PVDF/FPM Viton PLX232315G - PVDF/EPDM Dutral		MULTIFLOW - replacement
DLX-MA/MB	DLX-MA/MB metering pumps are microcontroller dosing pumps with 3 digits display, manual flow rate adjustment from 0÷100%. Flow is manually adjusted by up/down controls, 1% stroke frequency adjustment possible		
		Article item:	Price:
	01-15 - flow rate 1l/h; counter pressure up to 15bar: PLX242225E - PVDF/FPM Viton PLX242225G - PVDF/EPDM Dutral	U6PLX242225E U6PLX242225G	314,00 €
	05-07 - flow rate 5l/h; counter pressure up to 7bar: PLX240385E - PVDF/FPM Viton PLX240385G - PVDF/EPDM Dutral	U6PLX2403801 U6PLX2403805	324,00 €
	08-10 - flow rate 8l/h; counter pressure up to 10bar: PLX242285E - PVDF/FPM Viton PLX242285G - PVDF/EPDM Dutral	U6PLX2422801 U6PLX2422805	MULTIFLOW - replacement
	15-04 - flow rate 15l/h; counter pressure up to 4bar: PLX242315E - PVDF/FPM Viton PLX242315G - PVDF/EPDM Dutral	U6PLX2423101	MULTIFLOW - replacement
DLX-VFT/MBB	DLX VFT/MBB dosing pump is a micro controlled unit suitable for operation in proportion free tension (reed) contact normally generated by a water meter. DLX VFT/MBB has proportional/manual modes: Manual mode; Pulse multiplier with memory (1xn-M); Pulse multiplier (1xn); Pulse divider (1:n)		
		Article item:	Price:
	01-15 - flow rate 1l/h; counter pressure up to 15bar: PLX392225E - PVDF/FPM Viton PLX392225G - PVDF/EPDM Dutral	U6PLX3922201 U6PLX3922205	428,00 €
	05-07 - flow rate 5l/h; counter pressure up to 7bar: PLX390385E - PVDF/FPM Viton PLX390385G - PVDF/EPDM Dutral	U6PLX3903801	428,00 €
	08-10 - flow rate 8l/h; counter pressure up to 10bar: PLX392285E - PVDF/FPM Viton PLX392285G - PVDF/EPDM Dutral	U6PLX3922801	MULTIFLOW - replacement
	15-04 - flow rate 15l/h; counter pressure up to 4bar: PLX392315E - PVDF/FPM Viton PLX392315G - PVDF/EPDM Dutral	U6PLX392315E U6PLX3923105	MULTIFLOW - replacement

Tank-mounted version DLXB			
DLXB-MA/AD (manual)	DLXB-MA/AD is an Analog manual dosing pump; manual flow rate adjustment from 0÷100%; double adjustment scale (supplied without probe)		
		Article item:	Price:
	01-15 - flow rate 1l/h; counter pressure up to 15bar: PBX232225E - PVDF/FPM Viton PBX232225G - PVDF/EPDM Dutral		296,00 €
	05-07 - flow rate 5l/h; counter pressure up to 7bar: PBX230385E - PVDF/FPM Viton PBX230385G - PVDF/EPDM Dutral	U6PBX230385E	302,00 €
	08-10 - flow rate 8l/h; counter pressure up to 10bar: PBX232285E - PVDF/FPM Viton PBX232285G - PVDF/EPDM Dutral		MULTIFLOW - replacement
	15-04 - flow rate 15l/h; counter pressure up to 4bar: PBX232315E - PVDF/FPM Viton PBX232315G - PVDF/EPDM Dutral		MULTIFLOW - replacement

Model:	Description:		
DLXB-MA/MB	DLXB MA/MB metering pumps are microcontroller dosing pumps with 3 digits display, manual flow rate adjustment from 0÷100%. Flow is manually adjusted by up/down controls, 1% stroke frequency adjustment possible. □		
		Article item:	Price:
	01-15 - flow rate 1l/h; counter pressure up to 15bar: PBX242225E - PVDF/FPM Viton PBX242225G - PVDF/EPDM Dutral	U6PBX2422201 U6PBX2422205	328,00 €
	05-07 - flow rate 5l/h; counter pressure up to 7bar: PBX240385E - PVDF/FPM Viton PBX240385G - PVDF/EPDM Dutral	U6PBX2403801	340,00 €
	08-10 - flow rate 8l/h; counter pressure up to 10bar: PBX242285E - PVDF/FPM Viton PBX242285G - PVDF/EPDM Dutral	U6PBX2422801 U6PBX2422805	MULTIFLOW - replacement
	15-04 - flow rate 15l/h; ciśnienie 4bar: PBX242315E - PVDF/FPM Viton PBX242315G - PVDF/EPDM Dutral	U6PBX2423101	MULTIFLOW - replacement
DLXB-VFT/MBB	DLX VFT/MBB dosing pump is a micro controlled unit suitable for operation in proportion free tension (reed) contact normally generated by a water meter. DLX VFT/MBB has proportional/manual modes: Manual mode; Pulse multiplier with memory (1xn-M); Pulse multiplier (1xn); Pulse divider (1:n).		
		Article item:	Price:
	01-15 - flow rate 1l/h; counter pressure up to 15bar: PBX392225E - PVDF/FPM Viton PBX392225G - PVDF/EPDM Dutral	U6PBX3922201 U6PBX3922205	444,00 €

	05-07 - flow rate 5l/h; counter pressure up to 7bar: PBX390385E - PVDF/FPM Viton PBX390385G - PVDF/EPDM Dutral	U6PBX3903801 U6PBX3903805	444,00 €
	08-10 - flow rate 8l/h; counter pressure up to 10bar: PBX392285E - PVDF/FPM Viton PBX392285G - PVDF/EPDM Dutral	U6PBX3922801 U6PBX392285G	MULTIFLOW - replacement
	15-04 - flow rate 15l/h; counter pressure up to 4bar: PBX392315E - PVDF/FPM Viton PBX392315G - PVDF/EPDM Dutral	U6PBX392315E	MULTIFLOW - replacement

Model	Description:		
Pomp Multiflow (wall mounted) with PVDF valve			
Mutiflow MA New 	Analog pump; manual flow settings from 0 to 100%; double adjustment scale (without probe)		
	02-16 - 2l/h; 16bar: PMF014205E - PVDF/FPM Viton PMF014205G - PVDF/EPDM Dutral		310,00 €
	08-07 - 8l/h; 7bar: PMF014185E - PVDF/FPM Viton PMF014185G - PVDF/EPDM Dutral		358,00 €
	30-03 - 30l/h; 3bar: PMF014195E - PVDF/FPM Viton PMF014195G - PVDF/EPDM Dutral		532,00 €
Mutiflow MF New 	Water meter controlled pump with proportional or manual mode; pulse multiplication function (1xn), pulse multiplication function with memory (1xn-M), pulse division function (1:n); 4-20 mA control; relay alarm output		
			Price:
	02-16 - 2l/h; 16bar: PMF174205E - PVDF/FPM Viton PMF174205G - PVDF/EPDM Dutral		474,00 €
	08-07 - 8l/h; 7bar: PMF174185E - PVDF/FPM Viton PME174185G - PVDF/EPDM Dutral		552,00 €
	30-03 - 30l/h; 3bar: PMF174195E - PVDF/FPM Viton PMF174195G - PVDF/EPDM Dutral		678,00 €

Model	Description:
Pomps Multiflow (tank mounted) with valve PVDF	
Mutiflow B MA Nowo	Analog pump; manual flow settings from 0 to 100%; double adjustment scale (witohut probe)

	02-16 2l/h; 16bar: PBM014205E - PVDF/FPM Viton		334,00 €
	PBM014205G - PVDF/EPDM Dutral		
	08-07 - 8l/h; 7bar: PBM014185E - PVDF/FPM Viton		384,00 €
	PBM014185G - PVDF/EPDM Dutral		
	30-03 - 30l/h; 3bar: PBM014195E - PVDF/FPM Viton		562,00 €
	PBM014195G - PVDF/EPDM Dutral		
Mutiflow B MF Nowo 	Water meter controlled pump with proportional or manual mode; pulse multiplication function (1xn), pulse multiplication function with memory (1xn-M), pulse division function (1:n); 4-20 mA control; relay alarm output		
	02-16 - 2l/h; 16bar: PBM174205E - PVDF/FPM Viton		488,00 €
	PBM174205G - PVDF/EPDM Dutral		
	08-07 - 8l/h; 7bar: PBM174185E - PVDF/FPM Viton		564,00 €
	PBM174185G - PVDF/EPDM Dutral		
	30-03 - 30l/h; 3bar: PBM174195E - PVDF/FPM Viton		710,00 €
	PBM174195G - PVDF/EPDM Dutral		

Dosing Sets

Model:	Description:	Arichel item:	Price:
ZD-DLX-MA/MB 01-15 Z60	Dosing pump DLX-MA/MB 01 15, chemical tank 60l., tube, suction valve, injection point, level sensor	ZD-DLX-MA/MB/Z60	432,00 €
ZD-DLX-MA/MB 01-15 Z100	Dosing pump DLX-MA/MB 01 15, chemical tank 100l., tube, suction valve, injection point, level sensor	ZD-DLX-MA/MB/Z100	462,00 €
ZD-DLXB-MA/MB 01-15 Z60	Dosing pump DLX-MA/MB 01 15, chemical tank 60l., tube, suction valve, injection point, level sensor	ZD-DLXB-MA/MB/Z60	444,00 €
ZD-DLXB-MA/MB 01-15 Z100	Dosing pump DLX-MA/MB 01 15, chemical tank 100l., tube, suction valve, injection point, level sensor	ZD-DLXB-MA/MB	476,00 €
ZD-DLX-VFT/MBB 01-15 Z60 DN20	Dosing pump DLX-VFT/MBB 01 15 , chemical tank 60l., tube, suction valve, injection point, level sensor, water meter Dn=20	ZD-DLX-VFT-1-15Z60	664,00 €
ZD-DLX-VFT/MBB 01-15 Z60 DN25	Dosing pump DLX-VFT/MBB 01 15 chemical tank 60l., tube, suction valve, injection point, level sensor, water meter Dn=25	ZD-DLX-VFT-1-15Z6(1)	926,00 €
ZD-DLX-VFT/MBB 01-15 Z100 DN20	Dosing pump DLX-VFT/MBB 01 15 chemical tank 100l., tube, suction valve, injection point, level sensor, water meter Dn=20	ZD-DLX-VFT-1-15Z100	696,00 €
ZD-DLX-VFT/MBB 01-15 Z100 DN25	Dosing pump DLX-VFT/MBB 01 15 chemical tank 100l., tube, suction valve, injection point, level sensor, water meter Dn=25		956,00 €
ZD-DLXB-VFT/MBB 01-15 Z60 DN20	Dosing pump DLXB-VFT/MBB 01 15 controlled water meter with pulse multiplication and division, chemical tank 60l., tube, suction valve, injection point, level sensor, water meter Dn=20	ZD-DLXB-VFT-1-15Z60	680,00 €
ZD-DLXB-VFT/MBB 01-15 Z60 DN25	Dosing pump DLXB-VFT/MBB 01 15 controlled water meter with pulse multiplication and division, chemical tank 60l., tube, suction valve, injection point, level sensor, water meter Dn=25	ZD-DLXB-VFT-1-15	940,00 €
ZD-DLXB-VFT/MBB 01-15 Z100 DN20	Dosing pump DLXB-VFT/MBB 01 15 chemical tank 100l., tube, suction valve, injection point, level sensor, water meter Dn=20	ZD-DLXB-VFT-1-15Z100	710,00 €
ZD-DLXB-VFT/MBB 01-15 Z100 DN25	Dosing pump DLXB-VFT/MBB 01 15 chemical tank 100l., tube, suction valve, injection point, level sensor, water meter Dn=25	ZD-DLXB-VFT115Z10025	970,00 €



Water meters

Water meters with pulse transmitter for cooperation with VFT pumps - cold water

Model:	Description:	Price:
	Water meter JS 2,5-NK, 10 l/imp. connection 3/4" (after the connector DN15)	111 EUR
	Water meter JS 2,5-NK, 0,25 l/imp. connection 3/4" (after the connector DN15)	111 EUR
	Water meter JS 2,5-NK, 1 l/imp. connection 3/4" (after the connector DN15)	111 EUR
	Water meter JS 2,5-NK, 2,5 l/imp. connection 3/4" (after the connector DN15)	111 EUR
	Couplings DN15 - set	14 EUR
	Water meter JS 4-NK, 10 l/imp. connection 1" (after the connector DN20)	119 EUR
	Water meter JS 4-NK, 0,25 l/imp. connection 1" (after the connector DN20)	119 EUR
	Water meter JS 4-NK, 1 l/imp. connection 1" (after the connector DN20)	119 EUR
	Water meter JS 4-NK, 2,5 l/imp. connection 1" (after the connector DN20)	119 EUR
	Couplings DN20 - set	18 EUR
	Water meter JS 6,3-NK Master+, 10 l/imp. connection 1 1/4" (after the connector DN25)	358 EUR
	Water meter JS 6,3-NK Master+, 100 l/imp. connection 1 1/4" (after the connector DN25)	358 EUR
	Couplings DN25 - set	34 EUR
	Water meter JS 10-NK Master+, 10 l/imp. connection 1 1/2" (after the connector DN32)	400 EUR
	Water meter JS 10-NK Master+, 100 l/imp. connection 1 1/2" (after the connector DN32)	400 EUR
	Couplings DN32 - set	54 EUR
	Water meter JS 16-NK Master+, 100 l/imp. connection 2" (after the connector DN40)	492 EUR
	Water meter JS 16-NK Master+, 10 l/imp. connection 2" (after the connector DN40)	492 EUR
	Couplings DN40 - set	72 EUR
	Water meter MWN 40-NK, 1000 l/imp. connection flanged DN40	620 EUR
	Water meter MWN 40-NK, 10 l/imp. connection flanged DN40	620 EUR
	Water meter MWN 40-NK, 100 l/imp. connection flanged DN40	620 EUR
	Water meter MWN 50-NK, 1000 l/imp. connection flanged DN50	672 EUR
	Water meter MWN 50-NK, 10 l/imp. connection flanged DN50	672 EUR
	Water meter MWN 50-NK, 100 l/imp. connection flanged DN50	672 EUR

Polyethylene tanks



Description:		Price:
Verticale series		
	ROVE0015 - tank capacity: 150 L dimensions (diameter x height): 600 x 700 mm	232 EUR
	ROVE0030 - tank capacity: 300 L dimensions (diameter x height): 630 x 1110 mm	310 EUR
	ROVE0050 - tank capacity: 500 L dimensions (diameter x height): 680 x 1520 mm	429 EUR
	ROVE0100 - tank capacity: 1000 L dimensions (diameter x height): 850 x 1930 mm	626 EUR
	ROVE0200 - tank capacity: 2000 L dimensions (diameter x height): 1150 x 2100 mm	953 EUR
	ROVE0300 - tank capacity: 3000 L dimensions (diameter x height): 1350 x 2300 mm	1 350 EUR
	ROVE0500 - tank capacity: 5050 L dimensions (diameter x height): 1800 x 2230 mm	2 186 EUR

Panettone series		
	ROPA0500 - tank capacity: 538 L dimensions (diameter x height): 1000 x 800 mm	382 EUR
	ROPA1000 - tank capacity: 1040 L dimensions (diameter x height): 1200 x 1050 mm	534 EUR
	ROPA2000 - tank capacity: 2075 L dimensions (diameter x height): 1500 x 1330 mm	942 EUR
	ROPA3000 - tank capacity: 3105 L dimensions (diameter x height): 1830 x 1350 mm	1 176 EUR
	ROPA5000 - tank capacity: 4905 L dimensions (diameter x height): 2250 x 1350 mm	2 106 EUR

Cisterna series		
	ROCI0300 - tank capacity: 300 L Dimensions (length x height x width): 1210 x 660 x 570 mm	356 EUR
	ROCI0500 - tank capacity: 565 L Dimensions (length x height x width): 1200 x 830 x 800 mm	510 EUR
	ROCI1000 - tank capacity: 1020 L Dimensions (length x height x width): 1400 x 1090 x 1000 mm	730 EUR
	ROCI1500 - tank capacity: 1665 L Dimensions (length x height x width): 1700 x 1220 x 1150 mm	1 016 EUR
	ROCI2000 - tank capacity: 2200 L Dimensions (length x height x width): 1900 x 1320 x 1250 mm	1 282 EUR
	ROCI3000 - tank capacity: 3260 L Dimensions (length x height x width): 2100 x 1520 x 1450 mm	1 821 EUR
	ROCI5000 - tank capacity: 5000 L Dimensions (length x height x width): 2200 x 1920 x 1730 mm	2 981 EUR

Description:		Price:
Valigia series		
	ROVA0500 - tank capacity: 500 L Dimensions (length x height x width): 990 x 1050 x 650 mm	508 EUR
	ROVA1000 - tank capacity: 1000 L Dimensions (length x height x width): 1390 x 1150 x 800 mm	754 EUR

Box series		
	ROBO0300 - tank capacity: 290 L Dimensions (length x height x width): 800 x 800 x 550 mm	401 EUR
	ROBO0500 - tank capacity: 500 L Dimensions (length x height x width): 800 x 1300 x 550 mm	468 EUR




Description:		Price:
CB/CBA series		
	CB-100 - tank capacity: 100 L Dimensions (length x height x width): 500 x 575 x 500 mm	174 EUR
	CB-200 - tank capacity: 200 L Dimensions (length x height x width): 700 x 625 x 600 mm	264 EUR
	CB-300 - tank capacity: 300 L Dimensions (length x height x width): 800 x 655 x 700 mm	338 EUR
	CB-500 - tank capacity: 500 L Dimensions (length x height x width): 1066 x 770 x 716 mm	453 EUR
	CBA-500 - tank capacity: 500 L Dimensions (length x height x width): 716 x 1120 x 716 mm	514 EUR

BC series		
	BC-60 - tank capacity: 60 L dimensions (diameter x height): 380 x 650 mm	158 EUR
	BC-100 - tank capacity: 100 L dimensions (diameter x height): 460 x 710 mm	197 EUR
	BC-150 - tank capacity: 150 L dimensions (diameter x height): 460 x 1025 mm	230 EUR
	BC-200 - tank capacity: 200 L dimensions (diameter x height): 575 x 895 mm	285 EUR
	BC-250 - tank capacity: 250 L dimensions (diameter x height): 575 x 1090 mm	331 EUR
	BC-300 - tank capacity: 300 L dimensions (diameter x height): 575 x 1290 mm	414 EUR

Description:		Price:
PA series		
	PA-300 - tank capacity: 300 L dimensions (diameter x height): 770 x 770 mm	298 EUR
	PA-500 - tank capacity: 500 L dimensions (diameter x height): 915 x 900 mm	414 EUR
	PA-750 - tank capacity: 750 L dimensions (diameter x height): 1060 x 1000 mm	544 EUR
	PA-1000 - tank capacity: 1000 L dimensions (diameter x height): 1205 x 1100 mm	648 EUR
	PA-1500 - tank capacity: 1500 L dimensions (diameter x height): 1300 x 1300 mm	842 EUR
	PA-2000 - tank capacity: 2000 L dimensions (diameter x height): 1450 x 1400 mm	1 010 EUR
	PA-3000 - tank capacity: 3000 L dimensions (diameter x height): 1735 x 1500 mm	1 294 EUR
	PA-5000 - tank capacity: 5000 L dimensions (diameter x height): 2030 x 1800 mm	2 058 EUR

CV series		
	CV-300 - tank capacity: 300 L, connection 1" dimensions (diameter x height): 630 x 1170 mm	316 EUR
	CV-500 - tank capacity: 500 L, connection 1" dimensions (diameter x height): 700 x 1460 mm	450 EUR
	CV-750 - tank capacity: 750 L, connection 1 1/4" dimensions (diameter x height): 800 x 1680 mm	637 EUR
	CV-1000 - tank capacity: 1000 L, connection 1 1/4" dimensions (diameter x height): 800 x 2180 mm	747 EUR
	CV-1500 - tank capacity: 1500 L, connection 1 1/2" dimensions (diameter x height): 1060 x 1920 mm	968 EUR
	CV-2000 - tank capacity: 2000 L, connection 1 1/2" dimensions (diameter x height): 1200 x 2015 mm	1 066 EUR
	CV-3000 - tank capacity: 3000 L, connection 1 1/2" dimensions (diameter x height): 1450 x 2050 mm	1 470 EUR
	CV-5000 - tank capacity: 5000 L, connection 2" dimensions (diameter x height): 1790 x 2210 mm	2 130 EUR

CHO series		
	CHO-300 - tank capacity: 300 L, connection 1" Dimensions (diameter x length x height): 625 x 1100 x 705 mm	342 EUR
	CHO-500 - tank capacity: 500 L, connection 1" Dimensions (diameter x length x height): 720 x 1500 x 800 mm	582 EUR
	CHO-750 - tank capacity: 750 L, connection 1 1/4" Dimensions (diameter x length x height): 820 x 1580 x 900 mm	633 EUR
	CHO-1000 - tank capacity: 1000 L, connection 1 1/4" Dimensions (diameter x length x height): 915 x 1720 x 995 mm	736 EUR
	CHO-1500 - tank capacity: 1500 L, connection 1 1/2" Dimensions (diameter x length x height): 1155 x 1630 x 1255 mm	1 007 EUR
	CHO-2000 - tank capacity: 2000 L, connection 1 1/2" Dimensions (diameter x length x height): 1300 x 1700 x 1400 mm	1 286 EUR
	CHO-3000 - tank capacity: 3000 L, connection 1 1/2" Dimensions (diameter x length x height): 1450 x 2000 x 1550 mm	1 950 EUR
	CHO-5000 - tank capacity: 5000 L, connection 2" Dimensions (diameter x length x height): 1740 x 2310 x 1840 mm	3 048 EUR

Description:		Price:
CPN series		
	CPN-1000 - tank capacity: 1000 L, connection 1" Dimensions (length x height x width): 1410 x 1460 x 670 mm	930 EUR
	CPN-2000 - tank capacity: 2000 L, connection 1 1/2" Dimensions (length x height x width): 2050 x 1900 x 695 mm	1 811 EUR
CPZ series		
	CPZ-1500 - tank capacity: 1500 L, connection 1 1/2" Dimensions (length x height x width): 1760 x 1860 x 640 mm	1 150 EUR
	CPZ-2000 - tank capacity: 2000 L, connection 1 1/2" Dimensions (length x height x width): 1910 x 2050 x 695 mm	1 334 EUR
Tank`s accesories:		
	Float switch level sensor - vertical	68 EUR
	Culvert tight PVC 3/4"	27 EUR
	Culvert tight PVC 1"	18 EUR
	Culvert tight PVC 1 1/4"	20 EUR

	Connection for ELBI tanks for 3000 l and bigger	
	Set connections 2 x 1" + 3/4"	39,00 EUR
	Set connections 2 x 1 1/4" + 3/4"	48,00 EUR
	Set connections 2 x 1 1/2" + 3/4"	58,60 EUR
	Set connections 2 x 2" + 3/4"	68,00 EUR